

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
A-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	1000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
A-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	20000	MPN/100 mL	Enterolert	10	RL	VCHCA	
A-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	1100	MPN/100 mL	SM 9221E	2	RL	VCHCA	
A-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	2247000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
A-1	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	400	µmhos/cm	SM 2510	100	MDL	CRG	
A-1	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
A-1	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	0.2	mg/L	EPA 418.1	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	1.73	ng/L	EPA 1631E	0.25	PQL	BR	
A-1	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	62.1	ng/L	EPA 1631E	0.25	PQL	BR	
A-1	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.3	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/17/2004	10/21/2004	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	1.1	mg/L	SM 4500-Br	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	18.3	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	5.3	mg/L	EPA 405.1	1	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	292	mg/L	SM 2340B	1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	860	mg/L	SM 2540C	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	9.4	mg/L	EPA 415.1	5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	428	mg/L	SM 2540D	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	11.2	µg/L	EPA 200.8	1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	8630	µg/L	EPA 200.8	1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	3.51	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	6.45	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	0.24	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	3.09	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	0.88	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	23.7	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	40	µg/L	SM 3500-Cr	5	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	7.68	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	42.1	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	10.9	µg/L	EPA 200.8	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	6.03	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	30.7	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	3.68	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	5	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	=	0.18	µg/L	EPA 200.8	0.1	MDL	CRG	EST
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	=	0.15	µg/L	EPA 200.8	0.1	MDL	CRG	EST
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	4.96	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	136	µg/L	EPA 200.8	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	22.7	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.26	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	1.89	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	4.2	mg/L	EPA 351.3	0.2	DLR	SCL	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	=	9.5	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	=	132	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0045	µg/L	EPA 625	0.001	MDL	CRG	EST
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	=	0.0077	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.0269	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0077	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	=	0.0074	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	=	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	=	0.0091	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.249	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.048	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	=	0.0094	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.622	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.133	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.0445	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.0196	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	=	0.0043	µg/L	EPA 625	0.001	MDL	CRG	EST
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	=	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0105	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	=	0.351	µg/L	EPA 625	0.05	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	=	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0204	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.0172	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.1447	µg/L	EPA 625		none	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	=	0.0612	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	=	0.0124	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	=	0.0927	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	=	0.0799	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	=	0.546	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	=	0.544	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	=	0.0507	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	=	0.0507	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/26/2004	Pesticide	Glyphosate	n/a	=	133	µg/L	EPA 547	120	MRL	MWH	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	1.3462	µg/L	EPA 625		none	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
A-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
I-2	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	288000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
I-2	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	10000	MPN/100 mL	Enterolert	10	RL	VCHCA	
I-2	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	50000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
I-2	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	1935000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
I-2	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	800	µmhos/cm	SM 2510	100	MDL	CRG	
I-2	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	7.9	pH Units	EPA 150.1	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	=	1.5	mg/L	EPA 1664A	1	MDL	CRG	EST
I-2	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	1.3	mg/L	EPA 418.1	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	4.71	ng/L	EPA 1631E	0.25	PQL	BR	
I-2	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	21.7	ng/L	EPA 1631E	0.25	PQL	BR	
I-2	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.8	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/17/2004	10/21/2004	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	0.51	mg/L	SM 4500-Br	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	42.8	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	16	mg/L	EPA 405.1	1	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	286	mg/L	SM 2340B	1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	760	mg/L	SM 2540C	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	40	mg/L	EPA 415.1	5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	72.5	mg/L	SM 2540D	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	16.1	µg/L	EPA 200.8	1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	2460	µg/L	EPA 200.8	1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	3.14	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	4.03	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	0.33	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	0.61	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	1.37	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	8.42	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	30	µg/L	SM 3500-Cr	5	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	31.1	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	43.5	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	6.75	µg/L	EPA 200.8	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	11.7	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	16.8	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	9.3	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	9.25	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	=	0.18	µg/L	EPA 200.8	0.1	MDL	CRG	EST
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	68.8	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	138	µg/L	EPA 200.8	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	1.9	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.11	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	1.49	mg/L	SM 4500-P C	0.016	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	2.1	mg/L	EPA 351.3	0.1	DLR	SCL	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	=	35	mg/L	SM 4500-P C	0.016	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0051	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0157	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.0109	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0102	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	=	0.011	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	=	0.028	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	=	0.0406	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	=	0.0907	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	=	0.0608	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	=	0.0442	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	=	0.0851	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	13.4	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.365	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	=	0.103	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.433	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.0815	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.2	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	=	0.247	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.138	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0433	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0139	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	=	0.0182	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0439	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.111	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.8736	µg/L	EPA 625		none	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	=	0.0819	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	=	0.0168	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	PQL	Calscience	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0.0819	µg/L	EPA 625		none	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
I-2	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	10000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	3100	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-CC	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	16000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-CC	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	2359000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-1	Wet	10/17/2004	10/18/2004	Conventional	Conductivity	n/a	=	900	µmhos/cm	SM 2510	100	MDL	CRG	
ME-CC	2004/05-1	Wet	10/17/2004	10/18/2004	Conventional	pH	n/a	=	7.4	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/17/2004	10/18/2004	Hydrocarbon	Oil and Grease	n/a	=	8.5	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/17/2004	10/18/2004	Hydrocarbon	TRPH	n/a	=	0.4	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	2.78	ng/L	EPA 1631E	0.25	PQL	BR	
ME-CC	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	30.1	ng/L	EPA 1631E	0.25	PQL	BR	
ME-CC	2004/05-1	Wet	10/17/2004	10/18/2004	Nutrient	Ammonia as N	n/a	=	0.5	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	0.36	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	117	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	22	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	163	mg/L	SM 2340B	1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	380	mg/L	SM 2540C	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	27	mg/L	EPA 415.1	5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	384	mg/L	SM 2540D	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	19.6	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	8820	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	3.74	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	6.49	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	0.22	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	0.89	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	28.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	40	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	3.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	29.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	10.9	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	6.99	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	31.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	2.62	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	4.01	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	=	0.26	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	=	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	11.9	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	101	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	3.8	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.07	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	1.92	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	9.3	mg/L	EPA 351.3	0.4	DLR	SCL	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	=	85	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0106	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0125	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.034	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0197	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	=	0.0081	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	=	0.0106	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	=	0.0173	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	=	0.0318	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	=	0.0241	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	=	0.0252	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	=	0.0222	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	=	0.0086	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.01	µg/L	EPA 625	0.005	MDL	CRG	EST-MSRPD
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.102	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	=	0.038	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.531	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.0491	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.0676	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	=	0.0956	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.0557	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0236	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0558	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0433	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.0506	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.4917	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	=	0.038	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	=	0.127	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	=	0.177	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/25/2004	Pesticide	Glyphosate	n/a	=	23.2	µg/L	EPA 547	6	MRL	MWH	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	=	0.0799	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0.165	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/27/2004	11/4/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	E. Coli	n/a	=	10000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Enterococcus	n/a	=	20000	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-CC	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Fecal Coliform	n/a	=	16000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-CC	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Total Coliform	n/a	=	529000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-2	Wet	10/27/2004	11/4/2004	Conventional	Conductivity	n/a	=	508	µmhos/cm	SM 2510	100	MDL	CRG	
ME-CC	2004/05-2	Wet	10/27/2004	11/4/2004	Conventional	pH	n/a	=	7.55	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/27/2004	11/10/2004	Hydrocarbon	Oil and Grease	n/a	=	1.3	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2004/05-2	Wet	10/27/2004	11/4/2004	Hydrocarbon	TRPH	n/a	=	0.9	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/27/2004	11/5/2004	Metal	Mercury	Dissolved	=	2.07	ng/L	EPA 1631E	0.25	PQL	BR	
ME-CC	2004/05-2	Wet	10/27/2004	11/5/2004	Metal	Mercury	Total	=	115	ng/L	EPA 1631E	0.25	PQL	BR	
ME-CC	2004/05-2	Wet	10/27/2004	11/2/2004	Nutrient	Ammonia as N	n/a	=	0.16	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/11/2004	Anion	Bromide	n/a	=	0.2	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/11/2004	Anion	Chloride	n/a	=	63.5	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	10/29/2004	Conventional	BOD	n/a	=	4.7	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Conventional	Hardness as CaCO3	Total	=	123	mg/L	SM 2340B	1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/4/2004	Conventional	Total Dissolved Solids	n/a	=	510	mg/L	SM 2540C	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/2/2004	Conventional	Total Organic Carbon	n/a	=	8.8	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/4/2004	Conventional	Total Suspended Solids	n/a	=	922	mg/L	SM 2540D	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Aluminum	Dissolved	=	14.9	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Aluminum	Total	=	24300	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Arsenic	Dissolved	=	3.39	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Arsenic	Total	=	8.19	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Cadmium	Dissolved	=	0.29	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Cadmium	Total	=	2.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Chromium	Dissolved	=	0.97	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Chromium	Total	=	39	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Copper	Dissolved	=	2.94	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Copper	Total	=	30.4	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Lead	Total	=	17.4	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Nickel	Dissolved	=	3.87	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Nickel	Total	=	37.5	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Selenium	Dissolved	=	2.08	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Selenium	Total	=	3.67	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Thallium	Total	=	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Zinc	Dissolved	=	10	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Zinc	Total	=	96.7	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Nitrate as N	n/a	=	2.85	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Orthophosphate as P	Total	=	1.96	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/10/2004	Nutrient	TKN	n/a	=	3	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-CC	2004/05-2	Wet	10/28/2004	11/2/2004	Nutrient	Total Phosphorus	Dissolved	=	2.7	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/2/2004	Nutrient	Total Phosphorus	Total	=	18.6	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1-Methylnaphthalene	n/a	=	0.0064	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0172	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,6-Dimethylnaphthalene	n/a	=	0.00878	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Methylnaphthalene	n/a	=	0.011	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Biphenyl	n/a	=	0.0123	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.709	µg/L	EPA 625	0.005	MDL	CRG	UL-FB
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0827	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Diethyl phthalate	n/a	=	2.23	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Dimethyl phthalate	n/a	=	0.182	µg/L	EPA 625	0.005	MDL	CRG	UL-MB, UL-FB
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Di-n-butylphthalate	n/a	=	0.0676	µg/L	EPA 625	0.005	MDL	CRG	UL-MB, UL-FB
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Fluoranthene	n/a	=	0.0162	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Fluorene	n/a	=	0.0091	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Naphthalene	n/a	=	0.0261	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Phenanthrene	n/a	=	0.0327	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Pyrene	n/a	=	0.0224	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Total Detectable PAHs	n/a	=	0.16218	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4,5-T	n/a	<	0.53	µg/L	EPA 8151A	0.53	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.53	µg/L	EPA 8151A	0.53	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4-D	n/a	<	5.3	µg/L	EPA 8151A	5.3	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4-DB	n/a	<	5.3	µg/L	EPA 8151A	5.3	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dalapon	n/a	<	14	µg/L	EPA 8151A	14	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Diazinon	n/a	=	0.167	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dicamba	n/a	<	0.53	µg/L	EPA 8151A	0.53	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dichlorprop	n/a	<	5.3	µg/L	EPA 8151A	5.3	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dinoseb	n/a	<	2.7	µg/L	EPA 8151A	2.7	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/8/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	MCPA	n/a	<	530	µg/L	EPA 8151A	530	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	MCPP	n/a	<	530	µg/L	EPA 8151A	530	RL	Calscience	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/5/2004	12/8/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	E. Coli	n/a	=	246	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Enterococcus	n/a	=	64	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-CC	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Fecal Coliform	n/a	=	170	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-CC	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Total Coliform	n/a	=	10000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-3	Wet	12/5/2004	12/8/2004	Conventional	Conductivity	n/a	=	1400	µmhos/cm	SM 2510	100	MDL	CRG	
ME-CC	2004/05-3	Wet	12/5/2004	12/8/2004	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/5/2004	12/14/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/5/2004	12/14/2004	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/5/2004	12/23/2004	Metal	Mercury	Dissolved	=	3.56	ng/L	EPA 1631E	0.25	PQL	BR	
ME-CC	2004/05-3	Wet	12/5/2004	12/20/2004	Metal	Mercury	Total	=	2.2	ng/L	EPA 1631E	0.25	PQL	BR	
ME-CC	2004/05-3	Wet	12/5/2004	12/7/2004	Nutrient	Ammonia as N	n/a	=	0.13	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Anion	Bromide	n/a	=	0.058	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/20/2004	Anion	Chloride	n/a	=	145	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Conventional	BOD	n/a	=	8.7	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Conventional	Hardness as CaCO3	Total	=	270	mg/L	SM 2340B	1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/13/2004	Conventional	Total Dissolved Solids	n/a	=	730	mg/L	SM 2540C	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Conventional	Total Organic Carbon	n/a	=	8.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/13/2004	Conventional	Total Suspended Solids	n/a	=	150	mg/L	SM 2540D	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Aluminum	Dissolved	=	4.36	µg/L	EPA 200.8	1	MDL	CRG	EST
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Aluminum	Total	=	1400	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Arsenic	Dissolved	=	3.34	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Arsenic	Total	=	3.71	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Cadmium	Dissolved	=	0.4	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Cadmium	Total	=	0.71	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Chromium	Dissolved	=	1.08	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Chromium	Total	=	4.89	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Copper	Dissolved	=	5.02	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Copper	Total	=	9.83	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Lead	Total	=	3.03	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Nickel	Dissolved	=	5.88	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Nickel	Total	=	10.4	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Selenium	Dissolved	=	3.96	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Selenium	Total	=	2.76	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Zinc	Dissolved	=	22.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Zinc	Total	=	40.4	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Nitrate as N	n/a	=	12.1	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Nitrite as N	n/a	=	0.14	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Orthophosphate as P	Total	=	1.16	mg/L	SM 4500-P C	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Nutrient	TKN	n/a	=	2	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-CC	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Total Phosphorus	Dissolved	=	1.2	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/8/2004	Nutrient	Total Phosphorus	Total	=	1.2	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1-Methylnaphthalene	n/a	=	0.0081	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Methylnaphthalene	n/a	=	0.014	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(e)pyrene	n/a	=	0.0091	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	7.92	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Butyl benzyl phthalate	n/a	=	0.107	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Chrysene	n/a	=	0.0186	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Diethyl phthalate	n/a	=	0.204	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Dimethyl phthalate	n/a	=	0.0295	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Di-n-butylphthalate	n/a	=	0.0602	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Di-n-octylphthalate	n/a	=	0.0584	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Fluoranthene	n/a	=	0.027	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Naphthalene	n/a	=	0.0579	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Phenanthrene	n/a	=	0.0125	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pyrene	n/a	=	0.018	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Total Detectable PAHs	n/a	=	0.1652	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDE	n/a	=	0.0899	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDT	n/a	=	0.0411	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Aldrin	n/a	=	0.136	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlorpyrifos	n/a	=	0.345	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Diazinon	n/a	=	0.0211	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/14/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Total Detectable DDTs	n/a	=	0.131	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	1/11/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	CalScience	
ME-CC	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	E. Coli	n/a	=	4100	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Enterococcus	n/a	=	6400	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-CC	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Fecal Coliform	n/a	=	1400	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-CC	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Total Coliform	n/a	=	20000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-4	Wet	1/8/2005	1/24/2005	Conventional	Conductivity	n/a	=	590	µmhos/cm	SM 2510	100	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	1/24/2005	Conventional	pH	n/a	=	7.65	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	1/25/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	1/28/2005	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	2/4/2005	Metal	Mercury	Dissolved	=	1.9	ng/L	EPA 1631E	1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	2/4/2005	Metal	Mercury	Total	=	147	ng/L	EPA 1631E	1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/8/2005	1/11/2005	Nutrient	Ammonia as N	n/a	<	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Anion	Bromide	n/a	=	0.13	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Anion	Chloride	n/a	=	36.3	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/11/2005	Conventional	BOD	n/a	=	32	mg/L	EPA 405.1	1	RL	CalScience	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Conventional	Hardness as CaCO3	Total	=	117	mg/L	SM 2340B	1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Conventional	Total Dissolved Solids	n/a	=	350	mg/L	SM 2540C	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Conventional	Total Organic Carbon	n/a	=	12	mg/L	EPA 415.1	0.5	RL	CalScience	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Conventional	Total Suspended Solids	n/a	=	4940	mg/L	SM 2540D	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Aluminum	Dissolved	=	25.5	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Aluminum	Total	=	33600	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Arsenic	Dissolved	=	2.95	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Arsenic	Total	=	9.99	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Cadmium	Dissolved	=	0.37	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Cadmium	Total	=	8.33	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Chromium	Dissolved	=	0.53	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Chromium	Total	=	83.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/10/2005	Metal	Chromium VI	Total	=	10	µg/L	SM 3500-Cr	5	MDL	CRG	EST
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Copper	Dissolved	=	3.59	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Copper	Total	=	84.7	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Lead	Total	=	24.8	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Nickel	Dissolved	=	4.35	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Nickel	Total	=	130	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Selenium	Dissolved	=	3.74	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Selenium	Total	=	4.85	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Silver	Total	=	0.34	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Thallium	Total	=	0.57	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Zinc	Dissolved	=	3.65	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	2/4/2005	Metal	Zinc	Total	=	265	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/11/2005	Nutrient	Nitrate as N	n/a	=	7.1	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/11/2005	Nutrient	Nitrite as N	n/a	=	0.19	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/11/2005	Nutrient	Orthophosphate as P	Total	=	0.85	mg/L	SM 4500-P C	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/13/2005	Nutrient	TKN	n/a	=	7.5	mg/L	EPA 351.3	0.3	DLR	SCL	
ME-CC	2004/05-4	Wet	1/10/2005	1/11/2005	Nutrient	Total Phosphorus	Dissolved	=	0.2	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/14/2005	Nutrient	Total Phosphorus	Total	=	1.07	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	1-Methylnaphthalene	n/a	=	0.0172	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	1-Methylphenanthrene	n/a	=	0.0153	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,6-Dimethylnaphthalene	n/a	=	0.017	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2-Methylnaphthalene	n/a	=	0.0361	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Acenaphthene	n/a	=	0.0086	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Anthracene	n/a	=	0.0096	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzo(a)anthracene	n/a	=	0.0542	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzo(a)pyrene	n/a	=	0.0873	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzo(b)fluoranthene	n/a	=	0.0762	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzo(e)pyrene	n/a	=	0.0808	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzo(g,h,i)perylene	n/a	=	0.0648	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Benzo(k)fluoranthene	n/a	=	0.0893	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Biphenyl	n/a	=	0.0159	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	7.8	µg/L	EPA 625	0.005	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Butyl benzyl phthalate	n/a	=	0.28	µg/L	EPA 625	0.005	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Chrysene	n/a	=	0.093	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Diethyl phthalate	n/a	=	0.537	µg/L	EPA 625	0.005	MDL	CRG	UL-MB, HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Dimethyl phthalate	n/a	=	0.0361	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Di-n-butylphthalate	n/a	=	0.308	µg/L	EPA 625	0.005	MDL	CRG	UL-MB, HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Di-n-octylphthalate	n/a	=	0.172	µg/L	EPA 625	0.005	MDL	CRG	HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Fluoranthene	n/a	=	0.102	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Fluorene	n/a	=	0.0114	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0619	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Naphthalene	n/a	=	0.05	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Perylene	n/a	=	0.0722	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Phenanthrene	n/a	=	0.0507	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Phenol	n/a	=	0.131	µg/L	EPA 625	0.1	MDL	CRG	EST, EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Pyrene	n/a	=	0.113	µg/L	EPA 625	0.001	MDL	CRG	HB-MSR
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Organic	Total Detectable PAHs	n/a	=	1.1359	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	4,4'-DDD	n/a	=	0.0542	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	4,4'-DDE	n/a	=	0.457	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	4,4'-DDT	n/a	=	0.179	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Chlorpyrifos	n/a	=	0.312	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/14/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/12/2005	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	EST-MSRPD
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Total Detectable DDTs	n/a	=	0.6902	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-4	Wet	1/10/2005	1/27/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/3/2005	5/12/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	E. Coli	n/a	=	100	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Enterococcus	n/a	=	42	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-CC	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Fecal Coliform	n/a	=	50	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-CC	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Total Coliform	n/a	=	9800	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-5	Dry	5/3/2005	5/4/2005	Conventional	Conductivity	n/a	=	1700	µmhos/cm	SM 2510	100	MDL	CRG	
ME-CC	2004/05-5	Dry	5/3/2005	5/4/2005	Conventional	pH	n/a	=	8.2	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/3/2005	5/4/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/3/2005	5/10/2005	Hydrocarbon	TRPH	n/a	=	0.1	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/3/2005	5/6/2005	Metal	Mercury	Dissolved	=	3.21	ng/L	EPA 1631E	1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/3/2005	5/6/2005	Metal	Mercury	Total	=	10.95	ng/L	EPA 1631E	1	MDL	CRG	UL-FB
ME-CC	2004/05-5	Dry	5/3/2005	5/5/2005	Nutrient	Ammonia as N	n/a	=	0.13	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Anion	Bromide	n/a	=	1.04	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/10/2005	Anion	Chloride	n/a	=	390	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/5/2005	Conventional	BOD	n/a	=	1	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Conventional	Hardness as CaCO3	Total	=	435	mg/L	SM 2340B	1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/10/2005	Conventional	Total Dissolved Solids	n/a	=	1140	mg/L	SM 2540C	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/5/2005	Conventional	Total Organic Carbon	n/a	=	6.4	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/10/2005	Conventional	Total Suspended Solids	n/a	=	6.6	mg/L	SM 2540D	0.5	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/4/2005	Conventional	Turbidity	n/a	=	7	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Aluminum	Dissolved	=	2.87	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Aluminum	Total	=	124	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Arsenic	Dissolved	=	3.91	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Arsenic	Total	=	4.02	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Cadmium	Dissolved	=	10.9	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Cadmium	Total	=	11.4	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Chromium	Dissolved	=	0.84	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Chromium	Total	=	2.68	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/5/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Copper	Dissolved	=	5.13	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Copper	Total	=	5.47	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Lead	Total	=	0.513	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Nickel	Dissolved	=	7.21	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Nickel	Total	=	7.48	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Selenium	Dissolved	=	5.7	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Selenium	Total	=	5.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Zinc	Dissolved	=	17.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Zinc	Total	=	19.6	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Nitrate as N	n/a	=	11.3	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Nitrite as N	n/a	=	0.09	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Orthophosphate as P	Total	=	1.33	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	6/1/2005	Nutrient	TKN	n/a	=	0.93	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Nutrient	Total Phosphorus	Dissolved	=	0.3	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Nutrient	Total Phosphorus	Total	=	0.3	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1-Methylnaphthalene	n/a	=	0.0025	µg/L	EPA 625	0.001	MDL	CRG	UL-FB
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Methylnaphthalene	n/a	=	0.0092	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Biphenyl	n/a	=	0.0053	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.53	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Butyl benzyl phthalate	n/a	=	0.027	µg/L	EPA 625	0.005	MDL	CRG	UL-MB, UL-FB
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Diethyl phthalate	n/a	=	0.463	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dimethyl phthalate	n/a	=	0.0384	µg/L	EPA 625	0.005	MDL	CRG	UL-FB
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Di-n-butylphthalate	n/a	=	0.0563	µg/L	EPA 625	0.005	MDL	CRG	UL-FB
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Isophorone	n/a	=	0.0617	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Naphthalene	n/a	=	0.0443	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Phenol	n/a	=	0.336	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Total Detectable PAHs	n/a	=	0.0613	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Total Detectable PCBs	n/a	<	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4,5-T	n/a	<	0.61	µg/L	EPA 8151A	0.61	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.61	µg/L	EPA 8151A	0.61	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4-D	n/a	<	6.1	µg/L	EPA 8151A	6.1	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4-DB	n/a	<	6.1	µg/L	EPA 8151A	6.1	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dalapon	n/a	<	16	µg/L	EPA 8151A	16	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dicamba	n/a	<	0.61	µg/L	EPA 8151A	0.61	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dichlorprop	n/a	<	6.1	µg/L	EPA 8151A	6.1	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dinoseb	n/a	<	3.1	µg/L	EPA 8151A	3.1	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/17/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	RL	WL	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	MCPA	n/a	<	610	µg/L	EPA 8151A	610	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	MCPP	n/a	<	610	µg/L	EPA 8151A	610	RL	Calscience	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Oxychlorodane	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Total Detectable DDTs	n/a	<	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/29/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	E. Coli	n/a	=	100	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Enterococcus	n/a	=	310	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-CC	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Fecal Coliform	n/a	=	240	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-CC	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Total Coliform	n/a	=	10000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-CC	2004/05-6	Dry	6/22/2005	6/24/2005	Conventional	Conductivity	n/a	=	1600	µmhos/cm	SM 2510	100	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/24/2005	Conventional	pH	n/a	=	8.26	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/29/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/30/2005	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/27/2005	Metal	Mercury	Dissolved	=	3.4	ng/L	EPA 1631E	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/27/2005	Metal	Mercury	Total	=	3.94	ng/L	EPA 1631E	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/22/2005	6/24/2005	Nutrient	Ammonia as N	n/a	=	0.05	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/27/2005	Anion	Bromide	n/a	=	0.88	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/29/2005	Anion	Chloride	n/a	=	162	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	BOD	n/a	=	2.7	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Conventional	Hardness as CaCO3	Total	=	434	mg/L	SM 2340B	1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/27/2005	Conventional	Total Dissolved Solids	n/a	=	900	mg/L	SM 2540C	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	Total Organic Carbon	n/a	=	8.1	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	6/27/2005	Conventional	Total Suspended Solids	n/a	=	13.9	mg/L	SM 2540D	0.5	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	Turbidity	n/a	=	9.5	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Aluminum	Dissolved	=	1.3	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Aluminum	Total	=	169	µg/L	EPA 200.8	1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Arsenic	Dissolved	=	3.77	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Arsenic	Total	=	3.13	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Cadmium	Dissolved	=	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Cadmium	Total	=	0.12	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Chromium	Dissolved	=	0.56	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Chromium	Total	=	1.23	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Copper	Dissolved	=	3.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Copper	Total	=	3.86	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Lead	Dissolved	=	0.06	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Lead	Total	=	0.32	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Nickel	Dissolved	=	5.34	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Nickel	Total	=	6.15	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Selenium	Dissolved	=	7.43	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Selenium	Total	=	7.67	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Zinc	Dissolved	=	14.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Zinc	Total	=	17.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Nitrate as N	n/a	=	12.3	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Nitrite as N	n/a	=	0.13	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Orthophosphate as P	Total	=	0.63	mg/L	EPA 300.0	0.0075	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-6	Dry	6/23/2005	7/7/2005	Nutrient	TKN	n/a	=	0.13	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Total Phosphorus	Dissolved	=	1.089	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/27/2005	Nutrient	Total Phosphorus	Total	=	1.092	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1-Methylnaphthalene	n/a	=	0.0061	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0049	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Methylnaphthalene	n/a	=	0.0149	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Anthracene	n/a	=	0.0076	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.975	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Butyl benzyl phthalate	n/a	=	0.0414	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Diethyl phthalate	n/a	=	1.4	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Dimethyl phthalate	n/a	=	0.0731	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Di-n-butylphthalate	n/a	=	0.0582	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Naphthalene	n/a	=	0.0307	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Phenanthrene	n/a	=	0.0056	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Total Detectable PAHs	n/a	=	0.0698	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4,5-T	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dicamba	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Diethrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	6/30/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-CC	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	10000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	1000	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-SCR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	16000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-SCR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	638000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	1200	µmhos/cm	SM 2510	100	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	7.4	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	0.5	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	2.59	ng/L	EPA 1631E	0.25	PQL	BR	
ME-SCR	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	7.53	ng/L	EPA 1631E	0.25	PQL	BR	
ME-SCR	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.5	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	0.57	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	53	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	6.4	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	479	mg/L	SM 2340B	1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	1200	mg/L	SM 2540C	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	11	mg/L	EPA 415.1	5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	606	mg/L	SM 2540D	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	3.13	µg/L	EPA 200.8	1	MDL	CRG	EST
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	8530	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	1.83	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	4.08	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	0.16	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	0.86	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	0.97	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	21.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	50	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	3.77	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	16.6	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	4.95	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	5.12	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	24.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	9.14	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	9.26	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	=	0.19	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	7.4	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	51.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	1.8	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.18	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	0.91	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	2.3	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	=	49.5	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0161	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	=	0.0116	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0105	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.0188	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	EST
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0079	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	=	0.0025	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.34	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0357	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.334	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.0362	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.0548	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.0067	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0162	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	=	0.247	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.014	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	EST
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.0102	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.3615	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/25/2004	Pesticide	Glyphosate	n/a	=	6.83	µg/L	EPA 547	6	MRL	MWH	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/27/2004	11/4/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	E. Coli	n/a	=	10000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Enterococcus	n/a	=	53000	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-SCR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Fecal Coliform	n/a	=	11000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-SCR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Total Coliform	n/a	=	697000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-2	Wet	10/27/2004	11/4/2004	Conventional	Conductivity	n/a	=	618	µmhos/cm	SM 2510	100	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/27/2004	11/4/2004	Conventional	pH	n/a	=	7.46	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/27/2004	11/10/2004	Hydrocarbon	Oil and Grease	n/a	=	3.4	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2004/05-2	Wet	10/27/2004	11/4/2004	Hydrocarbon	TRPH	n/a	=	1.24	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/27/2004	11/5/2004	Metal	Mercury	Dissolved	=	2.4	ng/L	EPA 1631E	0.25	PQL	BR	
ME-SCR	2004/05-2	Wet	10/27/2004	11/5/2004	Metal	Mercury	Total	=	522	ng/L	EPA 1631E	0.25	PQL	BR	
ME-SCR	2004/05-2	Wet	10/27/2004	11/2/2004	Nutrient	Ammonia as N	n/a	=	0.21	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/11/2004	Anion	Bromide	n/a	=	0.16	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/11/2004	Anion	Chloride	n/a	=	32.8	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	10/29/2004	Conventional	BOD	n/a	=	6.9	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Conventional	Hardness as CaCO3	Total	=	263	mg/L	SM 2340B	1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/4/2004	Conventional	Total Dissolved Solids	n/a	=	590	mg/L	SM 2540C	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/2/2004	Conventional	Total Organic Carbon	n/a	=	7.6	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/4/2004	Conventional	Total Suspended Solids	n/a	=	776	mg/L	SM 2540D	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Aluminum	Dissolved	=	9.64	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Aluminum	Total	=	15900	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Arsenic	Dissolved	=	1.32	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Arsenic	Total	=	5	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Cadmium	Total	=	1.42	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Chromium	Dissolved	=	0.39	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Chromium	Total	=	24.9	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	10/29/2004	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Copper	Dissolved	=	2.36	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Copper	Total	=	27.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Lead	Total	=	16.3	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Nickel	Dissolved	=	2.61	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Nickel	Total	=	29.5	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Selenium	Dissolved	=	4.06	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Selenium	Total	=	5.02	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Zinc	Dissolved	=	6.17	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Zinc	Total	=	82.1	µg/L	EPA 200.8	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Nitrate as N	n/a	=	1.42	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Orthophosphate as P	Total	=	0.473	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/10/2004	Nutrient	TKN	n/a	=	2.8	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-SCR	2004/05-2	Wet	10/28/2004	11/2/2004	Nutrient	Total Phosphorus	Dissolved	=	1.5	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/2/2004	Nutrient	Total Phosphorus	Total	=	34.5	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1-Methylnaphthalene	n/a	=	0.0303	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1-Methylphenanthrene	n/a	=	0.0353	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0486	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0501	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Methylnaphthalene	n/a	=	0.0454	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(a)anthracene	n/a	=	0.033	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Biphenyl	n/a	=	0.0365	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.47	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0909	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Chrysene	n/a	=	0.0609	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Diethyl phthalate	n/a	=	0.294	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Dimethyl phthalate	n/a	=	0.0816	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Di-n-butylphthalate	n/a	=	0.106	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Fluoranthene	n/a	=	0.0429	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Fluorene	n/a	=	0.0118	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Naphthalene	n/a	=	0.0591	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Perylene	n/a	=	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Phenanthrene	n/a	=	0.0942	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Pyrene	n/a	=	0.0538	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Total Detectable PAHs	n/a	=	0.6019	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4,5-T	n/a	<	0.81	µg/L	EPA 8151A	0.81	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.81	µg/L	EPA 8151A	0.81	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4-D	n/a	<	8.1	µg/L	EPA 8151A	8.1	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4-DB	n/a	<	8.1	µg/L	EPA 8151A	8.1	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dalapon	n/a	<	21	µg/L	EPA 8151A	21	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dicamba	n/a	<	0.81	µg/L	EPA 8151A	0.81	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dichlorprop	n/a	<	8.1	µg/L	EPA 8151A	8.1	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dinoseb	n/a	<	4.1	µg/L	EPA 8151A	4.1	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/8/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	MCPA	n/a	<	810	µg/L	EPA 8151A	810	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	MCPP	n/a	<	810	µg/L	EPA 8151A	810	RL	Calscience	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/5/2004	12/8/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	E. Coli	n/a	=	200	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Enterococcus	n/a	=	20	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-SCR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Fecal Coliform	n/a	=	17	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-SCR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Total Coliform	n/a	=	1890	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-3	Wet	12/5/2004	12/8/2004	Conventional	Conductivity	n/a	=	1700	µmhos/cm	SM 2510	100	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/5/2004	12/8/2004	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/5/2004	12/14/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/5/2004	12/14/2004	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/5/2004	12/23/2004	Metal	Mercury	Dissolved	=	2.7	ng/L	EPA 1631E	0.25	PQL	BR	
ME-SCR	2004/05-3	Wet	12/5/2004	12/20/2004	Metal	Mercury	Total	=	3.79	ng/L	EPA 1631E	0.25	PQL	BR	
ME-SCR	2004/05-3	Wet	12/5/2004	12/7/2004	Nutrient	Ammonia as N	n/a	=	0.75	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Anion	Bromide	n/a	=	0.049	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/20/2004	Anion	Chloride	n/a	=	69.8	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Conventional	BOD	n/a	=	6.8	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Conventional	Hardness as CaCO3	Total	=	509	mg/L	SM 2340B	1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/13/2004	Conventional	Total Dissolved Solids	n/a	=	1230	mg/L	SM 2540C	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Conventional	Total Organic Carbon	n/a	=	6.3	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/13/2004	Conventional	Total Suspended Solids	n/a	=	2.8	mg/L	SM 2540D	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Aluminum	Dissolved	=	4.4	µg/L	EPA 200.8	1	MDL	CRG	EST
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Aluminum	Total	=	22	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Arsenic	Dissolved	=	1.49	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Arsenic	Total	=	1.37	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Cadmium	Dissolved	=	0.21	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Cadmium	Total	=	0.23	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Chromium	Dissolved	=	0.66	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Chromium	Total	=	0.81	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Copper	Dissolved	=	2.72	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Copper	Total	=	3.08	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Lead	Total	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Nickel	Dissolved	=	3.55	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Nickel	Total	=	3.21	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Selenium	Dissolved	=	9.44	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Selenium	Total	=	9.09	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Zinc	Dissolved	=	7.35	µg/L	EPA 200.8	0.1	MDL	CRG	UL-FB

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Zinc	Total	=	6.06	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Nitrate as N	n/a	=	1.99	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Nitrite as N	n/a	=	0.08	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Orthophosphate as P	Total	<	0.01	mg/L	SM 4500-P C	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Nutrient	TKN	n/a	=	1.8	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-SCR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/8/2004	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1-Methylnaphthalene	n/a	=	0.0054	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Methylnaphthalene	n/a	=	0.0058	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.66	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0625	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Chrysene	n/a	=	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Diethyl phthalate	n/a	=	0.143	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Dimethyl phthalate	n/a	=	0.0178	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Di-n-butylphthalate	n/a	=	0.0103	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Naphthalene	n/a	=	0.0122	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Phenol	n/a	=	0.117	µg/L	EPA 625	0.1	MDL	CRG	EST
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Total Detectable PAHs	n/a	=	0.0234	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/14/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/8/2005	1/12/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	E. Coli	n/a	=	1750	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Enterococcus	n/a	=	3100	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-SCR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Fecal Coliform	n/a	=	1100	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-SCR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Total Coliform	n/a	=	74000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-4	Wet	1/8/2005	1/24/2005	Conventional	Conductivity	n/a	=	740	µmhos/cm	SM 2510	100	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/8/2005	1/24/2005	Conventional	pH	n/a	=	7.71	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/8/2005	1/25/2005	Hydrocarbon	Oil and Grease	n/a	=	1.6	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2004/05-4	Wet	1/8/2005	1/28/2005	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	EST-FD
ME-SCR	2004/05-4	Wet	1/8/2005	2/4/2005	Metal	Mercury	Dissolved	=	1	ng/L	EPA 1631E	1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/8/2005	2/4/2005	Metal	Mercury	Total	=	459	ng/L	EPA 1631E	1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/8/2005	1/11/2005	Nutrient	Ammonia as N	n/a	=	0.03	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Anion	Bromide	n/a	=	0.1	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Anion	Chloride	n/a	=	14.7	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/11/2005	Conventional	BOD	n/a	=	22	mg/L	EPA 405.1	1	RL	Calscience	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Conventional	Hardness as CaCO3	Total	=	194	mg/L	SM 2340B	1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Conventional	Total Dissolved Solids	n/a	=	590	mg/L	SM 2540C	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Conventional	Total Organic Carbon	n/a	=	7.2	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Conventional	Total Suspended Solids	n/a	=	5480	mg/L	SM 2540D	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Aluminum	Dissolved	=	9.07	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Aluminum	Total	=	69900	µg/L	EPA 200.8	1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Arsenic	Dissolved	=	0.79	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Arsenic	Total	=	10.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Cadmium	Dissolved	=	0.22	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Cadmium	Total	=	8.65	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Chromium	Dissolved	=	0.12	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Chromium	Total	=	125	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/10/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Copper	Dissolved	=	2.28	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Copper	Total	=	133	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Lead	Total	=	57.8	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Nickel	Dissolved	=	2.25	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Nickel	Total	=	185	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Selenium	Dissolved	=	4.09	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Selenium	Total	=	5.56	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Silver	Total	=	0.55	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Thallium	Total	=	1.38	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Zinc	Dissolved	=	1.85	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	2/4/2005	Metal	Zinc	Total	=	473	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/11/2005	Nutrient	Nitrate as N	n/a	=	4.8	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/11/2005	Nutrient	Nitrite as N	n/a	=	0.19	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/11/2005	Nutrient	Orthophosphate as P	Total	=	0.14	mg/L	SM 4500-P C	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/13/2005	Nutrient	TKN	n/a	=	4.5	mg/L	EPA 351.3	0.1	DLR	SCL	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/11/2005	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/14/2005	Nutrient	Total Phosphorus	Total	=	0.23	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	1-Methylnaphthalene	n/a	=	0.0586	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	1-Methylphenanthrene	n/a	=	0.074	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0531	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,6-Dimethylnaphthalene	n/a	=	0.104	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2-Methylnaphthalene	n/a	=	0.072	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Acenaphthene	n/a	=	0.0104	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzo(a)anthracene	n/a	=	0.0521	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzo(b)fluoranthene	n/a	=	0.06	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzo(e)pyrene	n/a	=	0.0872	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Biphenyl	n/a	=	0.0255	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	8.61	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Butyl benzyl phthalate	n/a	=	0.115	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Chrysene	n/a	=	0.133	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Diethyl phthalate	n/a	=	0.392	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Dimethyl phthalate	n/a	=	0.0453	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Di-n-butylphthalate	n/a	=	0.293	µg/L	EPA 625	0.005	MDL	CRG	UL-MB, EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Fluoranthene	n/a	=	0.0564	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Fluorene	n/a	=	0.0162	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Naphthalene	n/a	=	0.0495	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Perylene	n/a	=	0.598	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Phenanthrene	n/a	=	0.1	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Phenol	n/a	=	0.203	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Pyrene	n/a	=	0.0845	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Organic	Total Detectable PAHs	n/a	=	1.6548	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/14/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/12/2005	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-4	Wet	1/9/2005	1/27/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/12/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	E. Coli	n/a	=	410	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Enterococcus	n/a	=	20	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-SCR	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Fecal Coliform	n/a	=	240	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-SCR	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Total Coliform	n/a	=	5200	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-5	Dry	5/3/2005	5/4/2005	Conventional	Conductivity	n/a	=	1200	µmhos/cm	SM 2510	100	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/4/2005	Conventional	pH	n/a	=	8.3	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/4/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/10/2005	Hydrocarbon	TRPH	n/a	=	0.1	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/6/2005	Metal	Mercury	Dissolved	=	10.61	ng/L	EPA 1631E	1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/6/2005	Metal	Mercury	Total	=	11.64	ng/L	EPA 1631E	1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/3/2005	5/5/2005	Nutrient	Ammonia as N	n/a	=	0.08	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Anion	Bromide	n/a	=	0.282	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/10/2005	Anion	Chloride	n/a	=	250	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/5/2005	Conventional	BOD	n/a	=	1	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Conventional	Hardness as CaCO3	Total	=	410	mg/L	SM 2340B	1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/10/2005	Conventional	Total Dissolved Solids	n/a	=	950	mg/L	SM 2540C	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/5/2005	Conventional	Total Organic Carbon	n/a	=	3.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/10/2005	Conventional	Total Suspended Solids	n/a	=	79	mg/L	SM 2540D	0.5	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/4/2005	Conventional	Turbidity	n/a	=	59.7	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Aluminum	Dissolved	=	3.04	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Aluminum	Total	=	1150	µg/L	EPA 200.8	1	MDL	CRG	EST-MSRPD
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Arsenic	Dissolved	=	1.31	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Arsenic	Total	=	1.82	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Cadmium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Chromium	Dissolved	=	0.34	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Chromium	Total	=	2.38	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/5/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Copper	Dissolved	=	2.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Copper	Total	=	3.96	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Lead	Dissolved	=	0.055	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Lead	Total	=	1.11	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Nickel	Dissolved	=	2.67	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Nickel	Total	=	4.36	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Selenium	Dissolved	=	4.85	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Selenium	Total	=	4.87	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	EST-MSRPD

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Zinc	Dissolved	=	7.23	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Zinc	Total	=	8.94	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Nitrate as N	n/a	=	1.3	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Orthophosphate as P	Total	=	0.09	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	6/1/2005	Nutrient	TKN	n/a	=	0.61	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1-Methylnaphthalene	n/a	=	0.003	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Methylnaphthalene	n/a	=	0.0051	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Biphenyl	n/a	=	0.002	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.836	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Butyl benzyl phthalate	n/a	=	0.0071	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Diethyl phthalate	n/a	=	0.183	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dimethyl phthalate	n/a	=	0.0219	µg/L	EPA 625	0.005	MDL	CRG	UL-MB

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Di-n-butylphthalate	n/a	=	0.027	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Naphthalene	n/a	=	0.0101	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Total Detectable PAHs	n/a	=	0.0202	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Total Detectable PCBs	n/a	<	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4,5-T	n/a	<	0.57	µg/L	EPA 8151A	0.57	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.57	µg/L	EPA 8151A	0.57	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4-D	n/a	<	5.7	µg/L	EPA 8151A	5.7	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4-DB	n/a	<	5.7	µg/L	EPA 8151A	5.7	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dalapon	n/a	<	15	µg/L	EPA 8151A	15	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dicamba	n/a	<	0.57	µg/L	EPA 8151A	0.57	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dichlorprop	n/a	<	5.7	µg/L	EPA 8151A	5.7	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dinoseb	n/a	<	2.9	µg/L	EPA 8151A	2.9	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/17/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	RL	WL	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Malathion	n/a	=	0.311	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	MCPA	n/a	<	570	µg/L	EPA 8151A	570	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	MCPP	n/a	<	570	µg/L	EPA 8151A	570	RL	Calscience	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Total Detectable DDTs	n/a	<	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/22/2005	6/29/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	E. Coli	n/a	=	41	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Enterococcus	n/a	=	10	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-SCR	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Fecal Coliform	n/a	=	110	MPN/100 mL	SM 9221E	2	RL	VCHCA	EST-FD
ME-SCR	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Total Coliform	n/a	=	4100	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-SCR	2004/05-6	Dry	6/22/2005	6/24/2005	Conventional	Conductivity	n/a	=	1300	µmhos/cm	SM 2510	100	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/22/2005	6/24/2005	Conventional	pH	n/a	=	8.31	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/22/2005	6/29/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/22/2005	6/30/2005	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/22/2005	6/27/2005	Metal	Mercury	Dissolved	=	3.21	ng/L	EPA 1631E	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/22/2005	6/27/2005	Metal	Mercury	Total	=	15.31	ng/L	EPA 1631E	0.05	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/22/2005	6/24/2005	Nutrient	Ammonia as N	n/a	=	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/27/2005	Anion	Bromide	n/a	=	0.47	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/29/2005	Anion	Chloride	n/a	=	58.9	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	BOD	n/a	<	1	mg/L	EPA 405.1	1	RL	Calscience	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Conventional	Hardness as CaCO3	Total	=	480	mg/L	SM 2340B	1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/27/2005	Conventional	Total Dissolved Solids	n/a	=	800	mg/L	SM 2540C	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	Total Organic Carbon	n/a	=	5.1	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	6/27/2005	Conventional	Total Suspended Solids	n/a	=	25.9	mg/L	SM 2540D	0.5	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	Turbidity	n/a	=	22.6	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Aluminum	Dissolved	=	1.93	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Aluminum	Total	=	298	µg/L	EPA 200.8	1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Arsenic	Dissolved	=	0.86	µg/L	EPA 200.8	0.1	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Arsenic	Total	=	0.84	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Cadmium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Chromium	Dissolved	=	0.15	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Chromium	Total	=	0.76	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Copper	Dissolved	=	1.86	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Copper	Total	=	2.43	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Lead	Total	=	0.28	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Nickel	Dissolved	=	1.58	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Nickel	Total	=	2.54	µg/L	EPA 200.8	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Selenium	Dissolved	=	4.82	µg/L	EPA 200.8	0.1	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Selenium	Total	=	4.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Zinc	Dissolved	=	2.38	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Zinc	Total	=	4.79	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Nitrate as N	n/a	=	1.36	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Nitrite as N	n/a	=	0.37	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Orthophosphate as P	Total	=	0.07	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/7/2005	Nutrient	TKN	n/a	=	0.18	mg/L	EPA 351.1	0.05	MDL	TA	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	6/27/2005	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1-Methylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Methylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.4	µg/L	EPA 625	0.005	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Butyl benzyl phthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	EST-FD
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Diethyl phthalate	n/a	=	0.459	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Dimethyl phthalate	n/a	=	0.0449	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Di-n-butylphthalate	n/a	=	0.0387	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Isoophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Naphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Total Detectable PAHs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4,5-T	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dicamba	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	6/30/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Malathion	n/a	=	0.0835	µg/L	EPA 625	0.005	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-SCR	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	3000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	10000	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-VR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	5000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-VR	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	74000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	1100	µmhos/cm	SM 2510	100	MDL	CRG	
ME-VR	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	7.7	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	=	4	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	0.2	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	1.98	ng/L	EPA 1631E	0.25	PQL	BR	
ME-VR	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	3.18	ng/L	EPA 1631E	0.25	PQL	BR	
ME-VR	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	0.42	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	108	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	8.8	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	323	mg/L	SM 2340B	1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	790	mg/L	SM 2540C	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	21	mg/L	EPA 415.1	5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	44.5	mg/L	SM 2540D	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	12.3	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	878	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	1.16	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	1.73	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	2.68	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	4.26	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	1.07	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	4.24	µg/L	EPA 200.8	0.1	MDL	CRG	UL-FB
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	10	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	3.62	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	5.67	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	=	0.13	µg/L	EPA 200.8	0.05	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	1.78	µg/L	EPA 200.8	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	4.01	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	6.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	2.51	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	3.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	456	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	531	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	1.8	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.04	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	0.24	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	2.3	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0041	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.0084	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	=	0.104	µg/L	EPA 625	0.1	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	9.5	µg/L	EPA 625	0.005	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0639	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.241	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.0257	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.0502	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.0035	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0132	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0049	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	=	0.151	µg/L	EPA 625	0.1	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.0032	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.0373	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/25/2004	Pesticide	Glyphosate	n/a	=	7.08	µg/L	EPA 547	6	MRL	MWH	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	=	0.409	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/27/2004	11/4/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	E. Coli	n/a	=	4100	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Enterococcus	n/a	=	4200	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-VR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Fecal Coliform	n/a	=	9000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-VR	2004/05-2	Wet	10/27/2004	10/27/2004	Bacteriological	Total Coliform	n/a	=	73000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-2	Wet	10/27/2004	11/4/2004	Conventional	Conductivity	n/a	=	998	µmhos/cm	SM 2510	100	MDL	CRG	
ME-VR	2004/05-2	Wet	10/27/2004	11/4/2004	Conventional	pH	n/a	=	7.73	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/27/2004	11/10/2004	Hydrocarbon	Oil and Grease	n/a	=	3.2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-VR	2004/05-2	Wet	10/27/2004	11/4/2004	Hydrocarbon	TRPH	n/a	=	0.77	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/27/2004	11/5/2004	Metal	Mercury	Dissolved	=	1.34	ng/L	EPA 1631E	0.25	PQL	BR	
ME-VR	2004/05-2	Wet	10/27/2004	11/5/2004	Metal	Mercury	Total	=	2.37	ng/L	EPA 1631E	0.25	PQL	BR	
ME-VR	2004/05-2	Wet	10/27/2004	11/2/2004	Nutrient	Ammonia as N	n/a	=	0.02	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST, EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/11/2004	Anion	Bromide	n/a	=	0.24	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/11/2004	Anion	Chloride	n/a	=	76.1	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	10/29/2004	Conventional	BOD	n/a	<	1	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Conventional	Hardness as CaCO3	Total	=	334	mg/L	SM 2340B	1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/4/2004	Conventional	Total Dissolved Solids	n/a	=	740	mg/L	SM 2540C	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/2/2004	Conventional	Total Organic Carbon	n/a	=	5	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/4/2004	Conventional	Total Suspended Solids	n/a	=	90.5	mg/L	SM 2540D	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Aluminum	Dissolved	<	1	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Aluminum	Total	=	1300	µg/L	EPA 200.8	1	MDL	CRG	EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Arsenic	Dissolved	=	0.92	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Arsenic	Total	=	1.29	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Cadmium	Total	=	0.35	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Chromium	Dissolved	=	0.53	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Chromium	Total	=	4.21	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	10/29/2004	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Copper	Dissolved	=	1.93	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Copper	Total	=	4.17	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Lead	Total	=	0.99	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Nickel	Dissolved	=	3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Nickel	Total	=	5.35	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Selenium	Dissolved	=	4.21	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Selenium	Total	=	4.54	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Zinc	Dissolved	=	15.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Metal	Zinc	Total	=	36.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Nitrate as N	n/a	=	0.884	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Nitrite as N	n/a	=	0.172	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	10/29/2004	Nutrient	Orthophosphate as P	Total	=	0.196	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/10/2004	Nutrient	TKN	n/a	=	0.88	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-VR	2004/05-2	Wet	10/28/2004	11/2/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/2/2004	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1-Methylnaphthalene	n/a	=	0.00194	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.00937	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0113	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Methylnaphthalene	n/a	=	0.00542	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Biphenyl	n/a	=	0.00189	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.09	µg/L	EPA 625	0.005	MDL	CRG	EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0563	µg/L	EPA 625	0.005	MDL	CRG	EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Chrysene	n/a	=	0.0129	µg/L	EPA 625	0.001	MDL	CRG	EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Diethyl phthalate	n/a	=	0.277	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Dimethyl phthalate	n/a	=	0.0637	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Di-n-butylphthalate	n/a	=	0.0626	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Fluoranthene	n/a	=	0.0191	µg/L	EPA 625	0.001	MDL	CRG	EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Fluorene	n/a	=	0.00308	µg/L	EPA 625	0.001	MDL	CRG	EST, EST-FD
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Naphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Phenanthrene	n/a	=	0.0161	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Pyrene	n/a	=	0.0103	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Organic	Total Detectable PAHs	n/a	=	0.0914	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4,5-T	n/a	<	0.78	µg/L	EPA 8151A	0.78	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.78	µg/L	EPA 8151A	0.78	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4-D	n/a	<	7.8	µg/L	EPA 8151A	7.8	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	2,4-DB	n/a	<	7.8	µg/L	EPA 8151A	7.8	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dalapon	n/a	<	20	µg/L	EPA 8151A	20	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dicamba	n/a	<	0.78	µg/L	EPA 8151A	0.78	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dichlorprop	n/a	<	7.8	µg/L	EPA 8151A	7.8	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	Dinoseb	n/a	<	3.9	µg/L	EPA 8151A	3.9	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/8/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	MCPA	n/a	<	780	µg/L	EPA 8151A	780	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/3/2004	Pesticide	MCPP	n/a	<	780	µg/L	EPA 8151A	780	RL	Calscience	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-2	Wet	10/28/2004	11/12/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/5/2004	12/8/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	E. Coli	n/a	=	30	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Enterococcus	n/a	=	75	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-VR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Fecal Coliform	n/a	=	23	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-VR	2004/05-3	Wet	12/5/2004	12/5/2004	Bacteriological	Total Coliform	n/a	=	3000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-3	Wet	12/5/2004	12/8/2004	Conventional	Conductivity	n/a	=	1100	µmhos/cm	SM 2510	100	MDL	CRG	
ME-VR	2004/05-3	Wet	12/5/2004	12/8/2004	Conventional	pH	n/a	=	7.9	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/5/2004	12/14/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/5/2004	12/14/2004	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/5/2004	12/23/2004	Metal	Mercury	Dissolved	=	2.76	ng/L	EPA 1631E	0.25	PQL	BR	
ME-VR	2004/05-3	Wet	12/5/2004	12/23/2004	Metal	Mercury	Total	=	0.782	ng/L	EPA 1631E	0.25	PQL	BR	
ME-VR	2004/05-3	Wet	12/5/2004	12/7/2004	Nutrient	Ammonia as N	n/a	<	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Anion	Bromide	n/a	=	0.028	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/20/2004	Anion	Chloride	n/a	=	62.8	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Conventional	BOD	n/a	=	1.8	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Conventional	Hardness as CaCO3	Total	=	322	mg/L	SM 2340B	1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/13/2004	Conventional	Total Dissolved Solids	n/a	=	740	mg/L	SM 2540C	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Conventional	Total Organic Carbon	n/a	=	2.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/13/2004	Conventional	Total Suspended Solids	n/a	=	2	mg/L	SM 2540D	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Aluminum	Dissolved	=	3.5	µg/L	EPA 200.8	1	MDL	CRG	EST
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Aluminum	Total	=	27.2	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Arsenic	Dissolved	=	0.44	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Arsenic	Total	=	0.74	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Cadmium	Total	=	0.28	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Chromium	Dissolved	=	0.54	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Chromium	Total	=	0.73	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Copper	Dissolved	=	1.43	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Copper	Total	=	1.23	µg/L	EPA 200.8	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Lead	Total	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Nickel	Dissolved	=	2.71	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Nickel	Total	=	2.22	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Selenium	Dissolved	=	2.72	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Selenium	Total	=	3.91	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Zinc	Dissolved	=	25.5	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Metal	Zinc	Total	=	28.7	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Nitrate as N	n/a	=	0.27	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Orthophosphate as P	Total	<	0.01	mg/L	SM 4500-P C	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Nutrient	TKN	n/a	=	0.32	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-VR	2004/05-3	Wet	12/6/2004	12/7/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/8/2004	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1-Methylnaphthalene	n/a	=	0.0031	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Methylnaphthalene	n/a	=	0.0041	µg/L	EPA 625	0.001	MDL	CRG	EST
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	22.2	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0342	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Diethyl phthalate	n/a	=	0.726	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Dimethyl phthalate	n/a	=	0.0673	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Di-n-butylphthalate	n/a	=	0.0346	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Naphthalene	n/a	=	0.0093	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Organic	Total Detectable PAHs	n/a	=	0.0165	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Diethrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fenclorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/14/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/15/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-3	Wet	12/6/2004	12/31/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	1/11/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	E. Coli	n/a	=	310	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Enterococcus	n/a	=	870	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-VR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Fecal Coliform	n/a	=	300	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-VR	2004/05-4	Wet	1/8/2005	1/8/2005	Bacteriological	Total Coliform	n/a	=	20000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR	2004/05-4	Wet	1/8/2005	1/24/2005	Conventional	Conductivity	n/a	=	470	µmhos/cm	SM 2510	100	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	1/24/2005	Conventional	pH	n/a	=	7.62	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	1/25/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	1/28/2005	Hydrocarbon	TRPH	n/a	=	0.24	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	2/4/2005	Metal	Mercury	Dissolved	=	1.5	ng/L	EPA 1631E	1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	2/4/2005	Metal	Mercury	Total	=	169	ng/L	EPA 1631E	1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/8/2005	1/11/2005	Nutrient	Ammonia as N	n/a	=	0.04	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Anion	Bromide	n/a	=	0.04	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Anion	Chloride	n/a	=	7.2	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Conventional	BOD	n/a	=	6	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Conventional	Hardness as CaCO3	Total	=	120	mg/L	SM 2340B	1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Conventional	Total Dissolved Solids	n/a	=	360	mg/L	SM 2540C	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Conventional	Total Organic Carbon	n/a	=	12	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Conventional	Total Suspended Solids	n/a	=	7240	mg/L	SM 2540D	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Aluminum	Dissolved	=	21.6	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Aluminum	Total	=	30300	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Arsenic	Dissolved	=	0.42	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Arsenic	Total	=	4.68	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Cadmium	Dissolved	=	0.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Cadmium	Total	=	4.3	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Chromium	Dissolved	=	0.16	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Chromium	Total	=	55.5	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/11/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Copper	Dissolved	=	1.54	µg/L	EPA 200.8	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Copper	Total	=	46.8	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Lead	Total	=	26.6	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Nickel	Dissolved	=	1.98	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Nickel	Total	=	107	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Selenium	Dissolved	=	2.29	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Selenium	Total	=	3.05	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Silver	Total	=	0.28	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Thallium	Total	=	0.38	µg/L	EPA 200.8	0.1	MDL	CRG	EST
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Zinc	Dissolved	=	1.75	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	2/4/2005	Metal	Zinc	Total	=	208	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/11/2005	Nutrient	Nitrate as N	n/a	=	0.5	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/11/2005	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Nutrient	Orthophosphate as P	Total	<	0.01	mg/L	SM 4500-P C	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/13/2005	Nutrient	TKN	n/a	=	3.5	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-VR	2004/05-4	Wet	1/11/2005	1/12/2005	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	1-Methylnaphthalene	n/a	=	0.115	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	1-Methylphenanthrene	n/a	=	0.134	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.053	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,6-Dimethylnaphthalene	n/a	=	0.162	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2-Methylnaphthalene	n/a	=	0.162	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Acenaphthene	n/a	=	0.0113	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Anthracene	n/a	=	0.0133	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzo(a)anthracene	n/a	=	0.0459	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzo(a)pyrene	n/a	=	0.0515	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzo(b)fluoranthene	n/a	=	0.156	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzo(e)pyrene	n/a	=	0.134	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzo(g,h,i)perylene	n/a	=	0.0408	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Biphenyl	n/a	=	0.0697	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	12	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Butyl benzyl phthalate	n/a	=	0.0735	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Chrysene	n/a	=	0.273	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Diethyl phthalate	n/a	=	0.0613	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Dimethyl phthalate	n/a	=	0.0409	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Di-n-butylphthalate	n/a	=	0.208	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Fluoranthene	n/a	=	0.0808	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Fluorene	n/a	=	0.0284	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Naphthalene	n/a	=	0.0669	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Perylene	n/a	=	0.231	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Phenanthrene	n/a	=	0.348	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Pyrene	n/a	=	0.122	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Organic	Total Detectable PAHs	n/a	=	2.3088	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	4,4'-DDT	n/a	=	0.167	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	CalScience	
ME-VR	2004/05-4	Wet	1/11/2005	1/14/2005	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	CalScience	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Total Detectable DDTs	n/a	=	0.167	µg/L	EPA 625		none	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR	2004/05-4	Wet	1/11/2005	1/27/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/12/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	CalScience	
ME-VR2	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	E. Coli	n/a	=	31	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR2	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Enterococcus	n/a	=	31	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-VR2	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Fecal Coliform	n/a	=	110	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-VR2	2004/05-5	Dry	5/3/2005	5/3/2005	Bacteriological	Total Coliform	n/a	=	520	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR2	2004/05-5	Dry	5/3/2005	5/4/2005	Conventional	Conductivity	n/a	=	900	µmhos/cm	SM 2510	100	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/4/2005	Conventional	pH	n/a	=	8.4	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/4/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/10/2005	Hydrocarbon	TRPH	n/a	=	0.1	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/6/2005	Metal	Mercury	Dissolved	=	2.08	ng/L	EPA 1631E	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/6/2005	Metal	Mercury	Total	=	1.94	ng/L	EPA 1631E	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/3/2005	5/5/2005	Nutrient	Ammonia as N	n/a	<	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Anion	Bromide	n/a	=	0.482	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/10/2005	Anion	Chloride	n/a	=	160	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/5/2005	Conventional	BOD	n/a	<	1	mg/L	EPA 405.1	1	RL	CalScience	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Conventional	Hardness as CaCO3	Total	=	400	mg/L	SM 2340B	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/10/2005	Conventional	Total Dissolved Solids	n/a	=	820	mg/L	SM 2540C	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/5/2005	Conventional	Total Organic Carbon	n/a	=	3.2	mg/L	EPA 415.1	0.5	RL	CalScience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/10/2005	Conventional	Total Suspended Solids	n/a	=	28	mg/L	SM 2540D	0.5	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/4/2005	Conventional	Turbidity	n/a	=	29.7	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Aluminum	Dissolved	=	1.46	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Aluminum	Total	=	501	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Arsenic	Dissolved	=	0.775	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Arsenic	Total	=	0.995	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Cadmium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Chromium	Dissolved	=	0.22	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Chromium	Total	=	2.05	µg/L	EPA 200.8	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-5	Dry	5/4/2005	5/5/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Copper	Dissolved	=	1.82	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Copper	Total	=	2.71	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Lead	Total	=	0.715	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Nickel	Dissolved	=	2.23	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Nickel	Total	=	4.65	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Selenium	Dissolved	=	5.23	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Selenium	Total	=	4.73	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Zinc	Dissolved	=	2.55	µg/L	EPA 200.8	0.1	MDL	CRG	EST-LD
ME-VR2	2004/05-5	Dry	5/4/2005	6/2/2005	Metal	Zinc	Total	=	4.9	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Nitrate as N	n/a	=	1.7	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/6/2005	Nutrient	Orthophosphate as P	Total	=	0.03	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	6/1/2005	Nutrient	TKN	n/a	=	0.47	mg/L	EPA 351.3	0.1	DLR	SCL	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1-Methylnaphthalene	n/a	=	0.0033	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Methylnaphthalene	n/a	=	0.0076	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.6	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Butyl benzyl phthalate	n/a	=	0.012	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Diethyl phthalate	n/a	=	0.0761	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Dimethyl phthalate	n/a	=	0.0183	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Di-n-butylphthalate	n/a	=	0.0281	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Naphthalene	n/a	=	0.0542	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Organic	Total Detectable PAHs	n/a	=	0.0651	µg/L	EPA 625		none	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	PCB	Total Detectable PCBs	n/a	<	0	µg/L	EPA 625		none	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4,5-T	n/a	<	0.52	µg/L	EPA 8151A	0.52	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.52	µg/L	EPA 8151A	0.52	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4-D	n/a	<	5.2	µg/L	EPA 8151A	5.2	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	2,4-DB	n/a	<	5.2	µg/L	EPA 8151A	5.2	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dalapon	n/a	<	14	µg/L	EPA 8151A	14	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dicamba	n/a	<	0.52	µg/L	EPA 8151A	0.52	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dichlorprop	n/a	<	5.2	µg/L	EPA 8151A	5.2	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	Dinoseb	n/a	<	2.6	µg/L	EPA 8151A	2.6	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/17/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	RL	WL	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	MCPA	n/a	<	520	µg/L	EPA 8151A	520	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/9/2005	Pesticide	MCPP	n/a	<	520	µg/L	EPA 8151A	520	RL	Calscience	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Total Detectable DDTs	n/a	<	0	µg/L	EPA 625		none	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-5	Dry	5/4/2005	5/19/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/30/2005	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	E. Coli	n/a	=	10	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR2	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Enterococcus	n/a	<	10	MPN/100 mL	Enterolert	10	RL	VCHCA	
ME-VR2	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Fecal Coliform	n/a	=	8	MPN/100 mL	SM 9221E	2	RL	VCHCA	
ME-VR2	2004/05-6	Dry	6/22/2005	6/22/2005	Bacteriological	Total Coliform	n/a	=	1000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
ME-VR2	2004/05-6	Dry	6/22/2005	6/24/2005	Conventional	Conductivity	n/a	=	1000	µmhos/cm	SM 2510	100	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/24/2005	Conventional	pH	n/a	=	8.35	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/29/2005	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/30/2005	Hydrocarbon	TRPH	n/a	<	0.01	mg/L	EPA 418.1	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/27/2005	Metal	Mercury	Dissolved	=	2.34	ng/L	EPA 1631E	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/27/2005	Metal	Mercury	Total	=	7.93	ng/L	EPA 1631E	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/22/2005	6/24/2005	Nutrient	Ammonia as N	n/a	<	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/27/2005	Anion	Bromide	n/a	=	0.26	mg/L	SM 4500-Br	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/29/2005	Anion	Chloride	n/a	=	43.6	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	BOD	n/a	<	1	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Conventional	Hardness as CaCO3	Total	=	365	mg/L	SM 2340B	1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/27/2005	Conventional	Total Dissolved Solids	n/a	=	570	mg/L	SM 2540C	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	Total Organic Carbon	n/a	=	4.3	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	6/27/2005	Conventional	Total Suspended Solids	n/a	=	1.95	mg/L	SM 2540D	0.5	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Conventional	Turbidity	n/a	=	1.6	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Aluminum	Dissolved	<	1	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Aluminum	Total	=	932	µg/L	EPA 200.8	1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Arsenic	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Arsenic	Total	=	0.66	µg/L	EPA 200.8	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Cadmium	Total	=	0.84	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Chromium	Dissolved	=	0.11	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Chromium	Total	=	2.71	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr	5	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Copper	Dissolved	=	1.11	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Copper	Total	=	4.31	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Lead	Total	=	1.78	µg/L	EPA 200.8	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Nickel	Dissolved	=	0.94	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Nickel	Total	=	8.43	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Selenium	Dissolved	=	2.7	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Selenium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Zinc	Dissolved	=	1.44	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/18/2005	Metal	Zinc	Total	=	14.7	µg/L	EPA 200.8	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Nitrate as N	n/a	=	0.04	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Nitrite as N	n/a	<	0.02	mg/L	EPA 300.0	0.02	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Orthophosphate as P	Total	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/7/2005	Nutrient	TKN	n/a	=	0.16	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2004/05-6	Dry	6/23/2005	6/24/2005	Nutrient	Total Phosphorus	Dissolved	=	0.043	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/27/2005	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1-Methylnaphthalene	n/a	=	0.0071	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Methylnaphthalene	n/a	=	0.0165	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.563	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Butyl benzyl phthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Diethyl phthalate	n/a	=	0.179	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Dimethyl phthalate	n/a	=	0.0158	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Di-n-butylphthalate	n/a	=	0.0298	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Naphthalene	n/a	=	0.0899	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Phenol	n/a	=	0.435	µg/L	EPA 625	0.1	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Organic	Total Detectable PAHs	n/a	=	0.1135	µg/L	EPA 625		none	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4,5-T	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dicamba	n/a	<	0.501	µg/L	EPA 8151A	0.501	RL	Calscience	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	6/30/2005	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/5/2005	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625		none	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
ME-VR2	2004/05-6	Dry	6/23/2005	7/13/2005	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
R-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	31000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
R-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	10000	MPN/100 mL	Enterolert	10	RL	VCHCA	
R-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	16000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
R-1	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	323000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
R-1	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	400	µmhos/cm	SM 2510	100	MDL	CRG	
R-1	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	7.7	pH Units	EPA 150.1	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
R-1	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	1	mg/L	EPA 418.1	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	7.08	ng/L	EPA 1631E	0.25	PQL	BR	
R-1	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	12.2	ng/L	EPA 1631E	0.25	PQL	BR	
R-1	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.6	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/17/2004	10/21/2004	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	0.1	mg/L	SM 4500-Br	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	24.7	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	18	mg/L	EPA 405.1	1	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	62.8	mg/L	SM 2340B	1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	190	mg/L	SM 2540C	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	41	mg/L	EPA 415.1	5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	71	mg/L	SM 2540D	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	81.1	µg/L	EPA 200.8	1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	1860	µg/L	EPA 200.8	1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	2.07	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	2.85	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	0.21	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	0.48	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	1.99	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	6.91	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	40	µg/L	SM 3500-Cr	5	MDL	CRG	EST-LD
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	15.2	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	21.7	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	=	1.02	µg/L	EPA 200.8	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	5.02	µg/L	EPA 200.8	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	9.26	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	12.8	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	1.25	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	1.48	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	68.1	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	126	µg/L	EPA 200.8	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	1.5	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.09	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	1.39	mg/L	SM 4500-P C	0.016	MDL	CRG	EST-MSRPD
R-1	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	3.1	mg/L	EPA 351.3	0.1	DLR	SCL	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	=	2.5	mg/L	SM 4500-P C	0.016	MDL	CRG	EST-LD
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0106	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	=	0.0229	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.018	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0225	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	=	0.0367	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	=	0.0397	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	=	0.0711	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	=	0.0599	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	=	0.0724	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	=	0.0541	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.14	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.496	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	=	0.113	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.361	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.0719	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.293	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	=	0.731	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.155	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0599	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0328	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	=	0.0873	µg/L	EPA 625	0.05	MDL	CRG	EST
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	=	0.0227	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0815	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	=	1.15	µg/L	EPA 625	0.1	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.147	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	1.0198	µg/L	EPA 625		none	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	=	0.0757	µg/L	EPA 625	0.001	MDL	CRG	EST-LD
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	=	1.06	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/26/2004	Pesticide	Glyphosate	n/a	<	6	µg/L	EPA 547	6	MRL	MWH	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	=	1.29	µg/L	EPA 625	0.005	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0.0757	µg/L	EPA 625		none	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
R-1	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
W-3	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	52000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
W-3	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	20000	MPN/100 mL	Enterolert	10	RL	VCHCA	
W-3	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	30000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
W-3	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	2382000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
W-3	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	1100	µmhos/cm	SM 2510	100	MDL	CRG	
W-3	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	7.6	pH Units	EPA 150.1	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
W-3	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	0.5	mg/L	EPA 418.1	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	6.07	ng/L	EPA 1631E	0.25	PQL	BR	
W-3	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	162	ng/L	EPA 1631E	0.25	PQL	BR	
W-3	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.8	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/17/2004	10/21/2004	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	0.73	mg/L	SM 4500-Br	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	60.3	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	21	mg/L	EPA 405.1	1	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	396	mg/L	SM 2340B	1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	930	mg/L	SM 2540C	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	33	mg/L	EPA 415.1	5	RL	Calscience	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	282	mg/L	SM 2540D	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	15.2	µg/L	EPA 200.8	1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	10200	µg/L	EPA 200.8	1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	3.67	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	6.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	=	0.15	µg/L	EPA 200.8	0.1	MDL	CRG	EST
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	0.77	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	1.19	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	18.9	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	40	µg/L	SM 3500-Cr	5	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	17.6	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	36.4	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	12.6	µg/L	EPA 200.8	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	5.07	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	20.4	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	46.3	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	40.4	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	=	0.17	µg/L	EPA 200.8	0.1	MDL	CRG	EST
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	6.38	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	65.6	µg/L	EPA 200.8	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	11.4	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.26	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	1.38	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	2.1	mg/L	EPA 351.3	0.1	DLR	SCL	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0053	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.0119	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0188	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.29	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.202	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.041	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.056	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.0083	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indenol(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.012	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0192	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	=	0.11	µg/L	EPA 625	0.1	MDL	CRG	EST
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.009	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.0845	µg/L	EPA 625		none	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	=	0.128	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	=	0.0615	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	=	2.14	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/26/2004	Pesticide	Glyphosate	n/a	=	67.5	µg/L	EPA 547	6	MRL	MWH	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0.1895	µg/L	EPA 625		none	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-3	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/17/2004	10/25/2004	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
W-4	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	E. Coli	n/a	=	20000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
W-4	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Enterococcus	n/a	=	10000	MPN/100 mL	Enterolert	10	RL	VCHCA	
W-4	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Fecal Coliform	n/a	=	30000	MPN/100 mL	SM 9221E	2	RL	VCHCA	
W-4	2004/05-1	Wet	10/17/2004	10/17/2004	Bacteriological	Total Coliform	n/a	=	583000	MPN/100 mL	MMO-MUG	10	RL	VCHCA	
W-4	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	Conductivity	n/a	=	500	µmhos/cm	SM 2510	100	MDL	CRG	
W-4	2004/05-1	Wet	10/17/2004	10/19/2004	Conventional	pH	n/a	=	7.8	pH Units	EPA 150.1	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	Oil and Grease	n/a	=	1.1	mg/L	EPA 1664A	1	MDL	CRG	EST
W-4	2004/05-1	Wet	10/17/2004	10/19/2004	Hydrocarbon	TRPH	n/a	=	0.3	mg/L	EPA 418.1	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/17/2004	11/12/2004	Metal	Mercury	Dissolved	=	1.83	ng/L	EPA 1631E	0.25	PQL	BR	
W-4	2004/05-1	Wet	10/17/2004	10/29/2004	Metal	Mercury	Total	=	104	ng/L	EPA 1631E	0.25	PQL	BR	
W-4	2004/05-1	Wet	10/17/2004	10/19/2004	Nutrient	Ammonia as N	n/a	=	0.7	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/17/2004	10/21/2004	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/28/2004	Anion	Bromide	n/a	=	2.58	mg/L	SM 4500-Br	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Anion	Chloride	n/a	=	27.6	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	BOD	n/a	=	10	mg/L	EPA 405.1	1	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/28/2004	Conventional	Hardness as CaCO3	Total	=	609	mg/L	SM 2340B	1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Dissolved Solids	n/a	=	1500	mg/L	SM 2540C	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/20/2004	Conventional	Total Organic Carbon	n/a	=	14	mg/L	EPA 415.1	5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Conventional	Total Suspended Solids	n/a	=	482	mg/L	SM 2540D	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Dissolved	=	3.75	µg/L	EPA 200.8	1	MDL	CRG	EST
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Aluminum	Total	=	907	µg/L	EPA 200.8	1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Dissolved	=	3.54	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Arsenic	Total	=	7.09	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Cadmium	Total	=	1.24	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Dissolved	=	0.86	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Chromium	Total	=	20.6	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Metal	Chromium VI	Total	=	20	µg/L	SM 3500-Cr	5	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Dissolved	=	3.16	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Copper	Total	=	26.7	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Lead	Total	=	11.7	µg/L	EPA 200.8	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Dissolved	=	4.68	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Nickel	Total	=	21.7	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Dissolved	=	11.6	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Selenium	Total	=	12.2	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Silver	Total	=	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	EST
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Thallium	Total	=	0.16	µg/L	EPA 200.8	0.1	MDL	CRG	EST
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Dissolved	=	4.81	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/26/2004	Metal	Zinc	Total	=	88	µg/L	EPA 200.8	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrate as N	n/a	=	23.4	mg/L	SM 4500-NO3 E	0.02	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Nitrite as N	n/a	=	0.09	mg/L	SM 4500-NO2 B	0.02	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Orthophosphate as P	Total	=	0.85	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/28/2004	Nutrient	TKN	n/a	=	1.6	mg/L	EPA 351.3	0.1	DLR	SCL	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/19/2004	Nutrient	Total Phosphorus	Total	=	4.5	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylnaphthalene	n/a	=	0.0065	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Methylnaphthalene	n/a	=	0.033	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625	0.1	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthene	n/a	=	0.0087	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	4.57	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Butyl benzyl phthalate	n/a	=	0.0907	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Diethyl phthalate	n/a	=	0.227	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Dimethyl phthalate	n/a	=	0.0411	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-butylphthalate	n/a	=	0.0568	µg/L	EPA 625	0.005	MDL	CRG	UL-MB
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Di-n-octylphthalate	n/a	=	0.0243	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluoranthene	n/a	=	0.0256	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Naphthalene	n/a	=	0.0141	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625	0.05	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenanthrene	n/a	=	0.0192	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Phenol	n/a	=	0.1	µg/L	EPA 625	0.1	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Pyrene	n/a	=	0.0188	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Organic	Total Detectable PAHs	n/a	=	0.1259	µg/L	EPA 625		none	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625		none	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDD	n/a	=	0.0272	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDE	n/a	=	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	2,4'-DDT	n/a	=	0.0161	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDD	n/a	=	0.0337	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDE	n/a	=	0.174	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	4,4'-DDT	n/a	=	0.0448	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Bolstar	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	

Appendix C
2004/05 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Chlorpyrifos	n/a	=	0.074	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Demeton-O	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Diazinon	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dichlorvos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Dimethoate	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Disulfoton	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Ethoprop	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fensulfothion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Fenthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/25/2004	Pesticide	Glyphosate	n/a	=	17.3	µg/L	EPA 547	6	MRL	MWH	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Malathion	n/a	<	0.005	µg/L	EPA 625	0.005	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/27/2004	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Merphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Methyl parathion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mevinphos	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Phorate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Tokuthion	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Total Detectable DDTs	n/a	=	0.2958	µg/L	EPA 625		none	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Toxaphene	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625	0.001	MDL	CRG	
W-4	2004/05-1	Wet	10/19/2004	10/29/2004	Pesticide	Trichloronate	n/a	<	0.01	µg/L	EPA 625	0.01	MDL	CRG	