

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/9/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	609	MPN/100 mL	Collert-18	10	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	373	MPN/100 mL	Enterolert	10	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	300	MPN/100 mL	Collert-18	2	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	173290	MPN/100 mL	Collert-18	10	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/28/2006	Conventional	Conductivity	n/a	=	3600	µmhos/cm	SM 2510	1	PQL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/12/2006	Conventional	pH	n/a	=	7.4	pH Units	EPA 150.1	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	1.5	mg/L	EPA 1664A	1	MDL	CRG	EST
A-1	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	TRPH	n/a	=	1.4	mg/L	EPA 1664	1	MDL	CRG	EST
A-1	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Dissolved	=	3.426	ng/L	EPA 1631Em	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Total	=	23.98	ng/L	EPA 1631Em	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.27	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/16/2006	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	3.7	mg/L	EPA 300.0	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	225.02	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	4.1	mg/L	EPA 405.1	1	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	972.9	mg/L	SM 2340 B	1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	2865	mg/L	SM 2540 C	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	16	mg/L	EPA 415.1	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	534	mg/L	SM 2540 D	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	310	NTU	EPA 180.1	1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	3056	µg/L	EPA 200.8m	5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	5.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	2.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	2.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	8.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	7.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	18.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	4.41	µg/L	EPA 200.8m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	17.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	25.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	15.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	12.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	8.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	61.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	2.23	mg/L	EPA 300.0	0.01	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.23	mg/L	EPA 300.0	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.228	mg/L	EPA 300.0	0.0075	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	0.38	mg/L	EPA 351.1	0.05	MDL	TA	
A-1	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	3	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.103	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.0033	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0039	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	12.0772	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.066	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	0.5305	µg/L	EPA 625m	0.005	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0782	µg/L	EPA 625m	0.005	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.0921	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	=	0.0143	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.0041	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0036	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0132	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	3.871	µg/L	EPA 625m	0.1	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	0.0458	µg/L	EPA 625m		none	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	0.0262	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	=	45	µg/L	EPA 547	5	RL	WL	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	15531	MPN/100 mL	Collert-18	10	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	1650	MPN/100 mL	Enterolert	10	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	24000	MPN/100 mL	Collert-18	2	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	307600	MPN/100 mL	Collert-18	10	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/28/2006	Conventional	Conductivity	n/a	=	586	µmhos/cm	SM 2510	1	PQL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/12/2006	Conventional	pH	n/a	=	7.8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	2.9	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	TRPH	n/a	=	2.2	mg/L	EPA 1664	1	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Dissolved	=	6.133	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Total	=	82.88	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.41	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	108.42	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	15	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	140.9	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	481	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	20	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	477	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	286	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	2466	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	3.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	3.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	1.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	7.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	=	9	µg/L	SM 3500-Cr D	5	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	21.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	=	0.12	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	7.34	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	4.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	16.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	2.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	14.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	90.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	4.18	mg/L	EPA 300.0	0.01	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.04	mg/L	EPA 300.0	0.01	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.9643	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	0.85	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	=	1	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	3	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0063	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0131	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.0089	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	=	0.0037	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	=	0.0086	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.0228	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.0429	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	=	0.0582	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.0508	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.0546	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0582	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0088	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.9111	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.3616	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	0.0569	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	=	0.0128	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothioephene	n/a	=	0.0206	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	1.7439	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0944	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.1613	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	=	0.2433	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.0698	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.005	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0542	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0151	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	0.0174	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.0386	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	0.368	µg/L	EPA 625m	0.1	MDL	CRG	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0471	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	0.6744	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	=	0.011	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	=	0.0287	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	=	0.1059	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	=	0.0019	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	=	0.0026	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	0.2691	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	=	0.0363	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	=	27	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	=	2.1041	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	0.1456	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	=	0.0025	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/5/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	CalScience	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	E. Coli	n/a	=	2481	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Enterococcus	n/a	=	4060	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Fecal Coliform	n/a	=	700	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Total Coliform	n/a	=	261300	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	Conductivity	n/a	=	827	µmhos/cm	SM 2510	1	PQL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	pH	n/a	=	7.55	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	Oil and Grease	n/a	=	5	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Dissolved	=	4.9	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-CC	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Total	=	25.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	1/29/2007	Nutrient	Ammonia as N	n/a	=	0.13	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	3/3/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	CalScience	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	E. Coli	n/a	=	3448	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Enterococcus	n/a	=	11840	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Fecal Coliform	n/a	=	2400	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Total Coliform	n/a	=	290900	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	Conductivity	n/a	=	925	µmhos/cm	SM 2510	1	PQL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	pH	n/a	=	7.9	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	2/28/2007	Hydrocarbon	Oil and Grease	n/a	=	2.6	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/22/2007	3/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Dissolved	=	5.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Total	=	46.3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	2/23/2007	Nutrient	Ammonia as N	n/a	=	0.28	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Chloride	n/a	=	103.2	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	BOD	n/a	=	3.9	mg/L	EPA 405.1	1	RL	CalScience	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Conventional	Hardness as CaCO3	Total	=	200	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Conventional	Total Dissolved Solids	n/a	=	625	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/2/2007	Conventional	Total Organic Carbon	n/a	=	7.2	mg/L	EPA 415.1	0.5	RL	CalScience	
ME-CC	2006/07-3	Wet	2/23/2007	2/28/2007	Conventional	Total Suspended Solids	n/a	=	126	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	Turbidity	n/a	=	33.7	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Total	=	1349	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Total	=	3.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Total	=	0.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Total	=	5.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/23/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Dissolved	=	3.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Total	=	13.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Dissolved	=	0.1	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Total	=	2.9	µg/L	EPA 200.8m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Dissolved	=	3.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Total	=	9.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Dissolved	=	3.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Total	=	3.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Dissolved	=	18.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Total	=	50.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrate as N	n/a	=	4.24	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrite as N	n/a	=	0.09	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.6801	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/5/2007	Nutrient	TKN	n/a	=	0.05	mg/L	EPA 351.1	0.05	MDL	TA	EST, UL-MB
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Dissolved	=	1.09	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Total	=	1.25	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2,4-Trichlorobenzene	n/a	=	0.012	µg/L	EPA 625m	0.01	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylnaphthalene	n/a	=	0.0067	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0065	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methylnaphthalene	n/a	=	0.0153	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Anthracene	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)anthracene	n/a	=	0.0163	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)pyrene	n/a	=	0.0245	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0521	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(e)pyrene	n/a	=	0.0432	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0499	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0399	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Biphenyl	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	35.3401	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Butyl benzyl phthalate	n/a	=	0.199	µg/L	EPA 625m	0.005	MDL	CRG	LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Chrysene	n/a	=	0.0544	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenz(a,h)anthracene	n/a	=	0.007	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenzothiophene	n/a	=	0.0116	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Diethyl phthalate	n/a	=	0.3831	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dimethyl phthalate	n/a	=	0.0251	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-butylphthalate	n/a	=	0.1325	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-octylphthalate	n/a	=	0.1662	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, LB-MSR, EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluoranthene	n/a	=	0.0522	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0348	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Naphthalene	n/a	=	0.0271	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Perylene	n/a	=	0.0148	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenanthrene	n/a	=	0.0196	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pyrene	n/a	=	0.042	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Total Detectable PAHs	n/a	=	0.5284	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDT	n/a	=	0.0076	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDD	n/a	=	0.0142	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDE	n/a	=	0.0783	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-alpha	n/a	=	0.0023	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-gamma	n/a	=	0.0021	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Diazinon	n/a	=	0.0206	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fensulfthion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/8/2007	Pesticide	Glyphosate	n/a	=	5.6	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Total Detectable DDTs	n/a	=	0.1001	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	trans-Nonachlor	n/a	=	0.0025	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/20/2007	4/26/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	E. Coli	n/a	=	3255	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	Enterococcus	n/a	=	1780	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	Fecal Coliform	n/a	=	1400	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	Total Coliform	n/a	=	198630	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-4	Wet	4/20/2007	4/22/2007	Conventional	Conductivity	n/a	=	1168	µmhos/cm	SM 2510	1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/20/2007	4/22/2007	Conventional	pH	n/a	=	7.4	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/20/2007	4/30/2007	Hydrocarbon	Oil and Grease	n/a	=	1.2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2006/07-4	Wet	4/20/2007	5/3/2007	Hydrocarbon	TRPH	n/a	=	1	mg/L	EPA 1664	1	MDL	CRG	EST
ME-CC	2006/07-4	Wet	4/20/2007	5/3/2007	Metal	Mercury	Dissolved	=	18.6	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/20/2007	5/3/2007	Metal	Mercury	Total	=	18.8	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/20/2007	5/4/2007	Nutrient	Ammonia as N	n/a	=	0.7	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/22/2007	Anion	Bromide	n/a	=	0.9	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/4/2007	Anion	Chloride	n/a	=	94.25	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/21/2007	Conventional	BOD	n/a	=	23	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Conventional	Hardness as CaCO3	Total	=	192.7	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/27/2007	Conventional	Total Dissolved Solids	n/a	=	570	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/2/2007	Conventional	Total Organic Carbon	n/a	=	16	mg/L	SM 5310 D	0.5	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	4/27/2007	Conventional	Total Suspended Solids	n/a	=	253	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/22/2007	Conventional	Turbidity	n/a	=	49.8	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Aluminum	Total	=	498	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Arsenic	Dissolved	=	3.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Arsenic	Total	=	3.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Cadmium	Dissolved	=	0.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Cadmium	Total	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Chromium	Total	=	2.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/21/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Copper	Dissolved	=	4.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Copper	Total	=	8.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Lead	Dissolved	=	0.2	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Lead	Total	=	1.45	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Nickel	Dissolved	=	4.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Nickel	Total	=	6.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Selenium	Dissolved	=	3.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Selenium	Total	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Zinc	Dissolved	=	17.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Zinc	Total	=	28	µg/L	EPA 200.8m	0.1	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	4/22/2007	Nutrient	Nitrate as N	n/a	=	3.93	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/22/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/22/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.5132	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/8/2007	Nutrient	TKN	n/a	=	0.13	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2006/07-4	Wet	4/21/2007	4/23/2007	Nutrient	Total Phosphorus	Dissolved	=	0.81	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/23/2007	Nutrient	Total Phosphorus	Total	=	1.123	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1-Methylnaphthalene	n/a	<	0.0118	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0163	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Methylnaphthalene	n/a	=	0.0098	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Acenaphthylene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Anthracene	n/a	=	0.0063	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(a)anthracene	n/a	=	0.0147	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(a)pyrene	n/a	=	0.0304	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0487	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(e)pyrene	n/a	=	0.0482	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0634	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0407	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Biphenyl	n/a	=	0.0079	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	14.0783	µg/L	EPA 625m	0.1	MDL	CRG	UL-MB, EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Butyl benzyl phthalate	n/a	=	0.2934	µg/L	EPA 625m	0.025	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Chrysene	n/a	=	0.0544	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Dibenzothiophene	n/a	=	0.0315	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Diethyl phthalate	n/a	=	0.7752	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Dimethyl phthalate	n/a	=	0.065	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Di-n-butylphthalate	n/a	=	0.2566	µg/L	EPA 625m	0.075	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Di-n-octylphthalate	n/a	=	0.181	µg/L	EPA 625m	0.01	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Fluoranthene	n/a	=	0.0546	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0379	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Naphthalene	n/a	=	0.0151	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Pentachlorophenol	n/a	=	0.056	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Perylene	n/a	=	0.034	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Phenanthrene	n/a	=	0.015	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Phenol	n/a	=	0.253	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Pyrene	n/a	=	0.0356	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Total Detectable PAHs	n/a	=	0.581	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4,5-T	n/a	<	0.66	µg/L	EPA 8151A	0.66	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.66	µg/L	EPA 8151A	0.66	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4-D	n/a	<	6.6	µg/L	EPA 8151A	6.6	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4-DB	n/a	<	6.6	µg/L	EPA 8151A	6.6	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	2,4'-DDD	n/a	=	0.0077	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	4,4'-DDD	n/a	=	0.0209	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	4,4'-DDE	n/a	=	0.0763	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dalapon	n/a	<	17	µg/L	EPA 8151A	17	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Diazinon	n/a	=	0.0403	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dicamba	n/a	<	0.66	µg/L	EPA 8151A	0.66	RL	Calscience	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dichlorprop	n/a	<	6.6	µg/L	EPA 8151A	6.6	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dinoseb	n/a	<	3.3	µg/L	EPA 8151A	3.3	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/3/2007	Pesticide	Glyphosate	n/a	=	26	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Malathion	n/a	=	0.1237	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	MCPA	n/a	<	660	µg/L	EPA 8151A	660	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	MCPP	n/a	<	660	µg/L	EPA 8151A	660	RL	Calscience	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Total Detectable DDTs	n/a	=	0.1049	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/15/2007	5/17/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	E. Coli	n/a	=	161	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	Enterococcus	n/a	=	137	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	Fecal Coliform	n/a	=	330	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	Total Coliform	n/a	=	11199	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-5	Dry	5/15/2007	5/16/2007	Conventional	Conductivity	n/a	=	1459	µmhos/cm	SM 2510	1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/15/2007	5/16/2007	Conventional	pH	n/a	=	8.1	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/15/2007	5/29/2007	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/15/2007	5/24/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/15/2007	5/24/2007	Metal	Mercury	Dissolved	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-LD
ME-CC	2006/07-5	Dry	5/15/2007	5/24/2007	Metal	Mercury	Total	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-5	Dry	5/15/2007	5/30/2007	Nutrient	Ammonia as N	n/a	=	0.07	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/17/2007	Anion	Bromide	n/a	=	0.6	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	6/5/2007	Anion	Chloride	n/a	=	181.26	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/16/2007	Conventional	BOD	n/a	=	3	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Conventional	Hardness as CaCO3	Total	=	264.7	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Conventional	Total Dissolved Solids	n/a	=	860	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/18/2007	Conventional	Total Organic Carbon	n/a	=	6.9	mg/L	SM 5310 D	0.05	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Conventional	Total Suspended Solids	n/a	=	3	mg/L	SM 2540 D	0.5	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/17/2007	Conventional	Turbidity	n/a	=	1.6	NTU	EPA 180.1	1	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Aluminum	Total	=	14	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Arsenic	Dissolved	=	3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Arsenic	Total	=	3.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-LD
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Chromium	Total	=	0.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/16/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Copper	Dissolved	=	2.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Copper	Total	=	2.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Lead	Dissolved	=	0.09	µg/L	EPA 200.8m	0.05	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Lead	Total	=	0.18	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Nickel	Dissolved	=	4.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Nickel	Total	=	4.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Selenium	Dissolved	=	2.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Selenium	Total	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Zinc	Dissolved	=	14.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Zinc	Total	=	14.7	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/17/2007	Nutrient	Nitrate as N	n/a	=	9.23	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/17/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/17/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.4528	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/23/2007	Nutrient	TKN	n/a	=	0.08	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2006/07-5	Dry	5/16/2007	5/18/2007	Nutrient	Total Phosphorus	Dissolved	=	1.58	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/18/2007	Nutrient	Total Phosphorus	Total	=	1.706	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1-Methylnaphthalene	n/a	=	0.009	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0049	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Methylnaphthalene	n/a	=	0.0122	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Acenaphthene	n/a	=	0.007	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Biphenyl	n/a	=	0.0023	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.7094	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Butyl benzyl phthalate	n/a	=	0.026	µg/L	EPA 625m	0.025	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Diethyl phthalate	n/a	=	0.6405	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Naphthalene	n/a	=	0.01	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Phenanthrene	n/a	=	0.0048	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Phenol	n/a	=	0.345	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Pyrene	n/a	=	0.0019	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Total Detectable PAHs	n/a	=	0.0521	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Bolstar	n/a	=	1.1914	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Diazinon	n/a	=	0.1022	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Dichlorvos	n/a	=	0.0158	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Fensulfotion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Fenthion	n/a	=	0.0159	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Methyl parathion	n/a	=	0.0744	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/12/2007	6/20/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2006/07-6	Dry	6/12/2007	6/12/2007	Bacteriological	E. Coli	n/a	=	52	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-6	Dry	6/12/2007	6/12/2007	Bacteriological	Enterococcus	n/a	=	42	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-6	Dry	6/12/2007	6/12/2007	Bacteriological	Fecal Coliform	n/a	=	110	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-6	Dry	6/12/2007	6/12/2007	Bacteriological	Total Coliform	n/a	=	12997	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-6	Dry	6/12/2007	6/13/2007	Conventional	Conductivity	n/a	=	129	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/12/2007	6/13/2007	Conventional	pH	n/a	=	8.2	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/12/2007	6/20/2007	Hydrocarbon	Oil and Grease	n/a	=	1.2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/12/2007	6/25/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/12/2007	7/10/2007	Metal	Mercury	Dissolved	=	4.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/12/2007	7/10/2007	Metal	Mercury	Total	=	11.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/12/2007	6/13/2007	Nutrient	Ammonia as N	n/a	=	0.03	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Anion	Bromide	n/a	=	0.7	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/15/2007	Anion	Chloride	n/a	=	172.21	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/13/2007	Conventional	BOD	n/a	=	1.2	mg/L	EPA 405.1	1	RL	Calscience	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Conventional	Hardness as CaCO3	Total	=	226	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/19/2007	Conventional	Total Dissolved Solids	n/a	=	616	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/16/2007	Conventional	Total Organic Carbon	n/a	=	6.5	mg/L	SM 5310 D	0.5	RL	CalScience	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Conventional	Total Suspended Solids	n/a	=	3	mg/L	SM 2540 D	0.5	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Conventional	Turbidity	n/a	=	1.5	NTU	EPA 180.1	1	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Aluminum	Total	=	22	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Arsenic	Dissolved	=	3.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Arsenic	Total	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Cadmium	Total	=	0.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Chromium	Dissolved	=	0.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Chromium	Total	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Copper	Dissolved	=	3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Copper	Total	=	2.9	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Lead	Dissolved	=	0.06	µg/L	EPA 200.8m	0.05	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Lead	Total	=	0.2	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Nickel	Dissolved	=	5.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Nickel	Total	=	5.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Selenium	Dissolved	=	2.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Selenium	Total	=	2.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Zinc	Dissolved	=	19.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/18/2007	Metal	Zinc	Total	=	16.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Nutrient	Nitrate as N	n/a	=	0.51	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Nutrient	Nitrite as N	n/a	=	0.28	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	2.0001	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/27/2007	Nutrient	TKN	n/a	<	0.05	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Nutrient	Total Phosphorus	Dissolved	=	2.25	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/14/2007	Nutrient	Total Phosphorus	Total	=	2.275	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	1-Methylnaphthalene	n/a	=	0.0102	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	1-Methylphenanthrene	n/a	=	0.0099	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0094	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2-Methylnaphthalene	n/a	=	0.0218	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzo(e)pyrene	n/a	=	0.0033	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.003	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Biphenyl	n/a	=	0.0018	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.5941	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Butyl benzyl phthalate	n/a	<	0.025	µg/L	EPA 625m	0.025	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Chrysene	n/a	=	0.0059	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Dibenzothiophene	n/a	=	0.004	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Diethyl phthalate	n/a	=	0.5827	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Fluoranthene	n/a	=	0.0024	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Fluorene	n/a	=	0.0029	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Naphthalene	n/a	=	0.0353	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Phenanthrene	n/a	=	0.0126	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Phenol	n/a	=	0.451	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Pyrene	n/a	=	0.0039	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Organic	Total Detectable PAHs	n/a	=	0.1264	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	4,4'-DDE	n/a	=	0.0148	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Diazinon	n/a	=	0.0171	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Fensulfthion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/21/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	6/22/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Total Detectable DDTs	n/a	=	0.0148	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-6	Dry	6/13/2007	7/2/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	2613	MPN/100 mL	Collert-18	10	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	1124	MPN/100 mL	Enterolert	10	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	350	MPN/100 mL	Collert-18	2	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	72700	MPN/100 mL	Collert-18	10	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/28/2006	Conventional	Conductivity	n/a	=	1132	µmhos/cm	SM 2510	1	PQL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/12/2006	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/10/2006	12/27/2006	Hydrocarbon	TRPH	n/a	=	1	mg/L	EPA 1664	1	MDL	CRG	EST

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/10/2006	12/28/2006	Metal	Mercury	Dissolved	=	2.221	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/28/2006	Metal	Mercury	Total	=	24.78	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.43	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.2	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	91.13	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	2.9	mg/L	EPA 405.1	1	RL	CalScience	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	414.4	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	31448	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	11	mg/L	EPA 415.1	0.5	RL	CalScience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	2054	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	3330	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	3573	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	1.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	1.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	1.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	5.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	15.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	2.69	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	22.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	5.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	42.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	2.6	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.02	mg/L	EPA 300.0	0.01	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0634	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	0.7	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	7	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.067	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	=	0.0504	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0595	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0897	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.0479	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	=	0.0144	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzdine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.0158	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.0128	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	=	0.0152	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.0289	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h)perylene	n/a	=	0.025	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0124	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0085	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.2132	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.0936	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	0.0422	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	=	0.0174	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	1.2067	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0811	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.0682	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.0316	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.0112	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0116	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0255	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	1.2345	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.0741	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	0.326	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0303	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	1.9259	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m	0.001	none	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	=	0.2511	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorodane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/5/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	E. Coli	n/a	=	173	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Enterococcus	n/a	=	478	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Fecal Coliform	n/a	=	50	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Total Coliform	n/a	=	27550	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	Conductivity	n/a	=	1520	µmhos/cm	SM 2510	1	PQL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	pH	n/a	=	8.02	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	Oil and Grease	n/a	=	2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Dissolved	=	3.9	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Total	=	11.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	1/29/2007	Nutrient	Ammonia as N	n/a	=	0.72	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/6/2007	Anion	Chloride	n/a	=	58.64	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/29/2007	Conventional	BOD	n/a	=	2.9	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Conventional	Hardness as CaCO3	Total	=	368	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Conventional	Total Dissolved Solids	n/a	=	1038	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Conventional	Total Organic Carbon	n/a	=	8.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Conventional	Total Suspended Solids	n/a	=	2360	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Conventional	Turbidity	n/a	=	22	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Aluminum	Total	=	1783	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Arsenic	Dissolved	=	1.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Arsenic	Total	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Cadmium	Total	=	0.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Chromium	Total	=	2.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Copper	Dissolved	=	3.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Copper	Total	=	10.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Lead	Total	=	2.41	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Nickel	Dissolved	=	3.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Nickel	Total	=	12	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Selenium	Dissolved	=	7.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Selenium	Total	=	7.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Zinc	Dissolved	=	4.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Zinc	Total	=	21	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Nitrate as N	n/a	=	2.46	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Nitrite as N	n/a	=	0.1	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.1	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/9/2007	Nutrient	TKN	n/a	=	0.32	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Nutrient	Total Phosphorus	Dissolved	=	0.17	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Nutrient	Total Phosphorus	Total	=	15.411	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1-Methylnaphthalene	n/a	=	0.0167	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1-Methylphenanthrene	n/a	=	0.0137	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0324	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0321	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Methylnaphthalene	n/a	=	0.0157	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Biphenyl	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.984	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0547	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, EST-LD
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Diethyl phthalate	n/a	=	4.0907	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dimethyl phthalate	n/a	=	0.2332	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Di-n-butylphthalate	n/a	=	0.1518	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Naphthalene	n/a	=	0.0166	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Perylene	n/a	=	0.2409	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Phenanthrene	n/a	=	0.0183	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Phenol	n/a	=	0.4918	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Pyrene	n/a	=	0.0068	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Total Detectable PAHs	n/a	=	0.399	µg/L	EPA 625m		none	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	CalScience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	CalScience	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Diazinon	n/a	=	0.0159	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Diethrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/5/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	3/3/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	E. Coli	n/a	=	73	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Enterococcus	n/a	=	344	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Fecal Coliform	n/a	=	300	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Total Coliform	n/a	=	57940	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	Conductivity	n/a	=	1496	µmhos/cm	SM 2510	1	PQL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	pH	n/a	=	8.2	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	2/28/2007	Hydrocarbon	Oil and Grease	n/a	=	1	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/22/2007	3/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Dissolved	=	4	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-SCR	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Total	=	28.5	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-SCR	2006/07-3	Wet	2/22/2007	2/23/2007	Nutrient	Ammonia as N	n/a	=	0.2	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Chloride	n/a	=	62.14	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	BOD	n/a	=	11	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Conventional	Hardness as CaCO3	Total	=	395	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Conventional	Total Dissolved Solids	n/a	=	1320	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/2/2007	Conventional	Total Organic Carbon	n/a	=	9	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	2/28/2007	Conventional	Total Suspended Solids	n/a	=	10120	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	Turbidity	n/a	=	36.4	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Total	=	17330	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Dissolved	=	1.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Total	=	14.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Total	=	13.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Total	=	31	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/23/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Dissolved	=	2.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Total	=	148.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Total	=	25.62	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Dissolved	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Total	=	185.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Dissolved	=	6.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Total	=	14.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Total	=	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Dissolved	=	6.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Total	=	300.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrate as N	n/a	=	1.8	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrite as N	n/a	=	0.06	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.1287	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/7/2007	Nutrient	TKN	n/a	=	0.06	mg/L	EPA 351.1	0.05	MDL	TA	UL-MB
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Dissolved	=	0.1	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Total	=	0.67	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylnaphthalene	n/a	=	0.2378	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylphenanthrene	n/a	=	0.0984	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.1894	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.2215	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methylnaphthalene	n/a	=	0.1658	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthene	n/a	=	0.0375	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthylene	n/a	=	0.0013	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Anthracene	n/a	=	0.0067	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)anthracene	n/a	=	0.0234	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)pyrene	n/a	=	0.0244	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0215	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(e)pyrene	n/a	=	0.0311	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0314	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0126	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Biphenyl	n/a	=	0.0204	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	17.7682	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0829	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, UL-FB
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Chrysene	n/a	=	0.0697	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenz(a,h)anthracene	n/a	=	0.0046	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenzothiophene	n/a	=	0.0345	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Diethyl phthalate	n/a	=	1.1423	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dimethyl phthalate	n/a	=	0.0838	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-butylphthalate	n/a	=	0.0832	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, UL-FB
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-octylphthalate	n/a	=	0.0578	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluoranthene	n/a	=	0.054	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluorene	n/a	=	0.0283	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0096	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Naphthalene	n/a	=	0.0915	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Perylene	n/a	=	2.1178	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenanthrene	n/a	=	0.1354	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenol	n/a	=	0.117	µg/L	EPA 625m	0.1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pyrene	n/a	=	0.0601	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Total Detectable PAHs	n/a	=	3.7288	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/8/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Malathion	n/a	=	0.1099	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/20/2007	4/26/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	E. Coli	n/a	=	2489	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	Enterococcus	n/a	=	4060	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	Fecal Coliform	n/a	=	1100	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2006/07-4	Wet	4/20/2007	4/20/2007	Bacteriological	Total Coliform	n/a	=	155310	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-4	Wet	4/20/2007	4/22/2007	Conventional	Conductivity	n/a	=	1211	µmhos/cm	SM 2510	1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/20/2007	4/22/2007	Conventional	pH	n/a	=	7.6	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/20/2007	4/30/2007	Hydrocarbon	Oil and Grease	n/a	=	2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-4	Wet	4/20/2007	5/3/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/20/2007	5/3/2007	Metal	Mercury	Dissolved	=	8.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/20/2007	5/3/2007	Metal	Mercury	Total	=	15.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/20/2007	5/4/2007	Nutrient	Ammonia as N	n/a	=	0.58	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/22/2007	Anion	Bromide	n/a	=	0.7	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/4/2007	Anion	Chloride	n/a	=	75.52	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/21/2007	Conventional	BOD	n/a	=	270	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Conventional	Hardness as CaCO3	Total	=	466.2	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/27/2007	Conventional	Total Dissolved Solids	n/a	=	1278	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/2/2007	Conventional	Total Organic Carbon	n/a	=	99	mg/L	SM 5310 D	2.5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	4/27/2007	Conventional	Total Suspended Solids	n/a	=	40360	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/22/2007	Conventional	Turbidity	n/a	=	541	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Aluminum	Total	=	1722	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Arsenic	Dissolved	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Arsenic	Total	=	3.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Cadmium	Dissolved	=	0.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Cadmium	Total	=	1.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Chromium	Dissolved	=	0.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Chromium	Total	=	4	µg/L	EPA 200.8m	0.1	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	4/21/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Copper	Dissolved	=	2.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Copper	Total	=	9.9	µg/L	EPA 200.8m	0.4	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Lead	Total	=	2.74	µg/L	EPA 200.8m	0.05	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Nickel	Dissolved	=	5.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Nickel	Total	=	19.8	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Selenium	Dissolved	=	6.5	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Selenium	Total	=	6.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Zinc	Dissolved	=	6.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/1/2007	Metal	Zinc	Total	=	21.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	4/22/2007	Nutrient	Nitrate as N	n/a	=	1.86	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/22/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/22/2007	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/8/2007	Nutrient	TKN	n/a	=	0.18	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-4	Wet	4/21/2007	4/23/2007	Nutrient	Total Phosphorus	Dissolved	=	0.07	mg/L	SM 4500-P C	0.016	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	4/23/2007	Nutrient	Total Phosphorus	Total	=	0.682	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1-Methylnaphthalene	n/a	=	0.4311	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	1-Methylphenanthrene	n/a	=	0.1504	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.3351	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dichlorophenol	n/a	=	0.091	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.5183	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Methylnaphthalene	n/a	=	0.2837	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Acenaphthene	n/a	=	0.0699	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(a)anthracene	n/a	=	0.0639	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(a)pyrene	n/a	=	0.0413	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0632	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(e)pyrene	n/a	=	0.071	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.088	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0362	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Biphenyl	n/a	=	0.0626	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.422	µg/L	EPA 625m	0.1	MDL	CRG	UL-MB
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Butyl benzyl phthalate	n/a	=	0.1235	µg/L	EPA 625m	0.025	MDL	CRG	UL-MB
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Chrysene	n/a	=	0.1615	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Dibenzothioephene	n/a	=	0.0532	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Diethyl phthalate	n/a	=	0.7034	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Fluoranthene	n/a	=	0.1207	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Fluorene	n/a	=	0.0615	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0241	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Naphthalene	n/a	=	0.1336	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Perylene	n/a	=	5.3702	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Phenanthrene	n/a	=	0.2289	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Phenol	n/a	=	0.419	µg/L	EPA 625m	0.1	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Pyrene	n/a	=	0.1094	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Organic	Total Detectable PAHs	n/a	=	8.4778	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/3/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	EST-FD
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	4/28/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Oxychlorodane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-4	Wet	4/21/2007	5/14/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/17/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	E. Coli	n/a	=	52	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	Enterococcus	n/a	=	178	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	Fecal Coliform	n/a	=	80	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2006/07-5	Dry	5/15/2007	5/15/2007	Bacteriological	Total Coliform	n/a	=	4611	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-5	Dry	5/15/2007	5/16/2007	Conventional	Conductivity	n/a	=	1803	µmhos/cm	SM 2510	1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/16/2007	Conventional	pH	n/a	=	8.2	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/29/2007	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/24/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/24/2007	Metal	Mercury	Dissolved	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/24/2007	Metal	Mercury	Total	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/15/2007	5/30/2007	Nutrient	Ammonia as N	n/a	=	0.3	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/17/2007	Anion	Bromide	n/a	=	0.3	Brom/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	6/5/2007	Anion	Chloride	n/a	=	81.44	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/16/2007	Conventional	BOD	n/a	=	4.3	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Conventional	Hardness as CaCO3	Total	=	479.4	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Conventional	Total Dissolved Solids	n/a	=	1282	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/18/2007	Conventional	Total Organic Carbon	n/a	=	4.5	mg/L	SM 5310 D	0.05	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Conventional	Total Suspended Solids	n/a	=	88	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/17/2007	Conventional	Turbidity	n/a	=	10.9	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Aluminum	Total	=	80	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Arsenic	Dissolved	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Arsenic	Total	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Cadmium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Cadmium	Total	=	1.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Chromium	Total	=	1.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/16/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Copper	Dissolved	=	1.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Copper	Total	=	3.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Lead	Total	=	0.51	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Nickel	Dissolved	=	3.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Nickel	Total	=	4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Selenium	Dissolved	=	7.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Selenium	Total	=	6.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Zinc	Dissolved	=	4	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/21/2007	Metal	Zinc	Total	=	6.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/17/2007	Nutrient	Nitrate as N	n/a	=	2.77	mg/L	EPA 300.0	0.01	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-5	Dry	5/16/2007	5/17/2007	Nutrient	Nitrite as N	n/a	=	0.56	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/17/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.3178	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/23/2007	Nutrient	TKN	n/a	=	0.09	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-5	Dry	5/16/2007	5/18/2007	Nutrient	Total Phosphorus	Dissolved	=	0.16	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/18/2007	Nutrient	Total Phosphorus	Total	=	0.206	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1-Methylnaphthalene	n/a	=	0.0057	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0043	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Methylnaphthalene	n/a	=	0.0078	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.73	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Butyl benzyl phthalate	n/a	=	0.025	µg/L	EPA 625m	0.025	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Diethyl phthalate	n/a	=	0.5716	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Fluoranthene	n/a	=	0.0024	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Naphthalene	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Perylene	n/a	=	0.0628	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Phenanthrene	n/a	=	0.0046	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Phenol	n/a	=	0.483	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Pyrene	n/a	=	0.0025	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Organic	Total Detectable PAHs	n/a	=	0.0959	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/24/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-5	Dry	5/16/2007	5/30/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-5	Dry	39218.385	39232	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-5	Dry	39218.385	39232	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-5	Dry	39218.385	39232	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39245.556	39253	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-6	Dry	39245.556	39245.625	Bacteriological	E. Coli	n/a	=	20	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-6	Dry	39245.556	39245.625	Bacteriological	Enterococcus	n/a	=	10	MPN/100 mL	Enterolert	10	MDL	VCHCA	EST-FD
ME-SCR	2006/07-6	Dry	39245.556	39245.625	Bacteriological	Fecal Coliform	n/a	=	130	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	EST-FD
ME-SCR	2006/07-6	Dry	39245.556	39245.625	Bacteriological	Total Coliform	n/a	=	9804	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-6	Dry	39245.556	39246	Conventional	Conductivity	n/a	=	174	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39245.556	39246	Conventional	pH	n/a	=	8.2	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39245.556	39253	Hydrocarbon	Oil and Grease	n/a	=	1.7	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-6	Dry	39245.556	39258	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39245.556	39273	Metal	Mercury	Dissolved	=	3.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-6	Dry	39245.556	39273	Metal	Mercury	Total	=	8.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-6	Dry	39245.556	39246	Nutrient	Ammonia as N	n/a	=	0.22	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39247	Anion	Bromide	n/a	=	0.5	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39248	Anion	Chloride	n/a	=	87.44	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39246.833	Conventional	BOD	n/a	=	3.2	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39251	Conventional	Hardness as CaCO3	Total	=	485.1	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39252	Conventional	Total Dissolved Solids	n/a	=	1292	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39249	Conventional	Total Organic Carbon	n/a	=	4.8	mg/L	SM 5310 D	0.5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39251	Conventional	Total Suspended Solids	n/a	=	284	mg/L	SM 2540 D	0.5	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39247	Conventional	Turbidity	n/a	=	23.9	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Aluminum	Total	=	744	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Arsenic	Dissolved	=	2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Arsenic	Total	=	2.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Cadmium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Cadmium	Total	=	0.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Chromium	Total	=	2.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39247	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Copper	Dissolved	=	2.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Copper	Total	=	8.8	µg/L	EPA 200.8m	0.4	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Lead	Dissolved	=	0.07	µg/L	EPA 200.8m	0.05	MDL	CRG	EST
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Lead	Total	=	1.78	µg/L	EPA 200.8m	0.05	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Nickel	Dissolved	=	4.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Nickel	Total	=	7.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Selenium	Dissolved	=	6.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Selenium	Total	=	6.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Zinc	Dissolved	=	5.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39251	Metal	Zinc	Total	=	18.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39247	Nutrient	Nitrate as N	n/a	=	1.53	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39247	Nutrient	Nitrite as N	n/a	=	0.12	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39247	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.1888	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39260	Nutrient	TKN	n/a	=	0.53	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-6	Dry	39246.438	39247	Nutrient	Total Phosphorus	Dissolved	=	0.28	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39247	Nutrient	Total Phosphorus	Total	=	0.31	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	1-Methylnaphthalene	n/a	=	0.0116	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0084	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,6-Dimethylnaphthalene	n/a	=	0.032	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2-Methylnaphthalene	n/a	=	0.0125	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Acenaphthene	n/a	=	0.0029	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Acenaphthylene	n/a	=	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzo(b)fluoranthene	n/a	=	0.0086	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzo(e)pyrene	n/a	=	0.0062	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzo(g,h,i)perylene	n/a	=	0.0045	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Biphenyl	n/a	=	0.0022	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.079	µg/L	EPA 625m	0.1	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Butyl benzyl phthalate	n/a	<	0.025	µg/L	EPA 625m	0.025	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Chrysene	n/a	=	0.0092	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Dibenzothioephene	n/a	=	0.0044	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Diethyl phthalate	n/a	=	0.6053	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Di-n-octylphthalate	n/a	=	0.0117	µg/L	EPA 625m	0.01	MDL	CRG	EST
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Fluoranthene	n/a	=	0.0059	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Fluorene	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Naphthalene	n/a	=	0.0208	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Perylene	n/a	=	0.2308	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Phenanthrene	n/a	=	0.0115	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Phenol	n/a	=	0.378	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Pyrene	n/a	=	0.0067	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-SCR	2006/07-6	Dry	39246.438	39265	Organic	Total Detectable PAHs	n/a	=	0.3819	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39254	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39255	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-6	Dry	39246.438	39265	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39061.146	39069	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-1	Wet	39061.146	39061.25	Bacteriological	E. Coli	n/a	=	203	MPN/100 mL	Colilert-18	10	MDL	ABC	
ME-VR2	2006/07-1	Wet	39061.146	39061.25	Bacteriological	Enterococcus	n/a	=	41	MPN/100 mL	Enterolert	10	MDL	ABC	
ME-VR2	2006/07-1	Wet	39061.146	39061.25	Bacteriological	Fecal Coliform	n/a	=	500	MPN/100 mL	Colilert-18	2	MDL	ABC	
ME-VR2	2006/07-1	Wet	39061.146	39061.25	Bacteriological	Total Coliform	n/a	=	1789	MPN/100 mL	Colilert-18	10	MDL	ABC	
ME-VR2	2006/07-1	Wet	39061.146	39079	Conventional	Conductivity	n/a	=	956	µmhos/cm	SM 2510	1	PQL	CRG	
ME-VR2	2006/07-1	Wet	39061.146	39063	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39061.146	39078	Hydrocarbon	Oil and Grease	n/a	=	1.1	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39061.146	39078	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39061.146	39079	Metal	Mercury	Dissolved	=	1.381	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-VR2	2006/07-1	Wet	39061.146	39079	Metal	Mercury	Total	=	2.757	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-VR2	2006/07-1	Wet	39061.146	39063	Nutrient	Ammonia as N	n/a	=	0.02	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39063	Anion	Bromide	n/a	=	0.1	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39064	Anion	Chloride	n/a	=	256.02	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39062.792	Conventional	BOD	n/a	=	4.4	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39085	Conventional	Hardness as CaCO3	Total	=	375.4	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39069	Conventional	Total Dissolved Solids	n/a	=	1123	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39066	Conventional	Total Organic Carbon	n/a	=	18	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39069	Conventional	Total Suspended Solids	n/a	=	64	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39063	Conventional	Turbidity	n/a	=	32	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Aluminum	Total	=	326	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Arsenic	Dissolved	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Arsenic	Total	=	1.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Cadmium	Total	=	0.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Chromium	Total	=	1.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39063	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Copper	Dissolved	=	2.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Copper	Total	=	3.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Lead	Total	=	0.88	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Nickel	Dissolved	=	10.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Nickel	Total	=	11.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Selenium	Dissolved	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Selenium	Total	=	2.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Zinc	Dissolved	=	19	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39085	Metal	Zinc	Total	=	41	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39063	Nutrient	Nitrate as N	n/a	=	4.2	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39063	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39063	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0149	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39073	Nutrient	TKN	n/a	<	0.05	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-1	Wet	39062.438	39064	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39064	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	1-Methylnaphthalene	n/a	=	0.0036	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	1-Methylphenanthrene	n/a	=	0.007	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0085	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2-Methylnaphthalene	n/a	=	0.0044	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Acenaphthene	n/a	=	0.0024	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Anthracene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzo(a)anthracene	n/a	=	0.0129	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzo(a)pyrene	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzo(b)fluoranthene	n/a	=	0.0171	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzo(e)pyrene	n/a	=	0.0193	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzo(g,h,i)perylene	n/a	=	0.0165	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Benzo(k)fluoranthene	n/a	=	0.0189	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Biphenyl	n/a	=	0.0056	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	6.7482	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Butyl benzyl phthalate	n/a	=	0.0902	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Chrysene	n/a	=	0.033	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Dibenzothiophene	n/a	=	0.0115	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Diethyl phthalate	n/a	=	1.5629	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Dimethyl phthalate	n/a	=	0.2009	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Di-n-butylphthalate	n/a	=	0.1107	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, UL-FB
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Di-n-octylphthalate	n/a	=	0.0341	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Fluoranthene	n/a	=	0.038	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Fluorene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Hexachlorobenzene	n/a	=	0.0013	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.014	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Naphthalene	n/a	=	0.0087	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	N-Nitrosodiphenylamine	n/a	=	0.05	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Pentachlorophenol	n/a	=	0.18	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Perylene	n/a	=	0.0204	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Phenanthrene	n/a	=	0.0303	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Phenol	n/a	=	1.193	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Pyrene	n/a	=	0.024	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Organic	Total Detectable PAHs	n/a	=	0.3219	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	2,4'-DDD	n/a	=	0.0574	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	2,4'-DDE	n/a	=	0.0122	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	2,4'-DDT	n/a	=	0.0491	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	4,4'-DDD	n/a	=	0.1902	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	4,4'-DDE	n/a	=	0.6256	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	4,4'-DDT	n/a	=	0.1702	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Chlordane-alpha	n/a	=	0.0066	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Chlordane-gamma	n/a	=	0.0052	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Chlorpyrifos	n/a	=	5.817	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Fensulfthion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39067	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Malathion	n/a	=	0.5927	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39072	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Total Detectable DDTs	n/a	=	1.1047	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	trans-Nonachlor	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	39062.438	39080	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39118	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-2	Wet	39109.917	39109.965	Bacteriological	E. Coli	n/a	=	1467	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	39109.917	39109.965	Bacteriological	Enterococcus	n/a	=	1013	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	39109.917	39109.965	Bacteriological	Fecal Coliform	n/a	=	1100	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	39109.917	39109.965	Bacteriological	Total Coliform	n/a	=	17329	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	39109.917	39112	Conventional	Conductivity	n/a	=	973	µmhos/cm	SM 2510	1	PQL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39112	Conventional	pH	n/a	=	7.98	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39115	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39115	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39122	Metal	Mercury	Dissolved	=	3.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39122	Metal	Mercury	Total	=	2.7	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39109.917	39111	Nutrient	Ammonia as N	n/a	=	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR2	2006/07-2	Wet	39111.5	39113	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39119	Anion	Chloride	n/a	=	123.195	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39111.625	Conventional	BOD	n/a	=	6.1	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39131	Conventional	Hardness as CaCO3	Total	=	335	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39113	Conventional	Total Dissolved Solids	n/a	=	926	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Conventional	Total Organic Carbon	n/a	=	7.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39112	Conventional	Total Suspended Solids	n/a	=	47	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39112	Conventional	Turbidity	n/a	=	18	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Aluminum	Total	=	73	µg/L	EPA 200.8m	5	MDL	CRG	EST-FD
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Arsenic	Dissolved	=	0.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Arsenic	Total	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Chromium	Total	=	0.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39112	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Copper	Dissolved	=	2.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Copper	Total	=	3.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Lead	Total	=	0.35	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Nickel	Dissolved	=	12.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Nickel	Total	=	14.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Selenium	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Selenium	Total	=	3.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Zinc	Dissolved	=	7.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39131	Metal	Zinc	Total	=	12.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39113	Nutrient	Nitrate as N	n/a	=	0.13	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39113	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39113	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0832	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39122	Nutrient	TKN	n/a	=	0.51	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-2	Wet	39111.5	39112	Nutrient	Total Phosphorus	Dissolved	=	0.05	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39112	Nutrient	Total Phosphorus	Total	=	0.137	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	1-Methylnaphthalene	n/a	=	0.0048	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2-Methylnaphthalene	n/a	=	0.098	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Biphenyl	n/a	=	0.0031	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	4.4671	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Butyl benzyl phthalate	n/a	=	0.0419	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Diethyl phthalate	n/a	=	0.4122	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Dimethyl phthalate	n/a	=	0.0355	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Di-n-butylphthalate	n/a	=	0.1363	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Naphthalene	n/a	=	0.0125	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Phenol	n/a	=	1.534	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Organic	Total Detectable PAHs	n/a	=	0.0302	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39118	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	39111.5	39121	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39144	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-3	Wet	39135.667	39135.846	Bacteriological	E. Coli	n/a	=	4611	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	39135.667	39135.846	Bacteriological	Enterococcus	n/a	=	11840	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	39135.667	39135.846	Bacteriological	Fecal Coliform	n/a	=	11000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	39135.667	39135.846	Bacteriological	Total Coliform	n/a	=	19890	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	39135.667	39136	Conventional	Conductivity	n/a	=	939	µmhos/cm	SM 2510	1	PQL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39136	Conventional	pH	n/a	=	8.2	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39141	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39143	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39168	Metal	Mercury	Dissolved	=	3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39168	Metal	Mercury	Total	=	9	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39135.667	39136	Nutrient	Ammonia as N	n/a	=	0.02	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39137	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39137	Anion	Chloride	n/a	=	62.92	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39136.583	Conventional	BOD	n/a	=	3.2	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39161	Conventional	Hardness as CaCO3	Total	=	254	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39142	Conventional	Total Dissolved Solids	n/a	=	702	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39143	Conventional	Total Organic Carbon	n/a	=	5.4	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39141	Conventional	Total Suspended Solids	n/a	=	122	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39136.583	Conventional	Turbidity	n/a	=	18.7	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Aluminum	Total	=	439	µg/L	EPA 200.8m	5	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Arsenic	Dissolved	=	0.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Arsenic	Total	=	2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Cadmium	Total	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Chromium	Total	=	2.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39136.583	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Copper	Dissolved	=	1.3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Copper	Total	=	5.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Lead	Total	=	1.3	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Nickel	Dissolved	=	5.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Nickel	Total	=	9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Selenium	Dissolved	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Selenium	Total	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Zinc	Dissolved	=	5.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39161	Metal	Zinc	Total	=	20.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39137	Nutrient	Nitrate as N	n/a	=	0.2	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39137	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39137	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39148	Nutrient	TKN	n/a	<	0.05	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-3	Wet	39136.375	39142	Nutrient	Total Phosphorus	Dissolved	=	0.04	mg/L	SM 4500-P C	0.016	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39142	Nutrient	Total Phosphorus	Total	=	0.102	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	1-Methylnaphthalene	n/a	=	0.0038	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0045	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2-Methylnaphthalene	n/a	=	0.006	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzo(e)pyrene	n/a	=	0.0018	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzo(g,h,i)perylene	n/a	=	0.0011	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.0876	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Butyl benzyl phthalate	n/a	=	0.0354	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Chrysene	n/a	=	0.0016	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Diethyl phthalate	n/a	=	0.272	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Dimethyl phthalate	n/a	=	0.0277	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Di-n-butylphthalate	n/a	=	0.0461	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Di-n-octylphthalate	n/a	=	0.0061	µg/L	EPA 625m	0.005	MDL	CRG	EST, UL-MB
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Fluoranthene	n/a	=	0.0017	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Naphthalene	n/a	=	0.0068	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Perylene	n/a	=	0.0051	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Phenanthrene	n/a	=	0.0028	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Phenol	n/a	=	1.013	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Organic	Total Detectable PAHs	n/a	=	0.0352	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Fensulfotion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39149	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39142	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	39136.375	39163	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39192.563	39198	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-4	Wet	39192.563	39192.75	Bacteriological	E. Coli	n/a	=	598	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-4	Wet	39192.563	39192.75	Bacteriological	Enterococcus	n/a	=	2005	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-4	Wet	39192.563	39192.75	Bacteriological	Fecal Coliform	n/a	=	9000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-4	Wet	39192.563	39192.75	Bacteriological	Total Coliform	n/a	=	24192	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-4	Wet	39192.563	39194	Conventional	Conductivity	n/a	=	946	µmhos/cm	SM 2510	1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39192.563	39194	Conventional	pH	n/a	=	7.9	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39192.563	39202	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39192.563	39205	Hydrocarbon	TRPH	n/a	=	2.7	mg/L	EPA 1664	1	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39192.563	39205	Metal	Mercury	Dissolved	=	3.3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39192.563	39205	Metal	Mercury	Total	=	5.3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39192.563	39206	Nutrient	Ammonia as N	n/a	=	0.04	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39193.417	39194	Anion	Bromide	n/a	<	0.001	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39206	Anion	Chloride	n/a	=	78.72	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39193.708	Conventional	BOD	n/a	=	9.1	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39203	Conventional	Hardness as CaCO3	Total	=	338.9	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39199	Conventional	Total Dissolved Solids	n/a	=	870	mg/L	SM 2540 C	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-4	Wet	39193.417	39204	Conventional	Total Organic Carbon	n/a	=	10	mg/L	SM 5310 D	0.5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39199	Conventional	Total Suspended Solids	n/a	=	20.5	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39194	Conventional	Turbidity	n/a	=	8.51	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Aluminum	Total	=	250	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Arsenic	Dissolved	=	1.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Arsenic	Total	=	2.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Cadmium	Dissolved	=	0.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Chromium	Total	=	1.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39193.542	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Copper	Dissolved	=	2.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Copper	Total	=	3.9	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Lead	Total	=	0.47	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Nickel	Dissolved	=	7.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Nickel	Total	=	9.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Selenium	Dissolved	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Selenium	Total	=	2.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Zinc	Dissolved	=	7.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39203	Metal	Zinc	Total	=	15.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39194	Nutrient	Nitrate as N	n/a	=	0.3	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39194	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39194	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39210	Nutrient	TKN	n/a	=	0.07	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-4	Wet	39193.417	39195	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39195	Nutrient	Total Phosphorus	Total	=	0.035	mg/L	SM 4500-P C	0.016	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	1-Methylnaphthalene	n/a	=	0.0012	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2-Methylnaphthalene	n/a	=	0.006	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Biphenyl	n/a	=	0.0011	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.4605	µg/L	EPA 625m	0.1	MDL	CRG	UL-MB
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Butyl benzyl phthalate	n/a	=	0.0579	µg/L	EPA 625m	0.025	MDL	CRG	UL-MB
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Diethyl phthalate	n/a	=	0.3988	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Di-n-butylphthalate	n/a	=	0.0951	µg/L	EPA 625m	0.075	MDL	CRG	EST
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Naphthalene	n/a	=	0.0089	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Perylene	n/a	=	0.0216	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Phenol	n/a	=	1.849	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Organic	Total Detectable PAHs	n/a	=	0.0552	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39205	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39200	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-4	Wet	39193.417	39216	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39217.427	39219	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-5	Dry	39217.427	39217.583	Bacteriological	E. Coli	n/a	=	85	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-5	Dry	39217.427	39217.583	Bacteriological	Enterococcus	n/a	=	288	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-5	Dry	39217.427	39217.583	Bacteriological	Fecal Coliform	n/a	=	80	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-5	Dry	39217.427	39217.583	Bacteriological	Total Coliform	n/a	=	5172	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-5	Dry	39217.427	39218	Conventional	Conductivity	n/a	=	1054	µmhos/cm	SM 2510	1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39217.427	39218	Conventional	pH	n/a	=	8.1	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39217.427	39231	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39217.427	39226	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39217.427	39226	Metal	Mercury	Dissolved	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39217.427	39226	Metal	Mercury	Total	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-5	Dry	39217.427	39232	Nutrient	Ammonia as N	n/a	<	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39219	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39238	Anion	Chloride	n/a	=	42.13	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39218.875	Conventional	BOD	n/a	=	1.1	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39223	Conventional	Hardness as CaCO3	Total	=	266.3	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Conventional	Total Dissolved Solids	n/a	=	689	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39220.833	Conventional	Total Organic Carbon	n/a	=	3.4	mg/L	SM 5310 D	0.05	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39223	Conventional	Total Suspended Solids	n/a	=	7	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39219	Conventional	Turbidity	n/a	=	2.2	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Aluminum	Total	=	13	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Arsenic	Dissolved	=	0.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Arsenic	Total	=	0.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Cadmium	Dissolved	=	0.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Chromium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39218.708	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Copper	Dissolved	=	0.5	µg/L	EPA 200.8m	0.4	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Copper	Total	=	0.7	µg/L	EPA 200.8m	0.4	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Lead	Total	=	0.19	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Nickel	Dissolved	=	1.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Nickel	Total	=	1.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Selenium	Dissolved	=	2.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Selenium	Total	=	2.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Zinc	Dissolved	=	2.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39223	Metal	Zinc	Total	=	2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39219	Nutrient	Nitrate as N	n/a	=	0.23	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39219	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39219	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39225	Nutrient	TKN	n/a	=	0.61	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-5	Dry	39218.448	39220	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39220	Nutrient	Total Phosphorus	Total	=	0.018	mg/L	SM 4500-P C	0.016	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	1-Methylnaphthalene	n/a	=	0.0046	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0151	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2-Methylnaphthalene	n/a	=	0.0103	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	6.1251	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Butyl benzyl phthalate	n/a	<	0.025	µg/L	EPA 625m	0.025	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Diethyl phthalate	n/a	=	0.4408	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Fluorene	n/a	=	0.0018	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Naphthalene	n/a	=	0.0128	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Phenol	n/a	=	1.9	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Organic	Total Detectable PAHs	n/a	=	0.0446	µg/L	EPA 625m	none	none	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39226	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-5	Dry	39218.448	39232	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39253	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-6	Dry	39245.469	39245.625	Bacteriological	E. Coli	n/a	=	10	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-6	Dry	39245.469	39245.625	Bacteriological	Enterococcus	n/a	=	64	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-6	Dry	39245.469	39245.625	Bacteriological	Fecal Coliform	n/a	=	130	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-6	Dry	39245.469	39245.625	Bacteriological	Total Coliform	n/a	=	1725	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-6	Dry	39245.469	39246	Conventional	Conductivity	n/a	=	964	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39246	Conventional	pH	n/a	=	8.3	pH Units	SM 4500 H+	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39253	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39258	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39273	Metal	Mercury	Dissolved	=	3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39273	Metal	Mercury	Total	=	6.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39245.469	39246	Nutrient	Ammonia as N	n/a	<	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39247	Anion	Bromide	n/a	=	0.2	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39248	Anion	Chloride	n/a	=	49.02	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39246.833	Conventional	BOD	n/a	=	2.9	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39251	Conventional	Hardness as CaCO3	Total	=	262.1	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39252	Conventional	Total Dissolved Solids	n/a	=	532	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39249	Conventional	Total Organic Carbon	n/a	=	4.2	mg/L	SM 5310 D	0.5	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39251	Conventional	Total Suspended Solids	n/a	=	9	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39247	Conventional	Turbidity	n/a	=	3.8	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Aluminum	Total	=	48	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Arsenic	Dissolved	=	0.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Arsenic	Total	=	0.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Cadmium	Total	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Chromium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39247	Metal	Chromium VI	Total	=	5	µg/L	SM 3500-Cr D	5	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Copper	Dissolved	=	1.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Copper	Total	=	1.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Lead	Dissolved	=	0.09	µg/L	EPA 200.8m	0.05	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Lead	Total	=	0.24	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Nickel	Dissolved	=	2.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Nickel	Total	=	2.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Selenium	Dissolved	=	2.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Selenium	Total	=	2.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Zinc	Dissolved	=	9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39251	Metal	Zinc	Total	=	5.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39247	Nutrient	Nitrate as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39247	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39247	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39260	Nutrient	TKN	n/a	=	0.27	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-6	Dry	39246.5	39247	Nutrient	Total Phosphorus	Dissolved	=	0.02	mg/L	SM 4500-P C	0.016	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39247	Nutrient	Total Phosphorus	Total	=	0.056	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	1-Methylnaphthalene	n/a	=	0.006	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,6-Dimethylnaphthalene	n/a	=	0.012	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2-Methylnaphthalene	n/a	=	0.0228	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.742	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Butyl benzyl phthalate	n/a	=	0.0252	µg/L	EPA 625m	0.025	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Chrysene	n/a	=	0.0031	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Diethyl phthalate	n/a	=	0.371	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Fluoranthene	n/a	=	0.0014	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Fluorene	n/a	=	0.0017	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Naphthalene	n/a	=	0.0321	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Phenanthrene	n/a	=	0.0101	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Phenol	n/a	=	1.858	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Pyrene	n/a	=	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-6	Dry	39246.5	39265	Organic	Total Detectable PAHs	n/a	=	0.0902	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	CalScience	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	CalScience	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	HB-MSR, EST-MSRPD
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Diethrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39254	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39253	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-6	Dry	39246.5	39265	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39060.903	39069	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
W-3	2006/07-1	Wet	39060.903	39061.104	Bacteriological	E. Coli	n/a	=	54750	MPN/100 mL	Colilert-18	10	MDL	ABC	
W-3	2006/07-1	Wet	39060.903	39061.104	Bacteriological	Enterococcus	n/a	=	6570	MPN/100 mL	Enterolert	10	MDL	ABC	
W-3	2006/07-1	Wet	39060.903	39061.104	Bacteriological	Fecal Coliform	n/a	>	1600000	MPN/100 mL	Colilert-18	2	MDL	ABC	
W-3	2006/07-1	Wet	39060.903	39061.104	Bacteriological	Total Coliform	n/a	=	307600	MPN/100 mL	Colilert-18	10	MDL	ABC	
W-3	2006/07-1	Wet	39060.903	39079	Conventional	Conductivity	n/a	=	824	µmhos/cm	SM 2510	1	PQL	CRG	
W-3	2006/07-1	Wet	39060.903	39063	Conventional	pH	n/a	=	7.6	pH Units	EPA 150.1	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39060.903	39078	Hydrocarbon	Oil and Grease	n/a	=	1.5	mg/L	EPA 1664A	1	MDL	CRG	EST
W-3	2006/07-1	Wet	39060.903	39078	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
W-3	2006/07-1	Wet	39060.903	39079	Metal	Mercury	Dissolved	=	2.887	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-3	2006/07-1	Wet	39060.903	39079	Metal	Mercury	Total	=	583.11	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-3	2006/07-1	Wet	39060.903	39063	Nutrient	Ammonia as N	n/a	=	0.45	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39060.903	39067	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39063	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39064	Anion	Chloride	n/a	=	42.92	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39062.792	Conventional	BOD	n/a	=	41	mg/L	EPA 405.1	1	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39085	Conventional	Hardness as CaCO3	Total	=	174.8	mg/L	SM 2340 B	1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39069	Conventional	Total Dissolved Solids	n/a	=	567	mg/L	SM 2540 C	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39066	Conventional	Total Organic Carbon	n/a	=	49	mg/L	EPA 415.1	2	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39069	Conventional	Total Suspended Solids	n/a	=	12000	mg/L	SM 2540 D	0.5	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39063	Conventional	Turbidity	n/a	=	4450	NTU	EPA 180.1	1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Aluminum	Dissolved	=	15	µg/L	EPA 200.8m	5	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Aluminum	Total	=	5036	µg/L	EPA 200.8m	5	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Arsenic	Dissolved	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Arsenic	Total	=	6.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
W-3	2006/07-1	Wet	39062.521	39085	Metal	Cadmium	Total	=	6	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
W-3	2006/07-1	Wet	39062.521	39085	Metal	Chromium	Total	=	4.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39063	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Copper	Dissolved	=	15.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Copper	Total	=	37.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Lead	Dissolved	=	0.29	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Lead	Total	=	5.6	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Nickel	Dissolved	=	5.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Nickel	Total	=	67.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Selenium	Dissolved	=	5.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Selenium	Total	=	7	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Zinc	Dissolved	=	9.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39085	Metal	Zinc	Total	=	237.7	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39063	Nutrient	Nitrate as N	n/a	=	53.49	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39063	Nutrient	Nitrite as N	n/a	=	0.22	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39063	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.4026	mg/L	EPA 300.0	0.0075	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39073	Nutrient	TKN	n/a	=	1.41	mg/L	EPA 351.1	0.05	MDL	TA	
W-3	2006/07-1	Wet	39062.521	39064	Nutrient	Total Phosphorus	Dissolved	=	1	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39064	Nutrient	Total Phosphorus	Total	=	13	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	1-Methylnaphthalene	n/a	=	0.0106	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	39062.521	39080	Organic	1-Methylphenanthrene	n/a	=	0.0443	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2-Methylnaphthalene	n/a	=	0.0212	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Anthracene	n/a	=	0.018	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzo(a)anthracene	n/a	=	0.0407	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzo(a)pyrene	n/a	=	0.0674	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzo(b)fluoranthene	n/a	=	0.0678	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzo(e)pyrene	n/a	=	0.0956	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzo(g,h,i)perylene	n/a	=	0.0645	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Benzo(k)fluoranthene	n/a	=	0.0601	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Biphenyl	n/a	=	0.0252	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	16.7484	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Butyl benzyl phthalate	n/a	=	0.1814	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Chrysene	n/a	=	0.1383	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Dibenz(a,h)anthracene	n/a	=	0.0203	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Diethyl phthalate	n/a	=	0.7805	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Dimethyl phthalate	n/a	=	0.0891	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Di-n-butylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Fluoranthene	n/a	=	0.1113	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Fluorene	n/a	=	0.0104	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Hexachlorobenzene	n/a	=	0.0039	µg/L	EPA 625m	0.001	MDL	CRG	EST
W-3	2006/07-1	Wet	39062.521	39080	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0539	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Naphthalene	n/a	=	0.0221	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	39062.521	39080	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Perylene	n/a	=	0.0654	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Phenanthrene	n/a	=	0.0987	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Phenol	n/a	=	1.672	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Pyrene	n/a	=	0.0826	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Organic	Total Detectable PAHs	n/a	=	1.1184	µg/L	EPA 625m		none	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	2,4'-DDD	n/a	=	0.1498	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	2,4'-DDE	n/a	=	0.0668	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	2,4'-DDT	n/a	=	0.1058	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	4,4'-DDD	n/a	=	0.5489	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	4,4'-DDE	n/a	=	3.046	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	4,4'-DDT	n/a	=	0.3746	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Chlordane-alpha	n/a	=	0.0233	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Chlordane-gamma	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Chlorpyrifos	n/a	=	6.2894	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	cis-Nonachlor	n/a	=	0.0073	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Diethrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39067	Pesticide	Glyphosate	n/a	=	21	µg/L	EPA 547	5	RL	WL	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Malathion	n/a	=	10.462	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	MCPA	n/a	=	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39073	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Total Detectable DDTs	n/a	=	4.2919	µg/L	EPA 625m		none	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	trans-Nonachlor	n/a	=	0.0167	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	39062.521	39080	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39060.958	39069	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
W-4	2006/07-1	Wet	39060.958	39061.104	Bacteriological	E. Coli	n/a	=	3654	MPN/100 mL	Colilert-18	10	MDL	ABC	
W-4	2006/07-1	Wet	39060.958	39061.104	Bacteriological	Enterococcus	n/a	=	84	MPN/100 mL	Enterolert	10	MDL	ABC	
W-4	2006/07-1	Wet	39060.958	39061.104	Bacteriological	Fecal Coliform	n/a	=	7000	MPN/100 mL	Colilert-18	2	MDL	ABC	
W-4	2006/07-1	Wet	39060.958	39061.104	Bacteriological	Total Coliform	n/a	=	138500	MPN/100 mL	Colilert-18	10	MDL	ABC	
W-4	2006/07-1	Wet	39060.958	39079	Conventional	Conductivity	n/a	=	990	µmhos/cm	SM 2510	1	PQL	CRG	
W-4	2006/07-1	Wet	39060.958	39063	Conventional	pH	n/a	=	7.5	pH Units	EPA 150.1	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39060.958	39078	Hydrocarbon	Oil and Grease	n/a	=	1.3	mg/L	EPA 1664A	1	MDL	CRG	EST
W-4	2006/07-1	Wet	39060.958	39078	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
W-4	2006/07-1	Wet	39060.958	39079	Metal	Mercury	Dissolved	=	2.288	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-4	2006/07-1	Wet	39060.958	39079	Metal	Mercury	Total	=	52.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-4	2006/07-1	Wet	39060.958	39063	Nutrient	Ammonia as N	n/a	=	0.65	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39060.958	39067	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39063	Anion	Bromide	n/a	=	0.1	mg/L	EPA 300.0	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39064	Anion	Chloride	n/a	=	162	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39062.792	Conventional	BOD	n/a	=	12	mg/L	EPA 405.1	1	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39085	Conventional	Hardness as CaCO3	Total	=	772	mg/L	SM 2340 B	1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39069	Conventional	Total Dissolved Solids	n/a	=	2099	mg/L	SM 2540 C	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39066	Conventional	Total Organic Carbon	n/a	=	23	mg/L	EPA 415.1	0.5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39069	Conventional	Total Suspended Solids	n/a	=	5400	mg/L	SM 2540 D	0.5	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39063	Conventional	Turbidity	n/a	=	648	NTU	EPA 180.1	1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Aluminum	Total	=	4116	µg/L	EPA 200.8m	5	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Arsenic	Dissolved	=	3.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Arsenic	Total	=	6.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Cadmium	Total	=	2.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Chromium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Chromium	Total	=	6.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39063	Metal	Chromium VI	Total	=	7	µg/L	SM 3500-Cr D	5	MDL	CRG	EST
W-4	2006/07-1	Wet	39062.469	39085	Metal	Copper	Dissolved	=	2.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Copper	Total	=	21.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Lead	Total	=	8.67	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Nickel	Dissolved	=	5.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Nickel	Total	=	18.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Selenium	Dissolved	=	11.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Selenium	Total	=	12.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Thallium	Total	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
W-4	2006/07-1	Wet	39062.469	39085	Metal	Zinc	Dissolved	=	8.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39085	Metal	Zinc	Total	=	112.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39063	Nutrient	Nitrate as N	n/a	=	52.04	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39063	Nutrient	Nitrite as N	n/a	=	0.66	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39063	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.2383	mg/L	EPA 300.0	0.0075	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39073	Nutrient	TKN	n/a	=	1.39	mg/L	EPA 351.1	0.05	MDL	TA	
W-4	2006/07-1	Wet	39062.469	39064	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	39062.469	39064	Nutrient	Total Phosphorus	Total	=	4	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	1-Methylnaphthalene	n/a	=	0.0726	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	1-Methylphenanthrene	n/a	=	0.1065	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.1225	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,6-Dimethylnaphthalene	n/a	=	0.5887	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2-Methylnaphthalene	n/a	=	0.1331	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Acenaphthene	n/a	=	0.0319	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Acenaphthylene	n/a	=	0.0301	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Anthracene	n/a	=	0.5283	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzo(a)anthracene	n/a	=	0.3281	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzo(a)pyrene	n/a	=	0.5126	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzo(b)fluoranthene	n/a	=	0.7874	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzo(e)pyrene	n/a	=	0.6747	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzo(g,h,i)perylene	n/a	=	0.6457	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Benzo(k)fluoranthene	n/a	=	0.5702	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Biphenyl	n/a	=	0.1828	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	22.2727	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Butyl benzyl phthalate	n/a	=	3.492	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Chrysene	n/a	=	1.2274	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Dibenz(a,h)anthracene	n/a	=	0.1282	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Dibenzothiophene	n/a	=	0.0969	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Diethyl phthalate	n/a	=	1.3148	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Dimethyl phthalate	n/a	=	0.3585	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Di-n-butylphthalate	n/a	=	1.2105	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Di-n-octylphthalate	n/a	=	3.1675	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Fluoranthene	n/a	=	1.0058	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Fluorene	n/a	=	0.0563	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Hexachlorobenzene	n/a	=	0.0093	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.6393	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	39062.469	39080	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Naphthalene	n/a	=	0.1623	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Perylene	n/a	=	0.2388	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Phenanthrene	n/a	=	0.527	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Phenol	n/a	=	1.86	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Pyrene	n/a	=	0.6947	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Organic	Total Detectable PAHs	n/a	=	10.0919	µg/L	EPA 625m		none	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	2,4'-DDD	n/a	=	0.329	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	2,4'-DDE	n/a	=	0.1138	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	4,4'-DDD	n/a	=	0.994	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	4,4'-DDE	n/a	=	6.1746	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	4,4'-DDT	n/a	=	0.1643	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Chlordane-alpha	n/a	=	0.1401	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Chlordane-gamma	n/a	=	0.1267	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Chlorpyrifos	n/a	=	18.0327	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	cis-Nonachlor	n/a	=	0.0443	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39067	Pesticide	Glyphosate	n/a	=	14	µg/L	EPA 547	5	RL	WL	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-4	2006/07-1	Wet	39062.469	39073	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	

Appendix F
2006/07 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Total Detectable DDTs	n/a	=	7.7757	µg/L	EPA 625m		none	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	trans-Nonachlor	n/a	=	0.1031	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	39062.469	39080	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	