

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/9/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	609	MPN/100 mL	Collert-18	10	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	373	MPN/100 mL	Enterolert	10	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	300	MPN/100 mL	Collert-18	2	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	173290	MPN/100 mL	Collert-18	10	MDL	ABC	
A-1	2006/07-1	Wet	12/9/2006	12/28/2006	Conventional	Conductivity	n/a	=	3600	µmhos/cm	SM 2510	1	PQL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/12/2006	Conventional	pH	n/a	=	7.4	pH Units	EPA 150.1	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	1.5	mg/L	EPA 1664A	1	MDL	CRG	EST
A-1	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	TRPH	n/a	=	1.4	mg/L	EPA 1664	1	MDL	CRG	EST
A-1	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Dissolved	=	3.426	ng/L	EPA 1631Em	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Total	=	23.98	ng/L	EPA 1631Em	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.27	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/9/2006	12/16/2006	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	3.7	mg/L	EPA 300.0	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	225.02	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	4.1	mg/L	EPA 405.1	1	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	972.9	mg/L	SM 2340 B	1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	2865	mg/L	SM 2540 C	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	16	mg/L	EPA 415.1	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	534	mg/L	SM 2540 D	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	310	NTU	EPA 180.1	1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	3056	µg/L	EPA 200.8m	5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	5.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	2.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	2.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	8.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	7.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	18.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	4.41	µg/L	EPA 200.8m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	17.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	25.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	15.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	12.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	8.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	61.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	2.23	mg/L	EPA 300.0	0.01	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.23	mg/L	EPA 300.0	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.228	mg/L	EPA 300.0	0.0075	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	0.38	mg/L	EPA 351.1	0.05	MDL	TA	
A-1	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	3	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.103	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.0033	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0039	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	12.0772	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.066	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	0.5305	µg/L	EPA 625m	0.005	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0782	µg/L	EPA 625m	0.005	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.0921	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	=	0.0143	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.0041	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0036	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0132	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	3.871	µg/L	EPA 625m	0.1	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	0.0458	µg/L	EPA 625m		none	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	0.0262	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	=	45	µg/L	EPA 547	5	RL	WL	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
A-1	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	15531	MPN/100 mL	Collert-18	10	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	1650	MPN/100 mL	Enterolert	10	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	24000	MPN/100 mL	Collert-18	2	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	307600	MPN/100 mL	Collert-18	10	MDL	ABC	
ME-CC	2006/07-1	Wet	12/9/2006	12/28/2006	Conventional	Conductivity	n/a	=	586	µmhos/cm	SM 2510	1	PQL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/12/2006	Conventional	pH	n/a	=	7.8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	2.9	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	TRPH	n/a	=	2.2	mg/L	EPA 1664	1	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Dissolved	=	6.133	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Total	=	82.88	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/9/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.41	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	108.42	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	15	mg/L	EPA 405.1	1	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	140.9	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	481	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	20	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	477	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	286	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	2466	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	3.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	3.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	1.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	7.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	=	9	µg/L	SM 3500-Cr D	5	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	21.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	=	0.12	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	7.34	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	4.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	16.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	2.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	14.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	90.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	4.18	mg/L	EPA 300.0	0.01	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.04	mg/L	EPA 300.0	0.01	MDL	CRG	EST
ME-CC	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.9643	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	0.85	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	=	1	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	3	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0063	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0131	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.0089	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	=	0.0037	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	=	0.0086	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.0228	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.0429	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	=	0.0582	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.0508	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.0546	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0582	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0088	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.9111	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.3616	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	0.0569	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	=	0.0128	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothioephene	n/a	=	0.0206	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	1.7439	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0944	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.1613	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	=	0.2433	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.0698	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.005	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0542	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0151	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	0.0174	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.0386	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	0.368	µg/L	EPA 625m	0.1	MDL	CRG	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0471	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	0.6744	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	=	0.011	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	=	0.0287	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	=	0.1059	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	=	0.0019	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	=	0.0026	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	0.2691	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD, EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	=	0.0363	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	=	27	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	=	2.1041	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	0.1456	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	=	0.0025	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/5/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	CalScience	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	E. Coli	n/a	=	2481	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Enterococcus	n/a	=	4060	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Fecal Coliform	n/a	=	700	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Total Coliform	n/a	=	261300	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	Conductivity	n/a	=	827	µmhos/cm	SM 2510	1	PQL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	pH	n/a	=	7.55	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	Oil and Grease	n/a	=	5	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Dissolved	=	4.9	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-CC	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Total	=	25.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-2	Wet	1/27/2007	1/29/2007	Nutrient	Ammonia as N	n/a	=	0.13	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	3/3/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	CalScience	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	E. Coli	n/a	=	3448	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Enterococcus	n/a	=	11840	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Fecal Coliform	n/a	=	2400	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Total Coliform	n/a	=	290900	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	Conductivity	n/a	=	925	µmhos/cm	SM 2510	1	PQL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	pH	n/a	=	7.9	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	2/28/2007	Hydrocarbon	Oil and Grease	n/a	=	2.6	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/22/2007	3/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Dissolved	=	5.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Total	=	46.3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/22/2007	2/23/2007	Nutrient	Ammonia as N	n/a	=	0.28	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Chloride	n/a	=	103.2	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	BOD	n/a	=	3.9	mg/L	EPA 405.1	1	RL	CalScience	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Conventional	Hardness as CaCO3	Total	=	200	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Conventional	Total Dissolved Solids	n/a	=	625	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/2/2007	Conventional	Total Organic Carbon	n/a	=	7.2	mg/L	EPA 415.1	0.5	RL	CalScience	
ME-CC	2006/07-3	Wet	2/23/2007	2/28/2007	Conventional	Total Suspended Solids	n/a	=	126	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	Turbidity	n/a	=	33.7	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Total	=	1349	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Total	=	3.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Total	=	0.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Total	=	5.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/23/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Dissolved	=	3.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Total	=	13.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Dissolved	=	0.1	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Total	=	2.9	µg/L	EPA 200.8m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Dissolved	=	3.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Total	=	9.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Dissolved	=	3.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Total	=	3.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Dissolved	=	18.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Total	=	50.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrate as N	n/a	=	4.24	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrite as N	n/a	=	0.09	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.6801	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/5/2007	Nutrient	TKN	n/a	=	0.05	mg/L	EPA 351.1	0.05	MDL	TA	EST, UL-MB
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Dissolved	=	1.09	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Total	=	1.25	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2,4-Trichlorobenzene	n/a	=	0.012	µg/L	EPA 625m	0.01	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylnaphthalene	n/a	=	0.0067	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0065	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methylnaphthalene	n/a	=	0.0153	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Anthracene	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)anthracene	n/a	=	0.0163	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)pyrene	n/a	=	0.0245	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0521	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(e)pyrene	n/a	=	0.0432	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0499	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0399	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Biphenyl	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	35.3401	µg/L	EPA 625m	0.005	MDL	CRG	EST-LD

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Butyl benzyl phthalate	n/a	=	0.199	µg/L	EPA 625m	0.005	MDL	CRG	LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Chrysene	n/a	=	0.0544	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenz(a,h)anthracene	n/a	=	0.007	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenzothiophene	n/a	=	0.0116	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Diethyl phthalate	n/a	=	0.3831	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dimethyl phthalate	n/a	=	0.0251	µg/L	EPA 625m	0.005	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-butylphthalate	n/a	=	0.1325	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-octylphthalate	n/a	=	0.1662	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, LB-MSR, EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluoranthene	n/a	=	0.0522	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0348	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Naphthalene	n/a	=	0.0271	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Perylene	n/a	=	0.0148	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenanthrene	n/a	=	0.0196	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pyrene	n/a	=	0.042	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Total Detectable PAHs	n/a	=	0.5284	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDT	n/a	=	0.0076	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDD	n/a	=	0.0142	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDE	n/a	=	0.0783	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-alpha	n/a	=	0.0023	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-gamma	n/a	=	0.0021	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Diazinon	n/a	=	0.0206	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fensulfthion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/8/2007	Pesticide	Glyphosate	n/a	=	5.6	µg/L	EPA 547	5	RL	WL	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Total Detectable DDTs	n/a	=	0.1001	µg/L	EPA 625m		none	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	trans-Nonachlor	n/a	=	0.0025	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	2613	MPN/100 mL	Colilert-18	10	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	1124	MPN/100 mL	Enterolert	10	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	350	MPN/100 mL	Colilert-18	2	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	72700	MPN/100 mL	Colilert-18	10	MDL	ABC	
ME-SCR	2006/07-1	Wet	12/10/2006	12/28/2006	Conventional	Conductivity	n/a	=	1132	µmhos/cm	SM 2510	1	PQL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/12/2006	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/10/2006	12/27/2006	Hydrocarbon	TRPH	n/a	=	1	mg/L	EPA 1664	1	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/10/2006	12/28/2006	Metal	Mercury	Dissolved	=	2.221	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/28/2006	Metal	Mercury	Total	=	24.78	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/10/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.43	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.2	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	91.13	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	2.9	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	414.4	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	31448	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	11	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	2054	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	3330	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	3573	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	1.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	1.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	1.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	5.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	15.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	2.69	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	22.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	5.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	42.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	2.6	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.02	mg/L	EPA 300.0	0.01	MDL	CRG	EST
ME-SCR	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0634	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	0.7	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	7	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.067	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	=	0.0504	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0595	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0897	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.0479	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	=	0.0144	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.0158	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.0128	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	=	0.0152	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.0289	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.025	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0124	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0085	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.2132	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.0936	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	0.0422	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	=	0.0174	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	1.2067	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0811	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.0682	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.0316	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.0112	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0116	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isothorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0255	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	1.2345	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.0741	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	0.326	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0303	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	1.9259	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	=	0.2511	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/5/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	E. Coli	n/a	=	173	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Enterococcus	n/a	=	478	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Fecal Coliform	n/a	=	50	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Total Coliform	n/a	=	27550	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	Conductivity	n/a	=	1520	µmhos/cm	SM 2510	1	PQL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	pH	n/a	=	8.02	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	Oil and Grease	n/a	=	2	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Dissolved	=	3.9	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Total	=	11.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/27/2007	1/29/2007	Nutrient	Ammonia as N	n/a	=	0.72	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/6/2007	Anion	Chloride	n/a	=	58.64	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/29/2007	Conventional	BOD	n/a	=	2.9	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Conventional	Hardness as CaCO3	Total	=	368	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Conventional	Total Dissolved Solids	n/a	=	1038	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Conventional	Total Organic Carbon	n/a	=	8.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Conventional	Total Suspended Solids	n/a	=	2360	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Conventional	Turbidity	n/a	=	22	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Aluminum	Total	=	1783	µg/L	EPA 200.8m	5	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Arsenic	Dissolved	=	1.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Arsenic	Total	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Cadmium	Total	=	0.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Chromium	Total	=	2.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Copper	Dissolved	=	3.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Copper	Total	=	10.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Lead	Total	=	2.41	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Nickel	Dissolved	=	3.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Nickel	Total	=	12	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Selenium	Dissolved	=	7.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Selenium	Total	=	7.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Zinc	Dissolved	=	4.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Zinc	Total	=	21	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Nitrate as N	n/a	=	2.46	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Nitrite as N	n/a	=	0.1	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.1	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/9/2007	Nutrient	TKN	n/a	=	0.32	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Nutrient	Total Phosphorus	Dissolved	=	0.17	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	1/30/2007	Nutrient	Total Phosphorus	Total	=	15.411	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1-Methylnaphthalene	n/a	=	0.0167	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1-Methylphenanthrene	n/a	=	0.0137	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0324	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0321	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Methylnaphthalene	n/a	=	0.0157	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Biphenyl	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.984	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0547	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, EST-LD
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Diethyl phthalate	n/a	=	4.0907	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dimethyl phthalate	n/a	=	0.2332	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Di-n-butylphthalate	n/a	=	0.1518	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Naphthalene	n/a	=	0.0166	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Perylene	n/a	=	0.2409	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Phenanthrene	n/a	=	0.0183	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Phenol	n/a	=	0.4918	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Pyrene	n/a	=	0.0068	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Total Detectable PAHs	n/a	=	0.399	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Diazinon	n/a	=	0.0159	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fensulfotion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/5/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	3/3/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	E. Coli	n/a	=	73	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Enterococcus	n/a	=	344	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Fecal Coliform	n/a	=	300	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Total Coliform	n/a	=	57940	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	Conductivity	n/a	=	1496	µmhos/cm	SM 2510	1	PQL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	pH	n/a	=	8.2	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	2/28/2007	Hydrocarbon	Oil and Grease	n/a	=	1	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/22/2007	3/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Dissolved	=	4	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-SCR	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Total	=	28.5	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-SCR	2006/07-3	Wet	2/22/2007	2/23/2007	Nutrient	Ammonia as N	n/a	=	0.2	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Chloride	n/a	=	62.14	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	BOD	n/a	=	11	mg/L	EPA 405.1	1	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Conventional	Hardness as CaCO3	Total	=	395	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Conventional	Total Dissolved Solids	n/a	=	1320	mg/L	SM 2540 C	0.1	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/2/2007	Conventional	Total Organic Carbon	n/a	=	9	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	2/28/2007	Conventional	Total Suspended Solids	n/a	=	10120	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	Turbidity	n/a	=	36.4	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Total	=	17330	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Dissolved	=	1.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Total	=	14.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Total	=	13.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Total	=	31	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/23/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Dissolved	=	2.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Total	=	148.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Total	=	25.62	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Dissolved	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Total	=	185.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Dissolved	=	6.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Total	=	14.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Total	=	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Dissolved	=	6.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Total	=	300.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrate as N	n/a	=	1.8	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrite as N	n/a	=	0.06	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.1287	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/7/2007	Nutrient	TKN	n/a	=	0.06	mg/L	EPA 351.1	0.05	MDL	TA	UL-MB
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Dissolved	=	0.1	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Total	=	0.67	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylnaphthalene	n/a	=	0.2378	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylphenanthrene	n/a	=	0.0984	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.1894	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.2215	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methylnaphthalene	n/a	=	0.1658	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthene	n/a	=	0.0375	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthylene	n/a	=	0.0013	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Anthracene	n/a	=	0.0067	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)anthracene	n/a	=	0.0234	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)pyrene	n/a	=	0.0244	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0215	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(e)pyrene	n/a	=	0.0311	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0314	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0126	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Biphenyl	n/a	=	0.0204	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	17.7682	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0829	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, UL-FB
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Chrysene	n/a	=	0.0697	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenz(a,h)anthracene	n/a	=	0.0046	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenzothiophene	n/a	=	0.0345	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Diethyl phthalate	n/a	=	1.1423	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dimethyl phthalate	n/a	=	0.0838	µg/L	EPA 625m	0.005	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-butylphthalate	n/a	=	0.0832	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, UL-FB
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-octylphthalate	n/a	=	0.0578	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluoranthene	n/a	=	0.054	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluorene	n/a	=	0.0283	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0096	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Naphthalene	n/a	=	0.0915	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Perylene	n/a	=	2.1178	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenanthrene	n/a	=	0.1354	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenol	n/a	=	0.117	µg/L	EPA 625m	0.1	MDL	CRG	EST
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pyrene	n/a	=	0.0601	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Total Detectable PAHs	n/a	=	3.7288	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/8/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Malathion	n/a	=	0.1099	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/10/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	203	MPN/100 mL	Colilert-18	10	MDL	ABC	
ME-VR2	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	41	MPN/100 mL	Enterolert	10	MDL	ABC	
ME-VR2	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	500	MPN/100 mL	Colilert-18	2	MDL	ABC	
ME-VR2	2006/07-1	Wet	12/10/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	1789	MPN/100 mL	Colilert-18	10	MDL	ABC	
ME-VR2	2006/07-1	Wet	12/10/2006	12/28/2006	Conventional	Conductivity	n/a	=	956	µmhos/cm	SM 2510	1	PQL	CRG	
ME-VR2	2006/07-1	Wet	12/10/2006	12/12/2006	Conventional	pH	n/a	=	8	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/10/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	1.1	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/10/2006	12/27/2006	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/10/2006	12/28/2006	Metal	Mercury	Dissolved	=	1.381	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-VR2	2006/07-1	Wet	12/10/2006	12/28/2006	Metal	Mercury	Total	=	2.757	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-VR2	2006/07-1	Wet	12/10/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.02	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.1	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	256.02	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	4.4	mg/L	EPA 405.1	1	RL	CalScience	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	375.4	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	1123	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	18	mg/L	EPA 415.1	0.5	RL	CalScience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	64	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	32	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	326	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	1.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	0.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	1.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	2.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	3.7	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	0.88	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	10.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	11.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	2.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	19	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	41	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	4.2	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0149	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	<	0.05	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0036	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	=	0.007	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0085	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.0044	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	=	0.0024	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.0129	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0171	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.0193	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.0165	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0189	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0056	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	6.7482	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.0902	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	0.033	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	=	0.0115	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	1.5629	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.2009	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	0.1107	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB, UL-FB
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	=	0.0341	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.038	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	=	0.0013	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.014	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0087	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	=	0.05	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	=	0.18	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	0.0204	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.0303	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	1.193	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.024	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	0.3219	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	=	0.0574	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	=	0.0122	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	=	0.0491	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	=	0.1902	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	=	0.6256	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	=	0.1702	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	=	0.0066	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	=	0.0052	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	5.817	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	=	0.5927	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/21/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorodane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	1.1047	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	=	0.0047	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/27/2007	2/5/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	E. Coli	n/a	=	1467	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Enterococcus	n/a	=	1013	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Fecal Coliform	n/a	=	1100	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	1/27/2007	1/27/2007	Bacteriological	Total Coliform	n/a	=	17329	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	Conductivity	n/a	=	973	µmhos/cm	SM 2510	1	PQL	CRG	
ME-VR2	2006/07-2	Wet	1/27/2007	1/30/2007	Conventional	pH	n/a	=	7.98	pH Units	EPA 150.1	0.1	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/27/2007	2/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Dissolved	=	3.1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/27/2007	2/9/2007	Metal	Mercury	Total	=	2.7	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/27/2007	1/29/2007	Nutrient	Ammonia as N	n/a	=	0.01	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR2	2006/07-2	Wet	1/29/2007	1/31/2007	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/6/2007	Anion	Chloride	n/a	=	123.195	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/29/2007	Conventional	BOD	n/a	=	6.1	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Conventional	Hardness as CaCO3	Total	=	335	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/31/2007	Conventional	Total Dissolved Solids	n/a	=	926	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Conventional	Total Organic Carbon	n/a	=	7.7	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	1/30/2007	Conventional	Total Suspended Solids	n/a	=	47	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/30/2007	Conventional	Turbidity	n/a	=	18	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Aluminum	Total	=	73	µg/L	EPA 200.8m	5	MDL	CRG	EST-FD
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Arsenic	Dissolved	=	0.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Arsenic	Total	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Chromium	Total	=	0.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/30/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Copper	Dissolved	=	2.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Copper	Total	=	3.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Lead	Total	=	0.35	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Nickel	Dissolved	=	12.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Nickel	Total	=	14.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Selenium	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Selenium	Total	=	3.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Zinc	Dissolved	=	7.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/18/2007	Metal	Zinc	Total	=	12.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Nitrate as N	n/a	=	0.13	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/31/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0832	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/9/2007	Nutrient	TKN	n/a	=	0.51	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-2	Wet	1/29/2007	1/30/2007	Nutrient	Total Phosphorus	Dissolved	=	0.05	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	1/30/2007	Nutrient	Total Phosphorus	Total	=	0.137	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1-Methylnaphthalene	n/a	=	0.0048	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Methylnaphthalene	n/a	=	0.098	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Biphenyl	n/a	=	0.0031	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	4.4671	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0419	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Diethyl phthalate	n/a	=	0.4122	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Dimethyl phthalate	n/a	=	0.0355	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Di-n-butylphthalate	n/a	=	0.1363	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Naphthalene	n/a	=	0.0125	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Phenol	n/a	=	1.534	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Organic	Total Detectable PAHs	n/a	=	0.0302	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/5/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-2	Wet	1/29/2007	2/8/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	3/3/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	E. Coli	n/a	=	4611	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Enterococcus	n/a	=	11840	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Fecal Coliform	n/a	=	11000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	2/22/2007	2/22/2007	Bacteriological	Total Coliform	n/a	=	19890	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	Conductivity	n/a	=	939	µmhos/cm	SM 2510	1	PQL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	2/23/2007	Conventional	pH	n/a	=	8.2	pH Units	EPA 150.1	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	2/28/2007	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	3/2/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Dissolved	=	3	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	3/27/2007	Metal	Mercury	Total	=	9	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/22/2007	2/23/2007	Nutrient	Ammonia as N	n/a	=	0.02	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Bromide	n/a	=	0.3	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/24/2007	Anion	Chloride	n/a	=	62.92	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	BOD	n/a	=	3.2	mg/L	EPA 405.1	1	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Conventional	Hardness as CaCO3	Total	=	254	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Conventional	Total Dissolved Solids	n/a	=	702	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/2/2007	Conventional	Total Organic Carbon	n/a	=	5.4	mg/L	EPA 415.1	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	2/28/2007	Conventional	Total Suspended Solids	n/a	=	122	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/23/2007	Conventional	Turbidity	n/a	=	18.7	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Aluminum	Total	=	439	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Dissolved	=	0.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Arsenic	Total	=	2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Cadmium	Total	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Chromium	Total	=	2.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/23/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Dissolved	=	1.3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Copper	Total	=	5.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Lead	Total	=	1.3	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Dissolved	=	5.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Nickel	Total	=	9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Dissolved	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Selenium	Total	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Dissolved	=	5.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/20/2007	Metal	Zinc	Total	=	20.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrate as N	n/a	=	0.2	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	2/24/2007	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/7/2007	Nutrient	TKN	n/a	<	0.05	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Dissolved	=	0.04	mg/L	SM 4500-P C	0.016	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Nutrient	Total Phosphorus	Total	=	0.102	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylnaphthalene	n/a	=	0.0038	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0045	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Methylnaphthalene	n/a	=	0.006	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(e)pyrene	n/a	=	0.0018	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0011	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Biphenyl	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.0876	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0354	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Chrysene	n/a	=	0.0016	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Diethyl phthalate	n/a	=	0.272	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Dimethyl phthalate	n/a	=	0.0277	µg/L	EPA 625m	0.005	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-butylphthalate	n/a	=	0.0461	µg/L	EPA 625m	0.005	MDL	CRG	UL-MB
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Di-n-octylphthalate	n/a	=	0.0061	µg/L	EPA 625m	0.005	MDL	CRG	EST, UL-MB
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluoranthene	n/a	=	0.0017	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Naphthalene	n/a	=	0.0068	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Nitrobenzene	n/a	=	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Perylene	n/a	=	0.0051	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenanthrene	n/a	=	0.0028	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Phenol	n/a	=	1.013	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Organic	Total Detectable PAHs	n/a	=	0.0352	µg/L	EPA 625m		none	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/8/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2006/07-3	Wet	2/23/2007	3/22/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
W-3	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	54750	MPN/100 mL	Collert-18	10	MDL	ABC	
W-3	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	6570	MPN/100 mL	Enterolert	10	MDL	ABC	
W-3	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	>	1600000	MPN/100 mL	Collert-18	2	MDL	ABC	
W-3	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	307600	MPN/100 mL	Collert-18	10	MDL	ABC	
W-3	2006/07-1	Wet	12/9/2006	12/28/2006	Conventional	Conductivity	n/a	=	824	µmhos/cm	SM 2510	1	PQL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/12/2006	Conventional	pH	n/a	=	7.6	pH Units	EPA 150.1	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	1.5	mg/L	EPA 1664A	1	MDL	CRG	EST
W-3	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Dissolved	=	2.887	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Total	=	583.11	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.45	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/9/2006	12/16/2006	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	42.92	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	41	mg/L	EPA 405.1	1	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	174.8	mg/L	SM 2340 B	1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	567	mg/L	SM 2540 C	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	49	mg/L	EPA 415.1	2	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	12000	mg/L	SM 2540 D	0.5	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	4450	NTU	EPA 180.1	1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	=	15	µg/L	EPA 200.8m	5	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	5036	µg/L	EPA 200.8m	5	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	6.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	6	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	4.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	15.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	37.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	=	0.29	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	5.6	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	5.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	67.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	5.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	7	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	9.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	237.7	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	53.49	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.22	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.4026	mg/L	EPA 300.0	0.0075	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	1.41	mg/L	EPA 351.1	0.05	MDL	TA	
W-3	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	=	1	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	13	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0106	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	=	0.0443	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.0212	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	=	0.018	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.0407	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.0674	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	=	0.0678	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.0956	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.0645	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.0601	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.0252	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	16.7484	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	0.1814	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	0.1383	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	=	0.0203	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	0.7805	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.0891	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	<	0.005	µg/L	EPA 625m	0.005	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	0.1113	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.0104	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	=	0.0039	µg/L	EPA 625m	0.001	MDL	CRG	EST
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0539	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.0221	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	0.0654	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.0987	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	1.672	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.0826	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	1.1184	µg/L	EPA 625m		none	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	=	0.1498	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	=	0.0668	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	=	0.1058	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	=	0.5489	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	=	3.046	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	=	0.3746	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	=	0.0233	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	6.2894	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	=	0.0073	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	=	21	µg/L	EPA 547	5	RL	WL	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	=	10.462	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	4.2919	µg/L	EPA 625m		none	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	=	0.0167	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/18/2006	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	RL	Calscience	
W-4	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	E. Coli	n/a	=	3654	MPN/100 mL	Collert-18	10	MDL	ABC	
W-4	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Enterococcus	n/a	=	84	MPN/100 mL	Enterolert	10	MDL	ABC	
W-4	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Fecal Coliform	n/a	=	7000	MPN/100 mL	Collert-18	2	MDL	ABC	
W-4	2006/07-1	Wet	12/9/2006	12/10/2006	Bacteriological	Total Coliform	n/a	=	138500	MPN/100 mL	Collert-18	10	MDL	ABC	
W-4	2006/07-1	Wet	12/9/2006	12/28/2006	Conventional	Conductivity	n/a	=	990	µmhos/cm	SM 2510	1	PQL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/12/2006	Conventional	pH	n/a	=	7.5	pH Units	EPA 150.1	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	Oil and Grease	n/a	=	1.3	mg/L	EPA 1664A	1	MDL	CRG	EST
W-4	2006/07-1	Wet	12/9/2006	12/27/2006	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Dissolved	=	2.288	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/28/2006	Metal	Mercury	Total	=	52.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/12/2006	Nutrient	Ammonia as N	n/a	=	0.65	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/9/2006	12/16/2006	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/12/2006	Anion	Bromide	n/a	=	0.1	mg/L	EPA 300.0	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/13/2006	Anion	Chloride	n/a	=	162	mg/L	SM 4500-Cl E	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/11/2006	Conventional	BOD	n/a	=	12	mg/L	EPA 405.1	1	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Conventional	Hardness as CaCO3	Total	=	772	mg/L	SM 2340 B	1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Dissolved Solids	n/a	=	2099	mg/L	SM 2540 C	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/15/2006	Conventional	Total Organic Carbon	n/a	=	23	mg/L	EPA 415.1	0.5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/18/2006	Conventional	Total Suspended Solids	n/a	=	5400	mg/L	SM 2540 D	0.5	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/12/2006	Conventional	Turbidity	n/a	=	648	NTU	EPA 180.1	1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Aluminum	Total	=	4116	µg/L	EPA 200.8m	5	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Dissolved	=	3.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Arsenic	Total	=	6.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Cadmium	Total	=	2.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Chromium	Total	=	6.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/12/2006	Metal	Chromium VI	Total	=	7	µg/L	SM 3500-Cr D	5	MDL	CRG	EST
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Dissolved	=	2.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Copper	Total	=	21.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Lead	Total	=	8.67	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Dissolved	=	5.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Nickel	Total	=	18.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Dissolved	=	11.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Selenium	Total	=	12.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Thallium	Total	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Dissolved	=	8.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	1/3/2007	Metal	Zinc	Total	=	112.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrate as N	n/a	=	52.04	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Nitrite as N	n/a	=	0.66	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/12/2006	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.2383	mg/L	EPA 300.0	0.0075	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Nutrient	TKN	n/a	=	1.39	mg/L	EPA 351.1	0.05	MDL	TA	
W-4	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Dissolved	<	0.016	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/13/2006	Nutrient	Total Phosphorus	Total	=	4	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylnaphthalene	n/a	=	0.0726	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	1-Methylphenanthrene	n/a	=	0.1065	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.1225	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dimethylnaphthalene	n/a	=	0.5887	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Methylnaphthalene	n/a	=	0.1331	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthene	n/a	=	0.0319	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Acenaphthylene	n/a	=	0.0301	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Anthracene	n/a	=	0.5283	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)anthracene	n/a	=	0.3281	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(a)pyrene	n/a	=	0.5126	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(b)fluoranthene	n/a	=	0.7874	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(e)pyrene	n/a	=	0.6747	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(g,h,i)perylene	n/a	=	0.6457	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Benzo(k)fluoranthene	n/a	=	0.5702	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Biphenyl	n/a	=	0.1828	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	22.2727	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Butyl benzyl phthalate	n/a	=	3.492	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Chrysene	n/a	=	1.2274	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenz(a,h)anthracene	n/a	=	0.1282	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dibenzothiophene	n/a	=	0.0969	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Diethyl phthalate	n/a	=	1.3148	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Dimethyl phthalate	n/a	=	0.3585	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-butylphthalate	n/a	=	1.2105	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Di-n-octylphthalate	n/a	=	3.1675	µg/L	EPA 625m	0.005	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluoranthene	n/a	=	1.0058	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Fluorene	n/a	=	0.0563	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobenzene	n/a	=	0.0093	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.6393	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Naphthalene	n/a	=	0.1623	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Perylene	n/a	=	0.2388	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenanthrene	n/a	=	0.527	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Phenol	n/a	=	1.86	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Pyrene	n/a	=	0.6947	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Organic	Total Detectable PAHs	n/a	=	10.0919	µg/L	EPA 625m		none	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 128 + 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDD	n/a	=	0.329	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDE	n/a	=	0.1138	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDD	n/a	=	0.994	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDE	n/a	=	6.1746	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	4,4'-DDT	n/a	=	0.1643	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-alpha	n/a	=	0.1401	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlordane-gamma	n/a	=	0.1267	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Chlorpyrifos	n/a	=	18.0327	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	cis-Nonachlor	n/a	=	0.0443	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/16/2006	Pesticide	Glyphosate	n/a	=	14	µg/L	EPA 547	5	RL	WL	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	

Appendix F
2005/06 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/22/2006	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Total Detectable DDTs	n/a	=	7.7757	µg/L	EPA 625m		none	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	trans-Nonachlor	n/a	=	0.1031	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2006/07-1	Wet	12/11/2006	12/29/2006	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	