

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2007/08-2	Wet	12/18/2007	12/28/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
A-1	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	E. Coli	n/a	=	7270	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
A-1	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Enterococcus	n/a	=	7380	MPN/100 mL	Enterolert	10	MDL	VCHCA	
A-1	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Fecal Coliform	n/a	=	5000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
A-1	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Total Coliform	n/a	=	248100	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
A-1	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	Conductivity	n/a	=	3350	µmhos/cm	SM 2510	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	pH	n/a	=	7.2	pH Units	SM 4500 H+	0.1	IP	CRG	
A-1	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
A-1	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
A-1	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Dissolved	=	2.3	ng/L	EPA 1631Em	0.5	MDL	CRG	
A-1	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Total	=	18.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
A-1	2007/08-2	Wet	12/18/2007	1/2/2008	Nutrient	Ammonia as N	n/a	=	0.3	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/18/2007	1/4/2008	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	1/4/2008	Anion	Bromide	n/a	=	7.6	mg/L	EPA 300.0	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/8/2008	Anion	Chloride	n/a	=	129.37	mg/L	EPA 300.0	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/21/2007	Conventional	BOD	n/a	<	2	mg/L	EPA 405.1	2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Conventional	Hardness as CaCO3	Total	=	554.3	mg/L	SM 2340 B	1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/26/2007	Conventional	Total Dissolved Solids	n/a	=	2420	mg/L	SM 2540 C	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/10/2008	Conventional	Total Organic Carbon	n/a	=	9.4	mg/L	EPA 415.1	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/26/2007	Conventional	Total Suspended Solids	n/a	=	176	mg/L	SM 2540 D	0.5	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/20/2007	Conventional	Turbidity	n/a	=	221	NTU	EPA 180.1	1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Aluminum	Total	=	1420	µg/L	EPA 200.8m	5	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Arsenic	Dissolved	=	6.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Arsenic	Total	=	7.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Cadmium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Cadmium	Total	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Chromium	Dissolved	=	2.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Chromium	Total	=	5.7	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/8/2008	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Copper	Dissolved	=	5.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Copper	Total	=	18.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Lead	Total	=	4.39	µg/L	EPA 200.8m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Nickel	Dissolved	=	15.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Nickel	Total	=	21.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Selenium	Dissolved	=	4.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Selenium	Total	=	4.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Zinc	Dissolved	=	6.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Zinc	Total	=	44.9	µg/L	EPA 200.8m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Nitrate as N	n/a	=	21.18	mg/L	EPA 300.0	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Nitrite as N	n/a	=	0.29	mg/L	EPA 300.0	0.01	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.2531	mg/L	EPA 300.0	0.0075	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/19/2007	1/2/2008	Nutrient	TKN	n/a	=	0.2	mg/L	EPA 351.1	0.05	MDL	TA	
A-1	2007/08-2	Wet	12/19/2007	1/5/2008	Nutrient	Total Phosphorus	Dissolved	=	0.41	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/5/2008	Nutrient	Total Phosphorus	Total	=	1.635	mg/L	SM 4500-P C	0.016	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1-Methylnaphthalene	n/a	=	0.0021	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1-Methylphenanthrene	n/a	=	0.0103	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0112	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Methylnaphthalene	n/a	=	0.0044	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Anthracene	n/a	=	0.0048	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(a)anthracene	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.0057	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(e)pyrene	n/a	=	0.0142	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(g,h,i)perylene	n/a	=	0.0082	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Biphenyl	n/a	<	0.0026	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.3244	µg/L	EPA 625m	0.1	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Butyl benzyl phthalate	n/a	=	0.0724	µg/L	EPA 625m	0.025	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Chrysene	n/a	=	0.0419	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dibenzothiophene	n/a	=	0.0138	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Diethyl phthalate	n/a	=	0.4562	µg/L	EPA 625m	0.1	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Di-n-butylphthalate	n/a	=	0.1026	µg/L	EPA 625m	0.075	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Di-n-octylphthalate	n/a	=	0.0118	µg/L	EPA 625m	0.01	MDL	CRG	EST, EST-FD
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Fluoranthene	n/a	=	0.0194	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0091	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Naphthalene	n/a	=	0.0037	µg/L	EPA 625m	0.001	MDL	CRG	EST
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Pentachlorophenol	n/a	=	0.187	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Perylene	n/a	=	0.0179	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Phenanthrene	n/a	=	0.0173	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Phenol	n/a	=	0.189	µg/L	EPA 625m	0.1	MDL	CRG	EST
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Pyrene	n/a	=	0.0257	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Total Detectable PAHs	n/a	=	0.2181	µg/L	EPA 625m		none	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDD	n/a	=	0.0405	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDT	n/a	=	0.0131	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDD	n/a	=	0.1288	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDE	n/a	=	0.6345	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDT	n/a	=	0.0893	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlordane-gamma	n/a	=	0.0035	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-FD
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlorpyrifos	n/a	=	0.1634	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Diazinon	n/a	=	0.0232	µg/L	EPA 625m	0.002	MDL	CRG	EST-FD
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Ethopropr	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/3/2008	Pesticide	Glyphosate	n/a	=	11	µg/L	EPA 547	5	RL	WL	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Malathion	n/a	=	0.2126	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Total Detectable DDTs	n/a	=	0.9062	µg/L	EPA 625m		none	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
A-1	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/22/2007	9/26/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	CalScience	
ME-CC	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	E. Coli	n/a	=	11199	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Enterococcus	n/a	=	4060	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Fecal Coliform	n/a	=	16000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Total Coliform	n/a	=	579400	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	Conductivity	n/a	=	1560	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	pH	n/a	=	7.8	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-CC	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	Oil and Grease	n/a	=	1.6	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Dissolved	=	7.9	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-HT
ME-CC	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Total	=	28.7	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/22/2007	9/25/2007	Nutrient	Ammonia as N	n/a	=	0.45	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Anion	Bromide	n/a	<	0.001	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Anion	Chloride	n/a	=	158.8	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/24/2007	Conventional	BOD	n/a	=	12	mg/L	SM 5210 B	0.58	MDL	CalScience	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Conventional	Hardness as CaCO3	Total	=	253.9	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Conventional	Total Dissolved Solids	n/a	=	943	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/10/2007	Conventional	Total Organic Carbon	n/a	=	6.9	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/28/2007	Conventional	Total Suspended Solids	n/a	=	428	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Conventional	Turbidity	n/a	=	333	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Total	=	2219	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Dissolved	=	4.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Total	=	5.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Dissolved	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Total	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Dissolved	=	0.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Total	=	5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/24/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Dissolved	=	5.3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Total	=	21	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Dissolved	=	0.06	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Total	=	6.69	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Dissolved	=	8.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Total	=	19.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Total	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Dissolved	=	19.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Total	=	69.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrate as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/5/2007	Nutrient	TKN	n/a	=	0.36	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Dissolved	=	0.66	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Total	=	2.112	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylnaphthalene	n/a	=	0.0033	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0045	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0045	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methylnaphthalene	n/a	=	0.0108	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthene	n/a	=	0.0119	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Anthracene	n/a	=	0.004	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)anthracene	n/a	=	0.0104	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)pyrene	n/a	=	0.0136	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0184	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(e)pyrene	n/a	=	0.0225	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0177	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.008	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Biphenyl	n/a	=	0.0138	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.0658	µg/L	EPA 625m	0.1	MDL	CRG	HB-MSR, EST-MSRPD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Butyl benzyl phthalate	n/a	=	0.083	µg/L	EPA 625m	0.025	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Chrysene	n/a	=	0.0276	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenz(a,h)anthracene	n/a	=	0.0059	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Diethyl phthalate	n/a	=	0.7304	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dimethyl phthalate	n/a	=	0.0745	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-butylphthalate	n/a	=	0.1281	µg/L	EPA 625m	0.075	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-octylphthalate	n/a	=	0.0596	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluoranthene	n/a	=	0.0277	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0083	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Naphthalene	n/a	=	0.0098	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Perylene	n/a	=	0.0161	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenanthrene	n/a	=	0.0143	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pyrene	n/a	=	0.0305	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Total Detectable PAHs	n/a	=	0.2836	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDD	n/a	=	0.0611	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDE	n/a	=	0.1681	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR
ME-CC	2007/08-1	Wet	9/24/2007	10/4/2007	Pesticide	Glyphosate	n/a	=	18	µg/L	EPA 547	5	MDL	WL	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Total Detectable DDTs	n/a	=	0.2292	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/18/2007	12/28/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
ME-CC	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	E. Coli	n/a	=	2481	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Enterococcus	n/a	=	10130	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Fecal Coliform	n/a	=	2700	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Total Coliform	n/a	=	155310	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	Conductivity	n/a	=	780	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	pH	n/a	=	7.9	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-CC	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	Oil and Grease	n/a	=	1.4	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	TRPH	n/a	=	1.7	mg/L	EPA 1664	1	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Dissolved	=	1.6	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Total	=	40.9	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/18/2007	1/2/2008	Nutrient	Ammonia as N	n/a	=	0.6	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/4/2008	Anion	Bromide	n/a	=	0.2	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/8/2008	Anion	Chloride	n/a	=	60.1	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/21/2007	Conventional	BOD	n/a	=	8	mg/L	EPA 405.1	2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Conventional	Hardness as CaCO3	Total	=	92.3	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/26/2007	Conventional	Total Dissolved Solids	n/a	=	222	mg/L	SM 2540 C	0.1	MDL	CRG	EST-LD
ME-CC	2007/08-2	Wet	12/19/2007	1/10/2008	Conventional	Total Organic Carbon	n/a	=	13.1	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/26/2007	Conventional	Total Suspended Solids	n/a	=	890	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/20/2007	Conventional	Turbidity	n/a	=	742	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Aluminum	Total	=	3097	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Arsenic	Dissolved	=	3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Arsenic	Total	=	5.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Cadmium	Total	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	EST-LD
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Chromium	Total	=	5.7	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/8/2008	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Copper	Dissolved	=	3.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Copper	Total	=	37.8	µg/L	EPA 200.8m	0.4	MDL	CRG	EST-LD
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Lead	Total	=	13.74	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Nickel	Dissolved	=	3.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Nickel	Total	=	21.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Selenium	Dissolved	=	1.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Selenium	Total	=	1.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Zinc	Dissolved	=	7.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Zinc	Total	=	110.5	µg/L	EPA 200.8m	0.1	MDL	CRG	EST-LD
ME-CC	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Nitrate as N	n/a	=	1.6	mg/L	EPA 300.0	0.01	MDL	CRG	HB-MSR
ME-CC	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.9745	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/2/2008	Nutrient	TKN	n/a	=	0.23	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2007/08-2	Wet	12/19/2007	1/5/2008	Nutrient	Total Phosphorus	Dissolved	=	1.1	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/5/2008	Nutrient	Total Phosphorus	Total	=	3.482	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1-Methylnaphthalene	n/a	=	0.0062	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1-Methylphenanthrene	n/a	=	0.0234	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0089	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Methylnaphthalene	n/a	=	0.0061	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Acenaphthene	n/a	=	0.0024	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Acenaphthylene	n/a	=	0.002	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Anthracene	n/a	=	0.0074	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(a)anthracene	n/a	=	0.0344	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(a)pyrene	n/a	=	0.0499	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.1078	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(e)pyrene	n/a	=	0.0919	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(g,h,i)perylene	n/a	=	0.0705	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(k)fluoranthene	n/a	=	0.0736	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Biphenyl	n/a	=	0.0059	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.1768	µg/L	EPA 625m	0.1	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Butyl benzyl phthalate	n/a	=	0.3101	µg/L	EPA 625m	0.025	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Chrysene	n/a	=	0.1163	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dibenz(a,h)anthracene	n/a	=	0.0038	µg/L	EPA 625m	0.001	MDL	CRG	EST, UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dibenzothiophene	n/a	=	0.0123	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Diethyl phthalate	n/a	=	1.4976	µg/L	EPA 625m	0.1	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Di-n-butylphthalate	n/a	=	0.121	µg/L	EPA 625m	0.075	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Di-n-octylphthalate	n/a	=	0.2112	µg/L	EPA 625m	0.01	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Fluoranthene	n/a	=	0.1159	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Fluorene	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0676	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Naphthalene	n/a	=	0.0117	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Perylene	n/a	=	0.0324	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Phenanthrene	n/a	=	0.0361	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Pyrene	n/a	=	0.1204	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Total Detectable PAHs	n/a	=	1.0096	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 095	n/a	=	0.0011	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Total Detectable PCBs	n/a	=	0.0011	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDD	n/a	=	0.0181	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDD	n/a	=	0.0477	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDE	n/a	=	0.451	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDT	n/a	=	0.0349	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlordane-alpha	n/a	=	0.0048	µg/L	EPA 625m	0.001	MDL	CRG	EST, UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlordane-gamma	n/a	=	0.0049	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlorpyrifos	n/a	=	0.2399	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Diazinon	n/a	=	0.0561	µg/L	EPA 625m	0.002	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/3/2008	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Malathion	n/a	=	0.1685	µg/L	EPA 625m	0.003	MDL	CRG	UL-FB
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Total Detectable DDTs	n/a	=	0.5517	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	trans-Nonachlor	n/a	=	0.0061	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/23/2008	2/1/2008	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	E. Coli	n/a	=	8664	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Enterococcus	n/a	=	11100	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-CC	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Fecal Coliform	n/a	=	24000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-CC	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Total Coliform	n/a	=	816400	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-CC	2007/08-3	Wet	1/23/2008	1/25/2008	Conventional	Conductivity	n/a	=	407	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/23/2008	2/4/2008	Conventional	pH	n/a	=	7.9	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-CC	2007/08-3	Wet	1/23/2008	2/8/2008	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/23/2008	2/14/2008	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/23/2008	2/8/2008	Metal	Mercury	Dissolved	=	2.1	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/23/2008	2/8/2008	Metal	Mercury	Total	=	176.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-CC	2007/08-3	Wet	1/23/2008	2/4/2008	Nutrient	Ammonia as N	n/a	=	0.25	mg/L	SM 4500-NH3 F	0.03	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/7/2008	Anion	Bromide	n/a	=	0.2	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/1/2008	Anion	Chloride	n/a	=	35.86	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/25/2008	Conventional	BOD	n/a	=	8	mg/L	EPA 405.1	2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Conventional	Hardness as CaCO3	Total	=	63.8	mg/L	SM 2340 B	1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/30/2008	Conventional	Total Dissolved Solids	n/a	=	221	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/1/2008	Conventional	Total Organic Carbon	n/a	=	20.7	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Conventional	Total Suspended Solids	n/a	=	1170	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/25/2008	Conventional	Turbidity	n/a	=	1096	NTU	EPA 180.1	1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Aluminum	Dissolved	=	19	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Aluminum	Total	=	6644	µg/L	EPA 200.8m	5	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Arsenic	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Arsenic	Total	=	4.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Cadmium	Total	=	2.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Chromium	Dissolved	=	0.4	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Chromium	Total	=	14.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/7/2008	Metal	Chromium VI	Total	=	37	µg/L	SM 3500-Cr D	5	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Copper	Dissolved	=	3.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Copper	Total	=	49.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Lead	Total	=	14.58	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Nickel	Dissolved	=	2.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Nickel	Total	=	38.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Selenium	Dissolved	=	1.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Selenium	Total	=	1.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Zinc	Dissolved	=	3.7	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Zinc	Total	=	129.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Nitrate as N	n/a	=	2.67	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Nitrite as N	n/a	=	0.03	mg/L	EPA 300.0	0.01	MDL	CRG	EST, LB-MSR
ME-CC	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.2135	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/18/2008	Nutrient	TKN	n/a	=	0.78	mg/L	EPA 351.1	0.05	MDL	TA	
ME-CC	2007/08-3	Wet	1/24/2008	2/7/2008	Nutrient	Total Phosphorus	Dissolved	=	0.61	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/7/2008	Nutrient	Total Phosphorus	Total	=	3.142	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1-Methylnaphthalene	n/a	=	0.0091	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0228	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0074	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Methylnaphthalene	n/a	=	0.0104	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Acenaphthylene	n/a	=	0.0035	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Anthracene	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(a)anthracene	n/a	=	0.0193	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(a)pyrene	n/a	=	0.0193	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.0349	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(e)pyrene	n/a	=	0.0372	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(g,h,i)perylene	n/a	=	0.065	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(k)fluoranthene	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Biphenyl	n/a	=	0.0052	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	3.0717	µg/L	EPA 625m	0.1	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Butyl benzyl phthalate	n/a	=	0.2265	µg/L	EPA 625m	0.025	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Chrysene	n/a	=	0.0459	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Diethyl phthalate	n/a	=	2.5334	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dimethyl phthalate	n/a	=	0.0822	µg/L	EPA 625m	0.05	MDL	CRG	EST-MSRPD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Di-n-butylphthalate	n/a	=	0.1073	µg/L	EPA 625m	0.075	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Di-n-octylphthalate	n/a	=	0.1403	µg/L	EPA 625m	0.01	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Fluoranthene	n/a	=	0.062	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Fluorene	n/a	=	0.0063	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0457	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Naphthalene	n/a	=	0.0122	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Perylene	n/a	=	0.0213	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Phenanthrene	n/a	=	0.0316	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Pyrene	n/a	=	0.0631	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Total Detectable PAHs	n/a	=	0.5444	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 003	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 056/060	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDD	n/a	=	0.0062	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDT	n/a	=	0.01	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDD	n/a	=	0.0236	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDE	n/a	=	0.2321	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDT	n/a	=	0.0549	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlordane-alpha	n/a	=	0.0075	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlordane-gamma	n/a	=	0.0031	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlorpyrifos	n/a	=	0.0847	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Diazinon	n/a	=	0.0437	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/4/2008	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Total Detectable DDTs	n/a	=	0.3268	µg/L	EPA 625m		none	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	trans-Nonachlor	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	EST, EST-LD
ME-CC	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/22/2007	9/26/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	E. Coli	n/a	=	120	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Enterococcus	n/a	=	406	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Fecal Coliform	n/a	=	170	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Total Coliform	n/a	=	21870	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	Conductivity	n/a	=	1280	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	pH	n/a	=	8	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-SCR	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Dissolved	=	4.8	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-HT
ME-SCR	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Total	=	14.6	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/22/2007	9/25/2007	Nutrient	Ammonia as N	n/a	=	0.03	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Anion	Bromide	n/a	<	0.001	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Anion	Chloride	n/a	=	56.3	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/24/2007	Conventional	BOD	n/a	=	1	mg/L	SM 5210 B	0.58	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Conventional	Hardness as CaCO3	Total	=	258	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Conventional	Total Dissolved Solids	n/a	=	911	mg/L	SM 2540 C	0.1	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-1	Wet	9/24/2007	10/10/2007	Conventional	Total Organic Carbon	n/a	=	3.7	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/28/2007	Conventional	Total Suspended Solids	n/a	=	11.8	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Conventional	Turbidity	n/a	=	5.1	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Total	=	94	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Dissolved	=	1.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Total	=	1.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/24/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Dissolved	=	2.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Total	=	2.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Total	=	0.13	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Dissolved	=	1.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Total	=	2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Dissolved	=	2.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Total	=	2.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Dissolved	=	6.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Total	=	2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrate as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/5/2007	Nutrient	TKN	n/a	=	0.19	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Dissolved	=	0.08	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Total	=	0.102	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylnaphthalene	n/a	=	0.0037	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylphenanthrene	n/a	=	0.002	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methylnaphthalene	n/a	=	0.0072	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthene	n/a	=	0.0055	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Biphenyl	n/a	=	0.0019	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	4.0051	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0412	µg/L	EPA 625m	0.025	MDL	CRG	EST
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Diethyl phthalate	n/a	=	1.1662	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dimethyl phthalate	n/a	=	0.0583	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-butylphthalate	n/a	=	0.1204	µg/L	EPA 625m	0.075	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluoranthene	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Naphthalene	n/a	=	0.0164	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenanthrene	n/a	=	0.0027	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenol	n/a	=	0.35	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Total Detectable PAHs	n/a	=	0.0421	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/4/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	MDL	WL	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Malathion	n/a	=	0.0337	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/18/2007	12/28/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
ME-SCR	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	E. Coli	n/a	=	9208	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Enterococcus	n/a	=	13700	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Fecal Coliform	n/a	=	5000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Total Coliform	n/a	=	241920	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	Conductivity	n/a	=	1957	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	pH	n/a	=	7.9	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-SCR	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	Oil and Grease	n/a	=	1.9	mg/L	EPA 1664A	1	MDL	CRG	EST
ME-SCR	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	TRPH	n/a	=	1	mg/L	EPA 1664	1	MDL	CRG	EST
ME-SCR	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Dissolved	=	1	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Total	=	18.5	ng/L	EPA 1631Em	0.5	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-2	Wet	12/18/2007	1/2/2008	Nutrient	Ammonia as N	n/a	=	13.5	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/4/2008	Anion	Bromide	n/a	=	0.5	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/8/2008	Anion	Chloride	n/a	=	65.65	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/21/2007	Conventional	BOD	n/a	=	16.5	mg/L	EPA 405.1	2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Conventional	Hardness as CaCO3	Total	=	253.3	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/26/2007	Conventional	Total Dissolved Solids	n/a	=	1032	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/10/2008	Conventional	Total Organic Carbon	n/a	=	10.6	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/26/2007	Conventional	Total Suspended Solids	n/a	=	15733.3	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/20/2007	Conventional	Turbidity	n/a	=	3303	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Aluminum	Total	=	14680	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Arsenic	Dissolved	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Arsenic	Total	=	18.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Cadmium	Total	=	8.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Chromium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Chromium	Total	=	10.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/8/2008	Metal	Chromium VI	Total	=	12	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Copper	Dissolved	=	2.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Copper	Total	=	110.6	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Lead	Total	=	43	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Nickel	Dissolved	=	4.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Nickel	Total	=	90.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Selenium	Dissolved	=	6.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Selenium	Total	=	7.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Thallium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Zinc	Dissolved	=	0.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Zinc	Total	=	175.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/20/2007	Nutrient	Nitrate as N	n/a	=	0.8	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/20/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/20/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.2581	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/2/2008	Nutrient	TKN	n/a	=	0.26	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2007/08-2	Wet	12/20/2007	1/5/2008	Nutrient	Total Phosphorus	Dissolved	=	0.19	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/5/2008	Nutrient	Total Phosphorus	Total	=	25.938	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1-Methylnaphthalene	n/a	=	0.0426	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1-Methylphenanthrene	n/a	=	0.0706	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0315	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0584	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Methylnaphthalene	n/a	=	0.0319	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Acenaphthene	n/a	=	0.0088	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(a)anthracene	n/a	=	0.0272	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(a)pyrene	n/a	=	0.0176	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.0199	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(e)pyrene	n/a	=	0.0458	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(g,h,i)perylene	n/a	=	0.0321	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(k)fluoranthene	n/a	=	0.026	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Biphenyl	n/a	=	0.0333	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	1.3923	µg/L	EPA 625m	0.1	MDL	CRG	EST-LD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Butyl benzyl phthalate	n/a	=	0.0912	µg/L	EPA 625m	0.025	MDL	CRG	EST-LD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Chrysene	n/a	=	0.1199	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Dibenzothiophene	n/a	=	0.0397	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Diethyl phthalate	n/a	=	0.1637	µg/L	EPA 625m	0.1	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Di-n-octylphthalate	n/a	=	0.021	µg/L	EPA 625m	0.01	MDL	CRG	EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Fluoranthene	n/a	=	0.0474	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Fluorene	n/a	=	0.0139	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Naphthalene	n/a	=	0.0335	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Perylene	n/a	=	1.2885	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Phenanthrene	n/a	=	0.0947	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Pyrene	n/a	=	0.0795	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-LD, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Total Detectable PAHs	n/a	=	2.1628	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 153	n/a	=	0.0064	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Total Detectable PCBs	n/a	=	0.0064	µg/L	EPA 625m	0.001	none	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	HB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	HB-MSR
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	HB-MSR, EST-MSRPD

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/3/2008	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	12/27/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	LB-SRGTR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	LB-SRGTR
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-MSR, EST-MSRPD
ME-SCR	2007/08-3	Wet	1/23/2008	2/1/2008	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	E. Coli	n/a	=	2909	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Enterococcus	n/a	=	10130	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-SCR	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Fecal Coliform	n/a	=	2800	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-SCR	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Total Coliform	n/a	=	547500	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-SCR	2007/08-3	Wet	1/23/2008	1/25/2008	Conventional	Conductivity	n/a	=	662	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/23/2008	2/4/2008	Conventional	pH	n/a	=	8	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-SCR	2007/08-3	Wet	1/23/2008	2/8/2008	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/23/2008	2/14/2008	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/23/2008	2/8/2008	Metal	Mercury	Dissolved	=	2.5	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/23/2008	2/8/2008	Metal	Mercury	Total	=	322.2	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/23/2008	2/4/2008	Nutrient	Ammonia as N	n/a	=	0.45	mg/L	SM 4500-NH3 F	0.03	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/7/2008	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/1/2008	Anion	Chloride	n/a	=	25.64	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/25/2008	Conventional	BOD	n/a	=	6.4	mg/L	EPA 405.1	2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Conventional	Hardness as CaCO3	Total	=	141.9	mg/L	SM 2340 B	1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/30/2008	Conventional	Total Dissolved Solids	n/a	=	519	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/1/2008	Conventional	Total Organic Carbon	n/a	=	16.6	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Conventional	Total Suspended Solids	n/a	=	8700	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/25/2008	Conventional	Turbidity	n/a	=	5148	NTU	EPA 180.1	1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Aluminum	Total	=	15420	µg/L	EPA 200.8m	5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Arsenic	Dissolved	=	0.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Arsenic	Total	=	7.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Cadmium	Total	=	5.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Chromium	Total	=	16.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/7/2008	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Copper	Dissolved	=	2.3	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Copper	Total	=	50.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Lead	Total	=	22.84	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Nickel	Dissolved	=	2.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Nickel	Total	=	74.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Selenium	Dissolved	=	4.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Selenium	Total	=	4.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Thallium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Zinc	Dissolved	=	0.3	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Zinc	Total	=	150.3	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Nitrate as N	n/a	=	1.68	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Nitrite as N	n/a	=	0.13	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.3307	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/18/2008	Nutrient	TKN	n/a	=	0.48	mg/L	EPA 351.1	0.05	MDL	TA	
ME-SCR	2007/08-3	Wet	1/24/2008	2/7/2008	Nutrient	Total Phosphorus	Dissolved	=	0.1	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/7/2008	Nutrient	Total Phosphorus	Total	=	8.498	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,2,4-Trichlorobenzene	n/a	=	0.016	µg/L	EPA 625m	0.01	MDL	CRG	EST, UL-FB
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1-Methylnaphthalene	n/a	=	0.0809	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1-Methylphenanthrene	n/a	=	0.0546	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0281	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0714	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Methylnaphthalene	n/a	=	0.0805	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Acenaphthene	n/a	=	0.015	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(a)anthracene	n/a	=	0.0272	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(a)pyrene	n/a	=	0.0209	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.038	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(e)pyrene	n/a	=	0.0527	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(g,h,i)perylene	n/a	=	0.0511	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(k)fluoranthene	n/a	=	0.0154	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Biphenyl	n/a	=	0.0581	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.3735	µg/L	EPA 625m	0.1	MDL	CRG	UL-FB
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Butyl benzyl phthalate	n/a	=	0.1168	µg/L	EPA 625m	0.025	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Chrysene	n/a	=	0.0749	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dibenzothiophene	n/a	=	0.0298	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Diethyl phthalate	n/a	=	0.2294	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Fluoranthene	n/a	=	0.0484	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Fluorene	n/a	=	0.0141	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0171	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Naphthalene	n/a	=	0.0728	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Perylene	n/a	=	0.8591	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Phenanthrene	n/a	=	0.1625	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Phenol	n/a	=	0.268	µg/L	EPA 625m	0.1	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Pyrene	n/a	=	0.0735	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Total Detectable PAHs	n/a	=	1.9461	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 003	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 056/060	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 209	n/a	=	0.0036	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Total Detectable PCBs	n/a	=	0.0036	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDE	n/a	=	0.0167	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fensulfthion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/4/2008	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Total Detectable DDTs	n/a	=	0.0167	µg/L	EPA 625m		none	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-SCR	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/22/2007	9/26/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	CalScience	
ME-VR2	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	E. Coli	n/a	=	109	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Enterococcus	n/a	=	99	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Fecal Coliform	n/a	=	130	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Total Coliform	n/a	=	4611	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	Conductivity	n/a	=	1040	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	pH	n/a	=	8	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-VR2	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Dissolved	=	4.3	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-HT
ME-VR2	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Total	=	9.2	ng/L	EPA 1631Em	0.5	MDL	CRG	UL-FB
ME-VR2	2007/08-1	Wet	9/22/2007	9/25/2007	Nutrient	Ammonia as N	n/a	=	0.06	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Anion	Bromide	n/a	<	0.001	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Anion	Chloride	n/a	=	135.9	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/24/2007	Conventional	BOD	n/a	=	10	mg/L	SM 5210 B	0.58	MDL	CalScience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Conventional	Hardness as CaCO3	Total	=	289.2	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Conventional	Total Dissolved Solids	n/a	=	1139	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/10/2007	Conventional	Total Organic Carbon	n/a	=	6.4	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/28/2007	Conventional	Total Suspended Solids	n/a	=	4	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Conventional	Turbidity	n/a	=	3.9	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Total	=	18	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Dissolved	=	1.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Total	=	1.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Total	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/24/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Dissolved	=	2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Total	=	2.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Total	=	0.09	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Dissolved	=	11.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Total	=	11.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Dissolved	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Total	=	1.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Dissolved	=	14.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Total	=	9.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrate as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/5/2007	Nutrient	TKN	n/a	=	0.22	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Dissolved	=	0.04	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Total	=	0.098	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylnaphthalene	n/a	=	0.0061	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methylnaphthalene	n/a	=	0.0103	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthene	n/a	=	0.0035	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Biphenyl	n/a	=	0.0042	µg/L	EPA 625m	0.001	MDL	CRG	EST-LD
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	5.5647	µg/L	EPA 625m	0.1	MDL	CRG	EST-LD
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Butyl benzyl phthalate	n/a	=	0.0468	µg/L	EPA 625m	0.025	MDL	CRG	EST
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Diethyl phthalate	n/a	=	0.4329	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dimethyl phthalate	n/a	=	0.0512	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-butylphthalate	n/a	=	0.1685	µg/L	EPA 625m	0.075	MDL	CRG	EST-LD
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Naphthalene	n/a	=	0.0362	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenanthrene	n/a	=	0.0016	µg/L	EPA 625m	0.001	MDL	CRG	UL-FB
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenol	n/a	=	0.29	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Total Detectable PAHs	n/a	=	0.0619	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fensulfotion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/4/2007	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	MDL	WL	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/18/2007	12/28/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
ME-VR2	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	E. Coli	n/a	=	5475	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Enterococcus	n/a	=	7380	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Fecal Coliform	n/a	=	1700	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Total Coliform	n/a	=	241920	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	Conductivity	n/a	=	1169	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	pH	n/a	=	7.8	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-VR2	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	TRPH	n/a	=	1.3	mg/L	EPA 1664	1	MDL	CRG	EST
ME-VR2	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Dissolved	<	0.5	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-FD
ME-VR2	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Total	=	6.7	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/18/2007	1/2/2008	Nutrient	Ammonia as N	n/a	=	0.06	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/4/2008	Anion	Bromide	n/a	=	0.4	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/8/2008	Anion	Chloride	n/a	=	301.56	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/21/2007	Conventional	BOD	n/a	=	3	mg/L	EPA 405.1	2	MDL	CRG	EST-LD
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Conventional	Hardness as CaCO3	Total	=	328.8	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/26/2007	Conventional	Total Dissolved Solids	n/a	=	1326	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/10/2008	Conventional	Total Organic Carbon	n/a	=	5.5	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/26/2007	Conventional	Total Suspended Solids	n/a	=	48	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/20/2007	Conventional	Turbidity	n/a	=	48.3	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Aluminum	Total	=	208	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Arsenic	Dissolved	=	0.7	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Arsenic	Total	=	2.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Cadmium	Total	=	0.3	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Chromium	Total	=	0.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/8/2008	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Copper	Dissolved	=	2	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Copper	Total	=	3.4	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Lead	Total	=	0.73	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Nickel	Dissolved	=	27.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Nickel	Total	=	28.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Selenium	Dissolved	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Selenium	Total	=	1.1	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Zinc	Dissolved	=	3.8	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/7/2008	Metal	Zinc	Total	=	16.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/20/2007	Nutrient	Nitrate as N	n/a	=	0.16	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/20/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	12/20/2007	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/5/2008	Nutrient	Total Phosphorus	Dissolved	=	0.06	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/5/2008	Nutrient	Total Phosphorus	Total	=	0.231	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1-Methylnaphthalene	n/a	=	0.006	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	1-Methylphenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0054	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Methylnaphthalene	n/a	=	0.0061	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(a)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(a)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(b)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(e)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Benzo(k)fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Biphenyl	n/a	=	0.0038	µg/L	EPA 625m	0.001	MDL	CRG	EST
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	0.7965	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Butyl benzyl phthalate	n/a	=	0.1163	µg/L	EPA 625m	0.025	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Chrysene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Diethyl phthalate	n/a	=	1.4278	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Dimethyl phthalate	n/a	=	0.0733	µg/L	EPA 625m	0.05	MDL	CRG	EST
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Fluoranthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Fluorene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Isophorone	n/a	=	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Naphthalene	n/a	=	0.0059	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Phenanthrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Organic	Total Detectable PAHs	n/a	=	0.0272	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Fensulfotion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-2	Wet	12/20/2007	1/15/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/1/2008	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	E. Coli	n/a	=	2755	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Enterococcus	n/a	=	6240	MPN/100 mL	Enterolert	10	MDL	VCHCA	
ME-VR2	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Fecal Coliform	n/a	=	3200	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
ME-VR2	2007/08-3	Wet	1/23/2008	1/23/2008	Bacteriological	Total Coliform	n/a	=	104620	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
ME-VR2	2007/08-3	Wet	1/23/2008	1/25/2008	Conventional	Conductivity	n/a	=	1120	µmhos/cm	SM 2510	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/4/2008	Conventional	pH	n/a	=	8	pH Units	SM 4500 H+	0.1	IP	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/8/2008	Hydrocarbon	Oil and Grease	n/a	<	1	mg/L	EPA 1664A	1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/14/2008	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/8/2008	Metal	Mercury	Dissolved	=	3.4	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/8/2008	Metal	Mercury	Total	=	121	ng/L	EPA 1631Em	0.5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/23/2008	2/4/2008	Nutrient	Ammonia as N	n/a	=	0.27	mg/L	SM 4500-NH3 F	0.03	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/7/2008	Anion	Bromide	n/a	=	0.5	mg/L	EPA 300.0	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/1/2008	Anion	Chloride	n/a	=	22.53	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/25/2008	Conventional	BOD	n/a	=	7.1	mg/L	EPA 405.1	2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Conventional	Hardness as CaCO3	Total	=	173	mg/L	SM 2340 B	1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/30/2008	Conventional	Total Dissolved Solids	n/a	=	827	mg/L	SM 2540 C	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/1/2008	Conventional	Total Organic Carbon	n/a	=	28.4	mg/L	EPA 415.1	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Conventional	Total Suspended Solids	n/a	=	12500	mg/L	SM 2540 D	0.5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/25/2008	Conventional	Turbidity	n/a	=	7012	NTU	EPA 180.1	1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Aluminum	Total	=	22340	µg/L	EPA 200.8m	5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Arsenic	Dissolved	=	1.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Arsenic	Total	=	23.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Cadmium	Total	=	10.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Chromium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Chromium	Total	=	34.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/7/2008	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Copper	Dissolved	=	5.5	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Copper	Total	=	135.9	µg/L	EPA 200.8m	0.4	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Lead	Dissolved	<	0.05	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Lead	Total	=	53.43	µg/L	EPA 200.8m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Nickel	Dissolved	=	6.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Nickel	Total	=	235.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Selenium	Dissolved	=	9.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Selenium	Total	=	9.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Thallium	Total	=	0.2	µg/L	EPA 200.8m	0.1	MDL	CRG	EST

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Zinc	Dissolved	=	0.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Metal	Zinc	Total	=	217.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Nitrate as N	n/a	=	4.4	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Nitrite as N	n/a	=	0.08	mg/L	EPA 300.0	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/26/2008	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.3148	mg/L	EPA 300.0	0.0075	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/18/2008	Nutrient	TKN	n/a	=	0.64	mg/L	EPA 351.1	0.05	MDL	TA	
ME-VR2	2007/08-3	Wet	1/24/2008	2/7/2008	Nutrient	Total Phosphorus	Dissolved	=	0.15	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/7/2008	Nutrient	Total Phosphorus	Total	=	7.075	mg/L	SM 4500-P C	0.016	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1-Methylnaphthalene	n/a	=	0.487	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	1-Methylphenanthrene	n/a	=	0.3636	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.4569	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.9331	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Methylnaphthalene	n/a	=	0.5649	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Acenaphthene	n/a	=	0.0551	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(a)anthracene	n/a	=	0.0482	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(a)pyrene	n/a	=	0.0366	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.0726	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(e)pyrene	n/a	=	0.0847	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(g,h,i)perylene	n/a	=	0.0797	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Benzo(k)fluoranthene	n/a	=	0.0313	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Biphenyl	n/a	=	0.0282	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.7506	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Butyl benzyl phthalate	n/a	=	0.0811	µg/L	EPA 625m	0.025	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Chrysene	n/a	=	0.1584	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dibenz(a,h)anthracene	n/a	=	0.0254	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dibenzothioephene	n/a	=	0.0809	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Diethyl phthalate	n/a	=	0.8231	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Di-n-octylphthalate	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Fluoranthene	n/a	=	0.129	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Fluorene	n/a	=	0.1704	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0332	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Naphthalene	n/a	=	0.0984	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Perylene	n/a	=	0.2727	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Phenanthrene	n/a	=	0.382	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Phenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Pyrene	n/a	=	0.1219	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Organic	Total Detectable PAHs	n/a	=	4.7142	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 003	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 056/060	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	2,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDD	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDE	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	4,4'-DDT	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlordane-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlordane-gamma	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/4/2008	Pesticide	Glyphosate	n/a	<	5	µg/L	EPA 547	5	RL	WL	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	1/31/2008	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Oxychlorane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Total Detectable DDTs	n/a	=	0	µg/L	EPA 625m		none	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	trans-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
ME-VR2	2007/08-3	Wet	1/24/2008	2/23/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/18/2007	12/28/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
W-3	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	E. Coli	n/a	=	12997	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
W-3	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Enterococcus	n/a	=	20050	MPN/100 mL	Enterolert	10	MDL	VCHCA	
W-3	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Fecal Coliform	n/a	=	16000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
W-3	2007/08-2	Wet	12/18/2007	12/18/2007	Bacteriological	Total Coliform	n/a	=	1413600	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
W-3	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	Conductivity	n/a	=	575	µmhos/cm	SM 2510	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/18/2007	12/20/2007	Conventional	pH	n/a	=	8	pH Units	SM 4500 H+	0.1	IP	CRG	
W-3	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	Oil and Grease	n/a	=	1	mg/L	EPA 1664A	1	MDL	CRG	EST
W-3	2007/08-2	Wet	12/18/2007	1/11/2008	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
W-3	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Dissolved	=	1.9	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-3	2007/08-2	Wet	12/18/2007	1/7/2008	Metal	Mercury	Total	=	74.6	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-3	2007/08-2	Wet	12/18/2007	1/2/2008	Nutrient	Ammonia as N	n/a	=	3	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/18/2007	1/4/2008	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	1/4/2008	Anion	Bromide	n/a	=	0.5	mg/L	EPA 300.0	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/8/2008	Anion	Chloride	n/a	=	21.72	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/21/2007	Conventional	BOD	n/a	=	7	mg/L	EPA 405.1	2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Conventional	Hardness as CaCO3	Total	=	70	mg/L	SM 2340 B	1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/26/2007	Conventional	Total Dissolved Solids	n/a	=	254	mg/L	SM 2540 C	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/10/2008	Conventional	Total Organic Carbon	n/a	=	20.4	mg/L	EPA 415.1	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/26/2007	Conventional	Total Suspended Solids	n/a	=	7466.7	mg/L	SM 2540 D	0.5	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/20/2007	Conventional	Turbidity	n/a	=	3806	NTU	EPA 180.1	1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Aluminum	Dissolved	=	12	µg/L	EPA 200.8m	5	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Aluminum	Total	=	6032	µg/L	EPA 200.8m	5	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Arsenic	Dissolved	=	2.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Arsenic	Total	=	8.5	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Cadmium	Dissolved	=	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	EST
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Cadmium	Total	=	2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Chromium	Dissolved	=	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	EST
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Chromium	Total	=	4.2	µg/L	EPA 200.8m	0.1	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2007/08-2	Wet	12/19/2007	1/8/2008	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Copper	Dissolved	=	10.8	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Copper	Total	=	124.3	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Lead	Dissolved	=	0.15	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Lead	Total	=	33.39	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Nickel	Dissolved	=	4.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Nickel	Total	=	31	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Selenium	Dissolved	=	3.8	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Selenium	Total	=	3.3	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Zinc	Dissolved	=	7.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/7/2008	Metal	Zinc	Total	=	164.2	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Nitrate as N	n/a	=	7.81	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Nitrite as N	n/a	=	0.27	mg/L	EPA 300.0	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/20/2007	Nutrient	Orthophosphate as P (Diss)	n/a	=	0.7969	mg/L	EPA 300.0	0.0075	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/2/2008	Nutrient	TKN	n/a	=	0.3	mg/L	EPA 351.1	0.05	MDL	TA	
W-3	2007/08-2	Wet	12/19/2007	1/5/2008	Nutrient	Total Phosphorus	Dissolved	=	0.79	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/5/2008	Nutrient	Total Phosphorus	Total	=	8.032	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,2,4-Trichlorobenzene	n/a	=	0.012	µg/L	EPA 625m	0.01	MDL	CRG	EST
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1-Methylnaphthalene	n/a	=	0.0058	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	1-Methylphenanthrene	n/a	=	0.0255	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0065	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,6-Dimethylnaphthalene	n/a	=	0.0124	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Methylnaphthalene	n/a	=	0.0082	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Acenaphthene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(a)anthracene	n/a	=	0.0193	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(a)pyrene	n/a	=	0.0128	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(b)fluoranthene	n/a	=	0.035	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(e)pyrene	n/a	=	0.03	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(g,h,i)perylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Benzo(k)fluoranthene	n/a	=	0.0082	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Biphenyl	n/a	=	0.0109	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.7122	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Butyl benzyl phthalate	n/a	=	0.2392	µg/L	EPA 625m	0.025	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Chrysene	n/a	=	0.0441	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dibenz(a,h)anthracene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dibenzothiophene	n/a	=	0.0037	µg/L	EPA 625m	0.001	MDL	CRG	EST
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Diethyl phthalate	n/a	=	0.5378	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Dimethyl phthalate	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Di-n-butylphthalate	n/a	=	0.1717	µg/L	EPA 625m	0.075	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Di-n-octylphthalate	n/a	=	0.0316	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Fluoranthene	n/a	=	0.0423	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Fluorene	n/a	=	0.0057	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Indeno(1,2,3-cd)pyrene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Isophorone	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Naphthalene	n/a	=	0.0082	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Perylene	n/a	=	0.0076	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Phenanthrene	n/a	=	0.039	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Phenol	n/a	=	0.343	µg/L	EPA 625m	0.1	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Pyrene	n/a	=	0.0395	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Organic	Total Detectable PAHs	n/a	=	0.3647	µg/L	EPA 625m		none	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 008	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 174	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 195	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	PCB 209	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDD	n/a	=	0.0929	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDE	n/a	=	0.0422	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	2,4'-DDT	n/a	=	0.031	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDD	n/a	=	0.3239	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDE	n/a	=	2.4776	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	4,4'-DDT	n/a	=	0.1848	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlordane-alpha	n/a	=	0.0234	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlordane-gamma	n/a	=	0.0163	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Chlorpyrifos	n/a	=	3.4021	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	cis-Nonachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	RL	Calscience	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Diazinon	n/a	=	0.0615	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fenchlorophos (Ronnel)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/3/2008	Pesticide	Glyphosate	n/a	=	6.1	µg/L	EPA 547	5	RL	WL	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	12/27/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	RL	Calscience	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Oxychlorthane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Total Detectable DDTs	n/a	=	3.1524	µg/L	EPA 625m		none	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	trans-Nonachlor	n/a	=	0.0138	µg/L	EPA 625m	0.001	MDL	CRG	
W-3	2007/08-2	Wet	12/19/2007	1/15/2008	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/22/2007	9/26/2007	Anion	Perchlorate	n/a	<	2	µg/L	EPA 314.0	2	MDL	Calscience	
W-4	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	E. Coli	n/a	=	7270	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
W-4	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Enterococcus	n/a	=	3440	MPN/100 mL	Enterolert	10	MDL	VCHCA	
W-4	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Fecal Coliform	n/a	=	24000	MPN/100 mL	SM 9221 E	2	MDL	VCHCA	
W-4	2007/08-1	Wet	9/22/2007	9/22/2007	Bacteriological	Total Coliform	n/a	=	8664000	MPN/100 mL	MMO-MUG	10	MDL	VCHCA	
W-4	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	Conductivity	n/a	=	2600	µmhos/cm	SM 2510	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/22/2007	9/25/2007	Conventional	pH	n/a	=	8.1	pH Units	SM 4500 H+	0.1	IP	CRG	
W-4	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	Oil and Grease	n/a	=	2.3	mg/L	EPA 1664A	1	MDL	CRG	
W-4	2007/08-1	Wet	9/22/2007	9/29/2007	Hydrocarbon	TRPH	n/a	<	1	mg/L	EPA 1664	1	MDL	CRG	
W-4	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Dissolved	=	7.1	ng/L	EPA 1631Em	0.5	MDL	CRG	EST-HT
W-4	2007/08-1	Wet	9/22/2007	10/9/2007	Metal	Mercury	Total	=	61.4	ng/L	EPA 1631Em	0.5	MDL	CRG	
W-4	2007/08-1	Wet	9/22/2007	9/25/2007	Nutrient	Ammonia as N	n/a	=	1.2	mg/L	SM 4500-NH3 F	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/22/2007	9/28/2007	Organic	Methyl tert-butyl ether (MTBE)	n/a	<	1	µg/L	EPA 8260B	1	RL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Anion	Bromide	n/a	<	0.001	mg/L	EPA 300.0	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Anion	Chloride	n/a	=	150.6	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/24/2007	Conventional	BOD	n/a	=	25	mg/L	SM 5210 B	0.58	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Conventional	Hardness as CaCO3	Total	=	650.3	mg/L	SM 2340 B	1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Conventional	Total Dissolved Solids	n/a	=	2719	mg/L	SM 2540 C	0.1	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2007/08-1	Wet	9/24/2007	10/10/2007	Conventional	Total Organic Carbon	n/a	=	25.4	mg/L	EPA 415.1	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/28/2007	Conventional	Total Suspended Solids	n/a	=	3780	mg/L	SM 2540 D	0.5	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Conventional	Turbidity	n/a	=	2216	NTU	EPA 180.1	1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Dissolved	<	5	µg/L	EPA 200.8m	5	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Aluminum	Total	=	11200	µg/L	EPA 200.8m	5	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Dissolved	=	5	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Arsenic	Total	=	26.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Dissolved	<	0.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Cadmium	Total	=	6.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Dissolved	=	0.5	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Chromium	Total	=	10.4	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/24/2007	Metal	Chromium VI	Total	<	5	µg/L	SM 3500-Cr D	5	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Dissolved	=	4.2	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Copper	Total	=	148.1	µg/L	EPA 200.8m	0.4	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Dissolved	=	0.06	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Lead	Total	=	98.42	µg/L	EPA 200.8m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Dissolved	=	8.2	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Nickel	Total	=	56.6	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Dissolved	=	15.4	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Selenium	Total	=	16.9	µg/L	EPA 200.8m	0.2	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Dissolved	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Silver	Total	<	0.5	µg/L	EPA 200.8m	0.5	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Dissolved	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Thallium	Total	<	0.1	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Dissolved	=	8.6	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Metal	Zinc	Total	=	373	µg/L	EPA 200.8m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrate as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Nitrite as N	n/a	<	0.01	mg/L	EPA 300.0	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Orthophosphate as P (Diss)	n/a	<	0.0075	mg/L	EPA 300.0	0.0075	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/5/2007	Nutrient	TKN	n/a	=	1.41	mg/L	EPA 351.1	0.05	MDL	TA	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Dissolved	=	0.2	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	9/25/2007	Nutrient	Total Phosphorus	Total	=	4.752	mg/L	SM 4500-P C	0.016	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2,4-Trichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,2-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,3-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1,4-Dichlorobenzene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylnaphthalene	n/a	=	0.129	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	1-Methylphenanthrene	n/a	=	0.0149	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,3,5-Trimethylnaphthalene	n/a	=	0.0151	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4,6-Trichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dichlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dimethylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,4-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dimethylnaphthalene	n/a	=	0.1566	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2,6-Dinitrotoluene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chloronaphthalene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Chlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methyl-4,6-dinitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Methylnaphthalene	n/a	=	0.2624	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	2-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	3,3'-Dichlorobenzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Bromophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chloro-3-methylphenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Chlorophenyl phenyl ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	4-Nitrophenol	n/a	<	0.1	µg/L	EPA 625m	0.1	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthene	n/a	=	0.0065	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Acenaphthylene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Anthracene	n/a	=	0.01	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Azobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzidine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)anthracene	n/a	=	0.0219	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(a)pyrene	n/a	=	0.0279	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(b)fluoranthene	n/a	=	0.0378	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(e)pyrene	n/a	=	0.0382	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(g,h,i)perylene	n/a	=	0.0232	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Benzo(k)fluoranthene	n/a	=	0.0159	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Biphenyl	n/a	=	0.0415	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethoxy)methane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroethyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-chloroisopropyl)ether	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Bis(2-ethylhexyl)phthalate	n/a	=	2.7549	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Butyl benzyl phthalate	n/a	=	0.2064	µg/L	EPA 625m	0.025	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Chrysene	n/a	=	0.0776	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenz(a,h)anthracene	n/a	=	0.0022	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dibenzothiophene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Diethyl phthalate	n/a	=	1.1588	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Dimethyl phthalate	n/a	=	0.1185	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-butylphthalate	n/a	<	0.075	µg/L	EPA 625m	0.075	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Di-n-octylphthalate	n/a	=	0.348	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluoranthene	n/a	=	0.0697	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Fluorene	n/a	=	0.0334	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobenzene	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorobutadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachlorocyclopentadiene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Hexachloroethane	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Indeno(1,2,3-cd)pyrene	n/a	=	0.0108	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Isophorone	n/a	=	0.06	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Naphthalene	n/a	=	0.0867	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Nitrobenzene	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodimethylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodi-N-propylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	N-Nitrosodiphenylamine	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pentachlorophenol	n/a	<	0.05	µg/L	EPA 625m	0.05	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Perylene	n/a	=	0.0078	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenanthrene	n/a	=	0.0546	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Phenol	n/a	=	0.108	µg/L	EPA 625m	0.1	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Pyrene	n/a	=	0.0673	µg/L	EPA 625m	0.001	MDL	CRG	LB-SRGTR
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Organic	Total Detectable PAHs	n/a	=	1.211	µg/L	EPA 625m		none	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1016	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1221	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1232	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1242	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1248	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1254	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Aroclor 1260	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 018	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 028	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 031	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 033	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 037	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 044	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 049	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 052	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 066	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 070	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 074	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 077	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 081	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 087	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 095	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 097	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 099	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 101	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 105	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 110	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 114	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 118	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 119	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 123	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 126	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 128	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 138	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 141	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 149	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 151	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 153	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 156	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 157	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 158	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 167	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 168 + 132	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 169	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 170	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 177	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 180	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 183	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 187	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 189	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 194	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 200	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 201	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	PCB 206	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	PCB	Total Detectable PCBs	n/a	=	0	µg/L	EPA 625m		none	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-T	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	CalScience	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4,5-TP (Silvex)	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	CalScience	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-D	n/a	<	5	µg/L	EPA 8151A	5	MDL	CalScience	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	2,4-DB	n/a	<	5	µg/L	EPA 8151A	5	MDL	CalScience	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDD	n/a	=	0.1525	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDE	n/a	=	0.0651	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	2,4'-DDT	n/a	=	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDD	n/a	=	0.5578	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDE	n/a	=	2.147	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	4,4'-DDT	n/a	=	0.1237	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Aldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-alpha	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-beta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-delta	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	

Appendix F
2007/08 Laboratory Environmental Analysis Results

Site ID	Event ID	Event Type	Sample Date	Analysis Date	Classification	Constituent	Fraction	Sign	Result	Units	Method	Detection Limit (DL)	DL Type	Analyzing Lab	Program Qualification
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	BHC-gamma (Lindane)	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Bolstar	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-alpha	n/a	=	0.0342	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlordane-gamma	n/a	=	0.0391	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Chlorpyrifos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	cis-Nonachlor	n/a	=	0.0074	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dalapon	n/a	<	13	µg/L	EPA 8151A	13	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Demeton-O	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Diazinon	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dicamba	n/a	<	0.5	µg/L	EPA 8151A	0.5	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dichlorprop	n/a	<	5	µg/L	EPA 8151A	5	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dichlorvos	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dieldrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Dimethoate	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	Dinoseb	n/a	<	2.5	µg/L	EPA 8151A	2.5	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Disulfoton	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan sulfate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-I	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endosulfan-II	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin aldehyde	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Endrin ketone	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Ethoprop	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenchlorophos (Ronnell)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fensulfothion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Fenthion	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/4/2007	Pesticide	Glyphosate	n/a	=	22	µg/L	EPA 547	5	MDL	WL	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Heptachlor epoxide	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Malathion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPA	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/1/2007	Pesticide	MCPP	n/a	<	500	µg/L	EPA 8151A	500	MDL	Calscience	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Merphos	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methoxychlor	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Methyl parathion	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mevinphos	n/a	<	0.008	µg/L	EPA 625m	0.008	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Mirex	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Oxychlordane	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Phorate	n/a	<	0.006	µg/L	EPA 625m	0.006	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tetrachlorovinphos (Stirofos)	n/a	<	0.002	µg/L	EPA 625m	0.002	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Tokuthion	n/a	<	0.003	µg/L	EPA 625m	0.003	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Total Detectable DDTs	n/a	=	3.0461	µg/L	EPA 625m		none	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Toxaphene	n/a	<	0.01	µg/L	EPA 625m	0.01	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	trans-Nonachlor	n/a	=	0.0249	µg/L	EPA 625m	0.001	MDL	CRG	
W-4	2007/08-1	Wet	9/24/2007	10/16/2007	Pesticide	Trichloronate	n/a	<	0.001	µg/L	EPA 625m	0.001	MDL	CRG	